

(1390 REV. 5-93) US DEPT. OF COMMERCE PATENT & TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER
110048

**TRANSMITTAL LETTER TO THE
UNITED STATES
DESIGNATED/ELECTED OFFICE
(DO/EO/US) CONCERNING A FILING
UNDER 35 U.S.C. 371**

U.S. APPLICATION NO.
(if known, sec 37 C.F.R.1.5)**09/869927**INTERNATIONAL APPLICATION NO.
PCT/FR00/00144INTERNATIONAL FILING DATE
January 21, 2000PRIORITY DATE CLAIMED
January 21, 1999

TITLE OF INVENTION
ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN AUTOIMMUNE DISEASE, LABELING METHOD AND REAGENT

APPLICANT(S) FOR DO/EO/US
Glaucia PARAHOS-BACCALA, Francois MALLET, Cecile VOISSET

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☒ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 11. to 16. below concern other document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ Entitlement to small entity status is hereby asserted.
16. ☐ Other items or information:

TO: "PCT" 09 JUL 2001

U.S. APPLICATION NO. (if known, see 37 C.F.R. 1.5)

INTERNATIONAL APPLICATION NO.
PCT/FR00/00144ATTORNEY'S DOCKET NUMBER
11004817. ☒ The following fees are submitted:**Basic National fee (37 CFR 1.492(a)(1)-(5)):**

Search Report has been prepared by the EPO or JPO \$860.00

International preliminary examination fee paid to USPTO
(37 CFR 1.482) \$690.00No international preliminary examination fee paid to USPTO
(37 CFR 1.482) but international search fee paid to USPTO
(37 CFR 1.445(a)(2)) \$710.00Neither international preliminary examination fee (37 CFR
1.482) nor international search fee (37 CFR 1.445(a)(2))
paid to USPTO \$1,000.00International preliminary examination fee paid to USPTO
(37 CFR 1.482) and all claims satisfied provisions of PCT
Article 33(2)-(4) \$ 100.00**ENTER APPROPRIATE BASIC FEE AMOUNT =**

\$860.00

Surcharge of \$130.00 for furnishing the oath or declaration later than
☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR
1.492(e)).

\$

Claims	Number Filed	Number Extra	Rate
Total Claims	18 - 20 =	0	X \$ 18.00
Independent Claims	5 - 3 =	2	X \$ 80.00
Multiple dependent claim(s) (if applicable)			+ \$270.00

\$160.00

TOTAL OF ABOVE CALCULATIONS =

\$1020.00

Reduction by 1/2 for filing by small entity, if applicable.

-

\$

SUBTOTAL =

\$1020.00

Processing fee of \$130.00 for furnishing the English translation later
than ☐ 20 ☐ 30 month from the earliest claimed priority date (37 CFR
1.492(f)).

+

\$

TOTAL NATIONAL FEE =

\$1020.00

Amount to be
refunded

\$

Charged

\$

- a. ☒ Check No. 120730 in the amount of \$1020.00 to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Director is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Deposit Account No. 15-0461. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320

Date: July 9, 2001

NAME: William P. Berridge
REGISTRATION NUMBER: 30,024

NAME: Joel S. Armstrong
REGISTRATION NUMBER: 36,430

PTO/PCT Rec'd 22 OCT 2001

09/869,927 #4
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Glaucia PARANHOS-BACCALA et al.

BOX: SEQUENCE

Application No.: 09/869,927

Filed: August 17, 2001

Docket No.: 110048

For: ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN
AUTOIMMUNE DISEASE, LABELING METHOD AND REAGENT

SUPPLEMENTAL PRELIMINARY AMENDMENT

Director of the U.S. Patent and Trademark Office
Washington, D.C. 20231

Sir:

In response to the Notification of Missing Requirements mailed August 21, 2001,
please amend the above-identified patent application as follows:

IN THE SPECIFICATION:

At the end of the application, please replace the current Sequence Listing with the
attached paper and computer-readable Sequence Listing.

Page 4, line 13 - page 5, line 18, delete current paragraph and insert therefor:

Location of the clones on the reconstructed genomic RNA sequence:

cl.6A2 (1321 bp) 1-1325;

cl.PH74 (535+2229= 2764 bp) 72-606 and 5353-7582;

cl.24.4 (491+1457= 1948 bp); 115-606 and 5353-6810;

cl.44.4 (2372 bp) 115-2496;

cl.PH7 (369+297= 666 bp) 237-606 and 7017-7313; cl.6A1 (2938 bp) 586-3559;

cl.Pi5T (2785+566= 3351 bp) 2747-5557 and 7017-7582;

cl.7A16 (1422 bp) 2908-4337;

cl.Pi22 (317+1689= 2006 bp) 3957-4273 and 4476-6168;

cl.C4C5 (1116 bp) 6467-7582

5'LTR 1..120

/note="R of 5'LTR (5' end uncertain)"

121..575

/note="U5 of 5'LTR"

misc. 579..596

/note="PBS, primer binding site, for tRNA-W"

misc. 606

/note="splice junction (splice donor site ATCCAAAGTG-GTGAGTAATA
(SEQ ID NO: 32) and splice acceptor site CTTTTTTCAG-ATGGGAAACG
(SEQ ID NO: 33), clone RG083M05, GenBank accession AC000064)"

misc. 5353

/note="splice acceptor site for ORF1 (env)"

misc. 5560

/note="splice donor site"

ORF 5581..7194

/note="ORF1 env 538 AA"

/product-="envelope"

misc. 7017

/note="splice acceptor site for ORF2 and ORF3"

ORF 7039..7194

/note="ORF2 52 AA"

ORF 7112..7255
/note="ORF3 48 AA"
misc. 7244..7254
/note="PPT, polypurine tract"
3'LTR 7256..7582
/note="U3-R of 3' LTR (U3-R junction undetermined)
misc. 7563..7569
polyadenylation signal

IN THE CLAIMS:

Please cancel claims 17 and 18 without prejudice to or disclaimer of the subject matter contained therein.

Please replace claim 12 as follows:

12. (Amended) Method for studying and/or monitoring T-cell proliferation in vitro, according to which the T cells from a patient are brought into contact with synthetic peptides belonging to SEQ ID NO. 31.

Please add new claims 19-31 as follows:

--19. Method according to claim 10, characterized in that the biological sample is a biological fluid chosen from serum, plasma, synovial fluid and urine.--

--20. Method for studying and/or monitoring T-cell proliferation in vitro, according to which the T cells from a patient are brought into contact with transcription/translation products as obtained according to the method of claim 19.--

--21. Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one transcription/translation product as obtained according to the method of claim 19.--

--22. Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one synthetic peptide belonging to SEQ ID NO: 31.--

--23. Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one protein according to claim 14.--

--24. A method for detecting susceptibility to an autoimmune disease or monitoring pregnancy of a patient, comprising bringing a biological sample of said patient into contact with at least one fragment according to claim 1.--

--25. The method of claim 24, wherein said autoimmune disease is multiple sclerosis.--

--26. A method for detecting susceptibility to an autoimmune disease or monitoring pregnancy of a patient, comprising bringing a biological sample of said patient into contact with at least one transcription/translation product as obtained according to the method of claim 19.--

--27. The method of claim 26, wherein said autoimmune disease is multiple sclerosis.--

--28. A method for detecting susceptibility to an autoimmune disease or monitoring pregnancy of a patient, comprising bringing a biological sample of said patient into contact with at least one synthetic peptide belonging to SEQ ID NO: 31.--

--29. The method of claim 28, wherein said autoimmune disease is multiple sclerosis.--

--30. A method for detecting susceptibility to an autoimmune disease or monitoring pregnancy of a patient, comprising bringing a biological sample of said patient into contact with at least one protein according to claim 14.--

--31. The method of claim 30, wherein said autoimmune disease is multiple sclerosis.--

REMARKS

Claims 1-16 and 19-31 are pending. Claims 17 and 18 are canceled; claim 12 is amended; and claims 19-31 are added herein.

Claims 19-23 are directed to subject matter deleted by the previous removal of multiple dependencies from the claims. Claims 24-31 are directed to subject matter corresponding to canceled use claims 17 and 18. Claim 12 is amended to remove an

dependency. However, the subject matter deleted from the claim has been

n of claim 20.

r copy and computer-readable copy of the Sequence Listing are

with 37 C.F.R. §§1.821-1.825. The contents of the paper copy and


of the Sequence Listing are the same. No new matter is added.

Support for the information provided in the Sequence Listing can be found in the original

Sequence Listing and in the specification at page 4.

Prompt and favorable consideration on the merits is respectfully requested.

Respectfully submitted,



William P. Berridge
Registration No. 30,024

Melanie L. Mealy
Registration No. 40,085

WPB:MLM/jca

Attachments:

Appendix
Sequence Listing (paper and computer-readable copies)

Date: October 22, 2001

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461
--

APPENDIX

Changes to Specification:

The Sequence Listing is replaced.

The following is a marked-up version of the amended paragraph:

Page 4, line 13 - page 5, line 18:

Location of the clones on the reconstructed genomic RNA sequence:

cl.6A2 (1321 bp) 1-1325;

cl.PH74 (535+2229= 2764 bp) 72-606 and 5353-7582;

cl.24.4 (491+1457= 1948 bp); 115-606 and 5353-6810;

cl.44.4 (2372 bp) 115-2496;

cl.PH7 (369+297= 666 bp) 237-606 and 7017-7313; cl.6A1 (2938 bp) 586-3559;

cl.Pi5T (2785+566= 3351 bp) 2747-5557 and 7017-7582;

cl.7A16 (1422 bp) 2908-4337;

cl.Pi22 (317+1689= 2006 bp) 3957-4273 and 4476-6168;

cl.C4C5 (1116 bp) 6467-7582

5'LTR 1..120

/note="R of 5'LTR (5' end uncertain)-[sic]"

121..575

/note="U5 of 5'LTR"

misc. 579..596

/note="PBS, primer binding site, for tRNA-W"

misc. 606

/note="splice junction (splice donor site ATCCAAAGTG-GTGAGTAATA
(SEQ ID NO: 32) and splice acceptor site CTTTTTTCAG-ATGGGAAACG_
(SEQ ID NO: 33), clone RG083M05, GenBank accession AC000064)"

misc. 5353

/note="splice acceptor site for ORF1 (env)"

misc. 5560

/note="splice donor site"

ORF 5581..7194

/note="ORF1 env 538 AA"

/product="envelope"

misc. 7017

/note="splice acceptor site for ORF2 and ORF3"

ORF 7039..7194

/note="ORF2 52 AA"

ORF 7112..7255

/note="ORF3 48 AA"

misc. 7244..7254

/note="PPT, polypurine tract"

3'LTR 7256..7582

/note="U3-R of 3' LTR (U3-R junction undetermined)"

misc. 7563..7569

polyadenylation signal

Changes to Claims:

Claims 17 and 18 are canceled.

Claims 19-31 are added.

The following is a marked-up version of the amended claim:

12. (Amended) Method for studying and/or monitoring T-cell proliferation in vitro, according to which the T cells from a patient are brought into contact with ~~either transcription/translation products, as obtained according to the method of claim 11, or~~ synthetic peptides belonging to SEQ ID NO. 31.

773/PO/BA/5 29 OCT 2001

09/86 927

SEQUENCE LISTING

<110> PARANHOS-BACCALA, Glaucia

MALLET, Francois

VOISSET, Cecile

<120> ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN AUTOIMMUNE
DISEASE, LABELING METHOD AND REAGENT

<130> 110048

<140> 09/869,927

<141> 2001-08-17

<150> PCT/FR00/00144

<151> 2000-01-21

<150> FR 99/00888

<151> 1999-01-21

<160> 33

<170> PatentIn version 3.1

<210> 1

<211> 1511

<212> DNA

<213> Homo sapiens

<400> 1

0986927-00144

cctagaacgt attctggaga attgggacca atgtgacact cagacgctaa gaaagaaacg 60
 atttatatct ttctgcagta ccgcctggcc acaatatcct cttcaaggga gagaaacctg 120
 gcttcctgag ggaagtataa attataacat catcttacag ctagacctct tctgtagaaa 180
 ggagggcaaa tggagtgaag tgccatatgt gcaaactttc ttttcattaa gagacaactc 240
 acaattatgt aaaaagtgtg gtttatgccc tacaggaagc cctcagagtc cacctcccta 300
 ccccagcgtc cctccccga ctcttctctc aactaataag gacccccctt taacccaaac 360
 ggtccaaaag gagatagaca aaggggtaaa caatgaacca aagagtgcc aatattccccg 420
 attatgcccc ctccaagcag tgagaggagg agaattcggc ccagccagag tgctgtacc 480
 tttttctctc tcagacttaa agcaaattaa aatagaccta ggtaaattct cagataaccc 540
 tgacggctat attgatgttt tacaagggtt aggacaatcc tttgatctga catggagaga 600
 tataatgtta ctactaaatc agacactaac cccaaatgag agaagtgccg ctgtaactgc 660
 agcccagagag tttggcgatc tttggtatct cagtcaggcc aacaatagga tgacaacaga 720
 ggaaagaaca actcccacag gccagcaggc agttcccagt gtagaccctc attgggacac 780
 agaatcagaa catggagatt ggtgccacaa acatttgcta acttgctgc tagaaggact 840
 gaggaaaact aggaagaagc ctatgaatta ctcaatgatg tccactataa cacagggaaa 900
 ggaagaaaat cttactgctt ttctggacag actaaggag gcatgagga agcatacctc 960
 cctgtcacct gactctattg aaggccaact aatcttaaag gataagttta tcactcagtc 1020
 agctgcagac attagaaaaa acttcaaaag tctgccttag gcccgagca gaacttagaa 1080
 accctattta acttggcatc ctcatgtttt tataatagag atcaggagga gcaggcgaaa 1140
 cgggacaaac gggataaaaa aaaaaggggg ggtccactac tttagtcatg gccctcaggc 1200
 aagcagactt tggaggctct gcaaaaggga aaagctgggc aaatcaaag cctaataagg 1260
 ctggcttcca gtgcggtcta caaggacact ttaaaaaaga ttatccaagt agaaataagc 1320
 cgtccccttg tccatgcccc ttacgtcaag ggaatcactg gaaggccac tgccccaggg 1380
 gatgaagata ctctgagtca gaagccatta accagatgat ccagcagcag gactgagggt 1440
 gccggggcg agcgccagcc catgccatca cctcacaga gcccgggta tgtttgacca 1500
 ttgagagcca a 1511

<210> 2

<211> 2009

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1940)..(1940)

<223> n = a or g or c or t/u

<400> 2

atagactac tatagggcga attggggcct ctagatgcat gctcgagcgg ccgccagtgt 60
gatggatata tgcagaattc gccctttgtc cgctgtgctc ctgatccagc gaggcgcca 120
ttgctgctcc caattgggct aaaggcttgc cattgttccc acacgggctaa gtgcccgggt 180
tcataccta ttagctgaac actagtcact gggttccatg gttctcttcc atgaccacg 240
gcttctaata gagctctaata actcaccaca tggcccaaga ttccattcct tggaatccgt 300
gaggccaaga accccaggtc agagaacacg aggcttgcca ccgtcttgga agtggcccg 360
cgccatcttg ggagctcttg gagcaaggac cccccagtaa cattttggca accacaaagg 420
gacctcaaaa gcgatgggaa acattcccc caaggcaaaa acgcccctaa gatgtattct 480
ggagaattgg gaccaatgtg aactcagac gctaagaaag aaacgattta tattcttctg 540
cagtaccgcc tggccacaat atcctcttca agggagagaa acctggcttc ctgagggaag 600
tataaattat aacatcatct tacagctaga cctcttctgt agaaaggagg gcaaatggag 660
tgaagtgcc tatgtgcaaa ctttcttttc attaagagac aactcacaat tatgtaaaaa 720
gtgtgggtta tgccctacag gaagccctca ggtccacct ccctaccca gcgtcccccc 780
cccgactcct tcctcaacta ataaggacct ccctttaacc caaacggctc aaaaggagat 840
agacaaaggg gtaaacaatg aaccaaagag tgccaatatt ccccgattat gccccctcca 900
agcagtgaga ggaggagaat tgggccagc cagagtgcct gtacctttt ctctctcaga 960
cttaaagcaa attaaaatag acctaggtaa attctcagat aaccctgacg gctatatattga 1020
tgttttacaa gggtaggac aatcctttga tctgacatgg agagatataa tgttactact 1080
aatcagaca ctaaccccaa atgagagaag tgccgctgta actgcagccc gagagtttgg 1140
cgatctttgg tatctcagtc aggtcaacaa taggatgaca acagaggaaa gaacaactcc 1200
cacaggccag caggcagttc ccagtgtaga ccctcattgg gacacagaat cagaacatgg 1260

agattggtgc cacaaacatt tgctaacttg cgtgctagaa ggactgagga aaactaggaa 1320
gaagcctatg aattactcaa tgatgtccac tataacacag ggaaaggaag aaaatcctac 1380
tgcttttctg gacagactaa gggaggcatt gaggaagcat acctccctgt cacctgactc 1440
tattgaaggc caactaatct taaaggataa gtttatcact cagtcagctg cagacattag 1500
aaaaaacttc aaaagtctgc cttaggcccg gagcagaact tagaaaccct atttaacttg 1560
gcatcctcag ttttttataa tagagatcag gaggagcagg cgaaacggga caaacgggat 1620
aaaaaaaaa ggggggggtcc actacttttag tcatggccct caggcaagca gactttggag 1680
gctctggaaa agggaaaagc tgggcaaatc aaatgcctaa tagggctggc ttccagtgcg 1740
gtctacaagg acactttaaa aaagattatc caagtagaaa taagccgccc ccttgtccat 1800
gccccttacg tcaagggaat cactggaagg cccactgccc caggggatga agatactctg 1860
agtcagaagc cattaaccag atgatccagc agcaggactg aggggtgccc gggcgagcgc 1920
cagcccatgc catcacctn acagagcccc gggatatgctt gaccattgag agccaggagg 1980
ttaactgtct cctggacact ggcgcagcc 2009

<210> 3

<211> 1056

<212> DNA

<213> Homo sapiens

<400> 3

ctagaacgta ttctggagaa ttgggaccaa tgtgacactc agacgctaag aaagaaacga 60
tttatattct tctgcagtac cgctggcca caatatcctc ttcaaggag agaaacctgg 120
cttcctgagg gaagtataaa ttataacatc atcttacagc tagacctctt ctgtagaaag 180
gagggcaaatt ggagtgaagt gccatatgtg caaactttct tttcattaag agacaactca 240
caattatgta aaaagtgtgg tttatgccct acaggaagcc ctgagagtcc acctccctac 300
cccagcgtcc cctccccgac tccttctccta actaataagg accccccttt aaccctaaacg 360
gtccaaaagg agatagacaa aggggtaaac aatgaaccaa agagtgccaa tattccccga 420
ttatgcccc tccaagcagt gagaggagga gaattcggcc cagccagagt gcctgtacct 480
ttttctctct cagacttaaa gcaaattaaa atagacctag gtaaattctc agataaccct 540
gacggctata ttgatgtttt acaagggtta ggacaatcct ttgatctgac atggagagat 600

ataatgttac tactaaatca gacactaacc ccaaagtga gaagtgccgc tgtaactgca 660
 gcccagagagt ttggcgatct ttggtatctc agtcaggcca acaataggat gacaacagag 720
 gaaagaacaa ctcccacagg ccagcaggca gttcccagtg tagaccctca ttgggacaca 780
 gaatcagaac atggagattg gtgccacaaa catttgctaa cttgcgtgct agaaggactg 840
 aggaaaacta ggaagaagcc tatgaattac tcaatgatgt ccactataac acagggaaag 900
 gaagaaaatc ttactgcttt tctggacaga ctaagggagg cattgaggaa gcatacctcc 960
 ctgtcacctg actctattga aggccaacta atcttaaagg ataagtttat cactcagtca 1020
 gctgcagaca ttagaaaaaa cttcaaaagt ctgcct 1056

<210> 4
 <211> 25
 <212> DNA
 <213> Homo sapiens

<400> 4
 cggacatcca aagtgatggg aaacg 25

<210> 5
 <211> 26
 <212> DNA
 <213> Homo sapiens

<400> 5
 ggacaggaaa gtaagactga gaaggc 26

<210> 6
 <211> 26
 <212> DNA
 <213> Homo sapiens

<400> 6
 cctagaacgt attctggaga attggg 26

<210> 7

<211> 26

<212> DNA

<213> Homo sapiens

<400> 7

tggctctcaa tggtaaaca tacccg

26

<210> 8

<211> 21

<212> DNA

<213> Homo sapiens

<400> 8

atgggaaacg ttccccccga g

21

<210> 9

<211> 21

<212> DNA

<213> Homo sapiens

<400> 9

ggcctaaggc agacttttga a

21

<210> 10

<211> 409

<212> PRT

<213> Homo sapiens

<400> 10

Met Gly Ser Ser His His His His His Ser Ser Gly Leu Val Pro
1 5 10 15

Arg Gly Ser His Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg
20 25 30

Ile Met Gly Asn Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile
35 40 45

Leu Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg
50 55 60

Phe Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly
65 70 75 80

Arg Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu
85 90 95

Gln Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro
100 105 110

Tyr Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys
115 120 125

Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
130 135 140

Pro Ser Val Pro Pro Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
145 150 155 160

Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
165 170 175

Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
180 185 190

Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
195 200 205

Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
210 215 220

Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
225 230 235 240

Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
 245 250 255

Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
 260 265 270

Tyr Leu Ser Gln Val Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr
 275 280 285

Pro Thr Gly Gln Gln Ala Val Pro Ser Val Asp Pro His Trp Asp Thr
 290 295 300

Glu Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val
 305 310 315 320

Leu Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met
 325 330 335

Met Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Pro Thr Ala Phe Leu
 340 345 350

Asp Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp
 355 360 365

Ser Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser
 370 375 380

Ala Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro Lys Leu Ala Ala
 385 390 395 400

Ala Leu Glu His His His His His
 405

<210> 11

<211> 393

<212> PRT

<213> Homo sapiens

<400> 11

Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Ile Met Gly Asn
 1 5 10 15

Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile Leu Glu Arg Ile
 20 25 30

Leu Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg
 35 40 45

Phe Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly
 50 55 60

Arg Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu
 65 70 75 80

Gln Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro
 85 90 95

Tyr Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys
 100 105 110

Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
 115 120 125

Pro Ser Val Pro Ser Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
 130 135 140

Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
 145 150 155 160

Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
 165 170 175

Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
 180 185 190

Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
 195 200 205

Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
 210 215 220

Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
 225 230 235 240

Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
 245 250 255

Tyr Leu Ser Gln Ala Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr
 260 265 270

Pro Thr Gly Gln Gln Ala Val Pro Ser Val Asp Pro His Trp Asp Thr
 275 280 285

Glu Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val
 290 295 300

Leu Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met
 305 310 315 320

Met Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Leu Thr Ala Phe Leu
 325 330 335

Asp Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp
 340 345 350

Ser Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser
 355 360 365

Ala Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro Lys Leu Ala Ala
 370 375 380

Ala Leu Glu His His His His His His
 385 390

<210> 12

<211> 26

<212> DNA

<213> Homo sapiens

<400> 12
 ctagaacgta ttctggagaa ttggga

26

<210> 13

<211> 20

<212> DNA

<213> Homo sapiens

<400> 13

cctaaggcag acttttgaag

20

<210> 14

<211> 54

<212> DNA

<213> Homo sapiens

<400> 14

tttggttaata cgactcacta tagggcagcc accatgggaa acgttcccc cgag

54

<210> 15

<211> 44

<212> DNA

<213> Homo sapiens

<400> 15

tttttttttt tttttttttc aggctgcgcc agtgtccagg agac

44

<210> 16

<211> 20

<212> DNA

<213> Homo sapiens

<400> 16

tgtccgctgt gtcctgatc

20

<210> 17

<211> 44

<212> DNA

<213> Homo sapiens

<400> 17

tttttttttt tttttttttc aggctgcgcc agtgtccagg agac

44

<210> 18

<211> 678

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (594)..(594)

<223> n = a or g or c or t/u

<400> 18

tcagggatag ccccatccta tttggccagg cattagccca agacttgagc cagttctcat	60
acctggatat tcttgtcctt tggatgcgg atgatttact tttagccgcc cgttcagaaa	120
ccttgtgccca tcaagccacc caagtgtctt taaatttctt cgccacctgt ggctacaagg	180
tttccaaacc aaaggctcag ctctgtcac agcagaaggc tatttaccct aaatacttag	240
ggctgaaatt atccaaaggc accagggccc tcagtgagga atgtatccag cctatactgg	300
cttatcctta tcccaaaacc ctaaaacaac taagaagggt ccttggcata ataggcataa	360
caggcataac aggtttctgc tgaatatgga ttcccaagta cggcaaaata gccagaccat	420
tatatacact aattaaggaa actcagaaag ccaataccca tttagtaaga tggacacctg	480
aagcagaggc agctttccag gccgtaaaga acaccctaac ccaagcccca gtgttaagct	540
tgccagcggg gcaagacttt tctttctgtg tcacagaaaa aataggaata gctntagga	600
tccttacaca ggtccgaggg accagcttgc aacccatggc atacctgagt aaggaaattg	660
atgtagtggc aaagggtt	678

<210> 19

<211> 591

<212> DNA

<213> Homo sapiens

<400> 19

ccatggccat ctacactgaa caagatttat acaatcatgt cgtacctaaag cccacaaca 60
aaagagtacc cattcttcct tttgttatca gagcaggagt gctaggcaga ctaggtactg 120
gcattggcag tatcacaacc tctactcagt tctactacaa actatctcaa gaaataaatg 180
gtgacatgga acaggtcact gactccctgg tcaccttgca agatcaactt aactccctag 240
cagcagtagt ccttcaaaat cgaagagctt tagacttgct aaccgccaaa agagggggaa 300
cctgtttatt tttaggagaa gaacgctgtt attatgttaa tcaatccaga attgtcactg 360
agaaagttaa agaaattcga gatcgaatac aatgtagagc agaggagctt caaacaccg 420
aacgctgggg cctcctcagc caatggatgc cctgggttct ccccttctta ggacctctag 480
cagctctaatt attgttactc ctctttggac cctgtatctt taacctcctt gttaagtttg 540
tctcttcag aattgaagct gtaaagctac agatggctctt acaaactctag a 591

<210> 20

<211> 1321

<212> DNA

<213> Homo sapiens

<400> 20

caacaatcgg gatataaacc caggcattcg agctggcaac agcagcccc ctttgggtcc 60
cttccctttg tatgggagct gttttcatgc tatttctctc tattaaatct tgcaactgca 120
ctcttctggt ccatgtttct tacggctcga gctgagcttt tgctcaccgt ccaccactgc 180
tgtttgccac caccgcagac ctgccgctga ctcccatccc tctggatcct gcagggtgtc 240
cgctgtgtct ctgatccagc gaagcgccca ttgccgctcc caattgggct aaaggcttgc 300
cattgttcct gcacggctaa gtgcctgggt ttgttctaatt tgagctgaac actagtcact 360
gggttccatg gttctcttct gtgaccacg gcttctaata gaactataac acttaccaca 420
tggccaaga ttccattcct tggaatccgt gaggccaaga actccaggtc agagaatacg 480
aagcttgcca ccatcttgga agcggcctgc taccatcttg gaagtgggtc accaccatct 540
tgggagctct gtgagcaagg accccccggt aacatttttg caaccacgaa cggacatcca 600

aagtgatggg aaacgttccc cgcaagacaa aaacgcccct aagacgtatt ctggaaaatt 660
 gggaacaatt tgaccctcag acactaagaa agaaacgact tatattcttc tgcagtgccg 720
 cctggcactc ctgaggggaag tataaattat aacaccatct tacagctaga cctcttttgt 780
 agaaaaggca aatggagtga agtgccataa gtacaaactt tcttttcatt aagagacaac 840
 tcacaattat gtaaaaagtg tgatttatgc cctacaggaa gccttcagag tctacctccc 900
 tatcccagca tccccgactc cttccccact taataaggac cccccttcaa cccaaatggg 960
 ccaaaaggag atagacaaaa gggtaaacag tgaaccaaag agtgccaata ttccccatt 1020
 atgaccctc caagcagtgg gaggaagaga attcggccca gccagagtgc atgtgccttt 1080
 ttctctccca gacttaaagc aaataaaaaac agacttaggt aaattctcag ataaccctga 1140
 tggctatatt ggtgttttac aagggttagg acaattcttt gatctgacat ggagagatat 1200
 atatgtcact gctaaatcag acactaacc ccaatgagag aagtgccacc ataactgcag 1260
 cctgagagtt tggcgatctc tggatatctc gtcagggtcaa tgataggatg acaacagagg 1320
 a 1321

<210> 21

<211> 2938

<212> DNA

<213> Homo sapiens

<400> 21

caacgacgga catccaaagt gatgggaaac gttccccgca agacaaaaac gccctaaga 60
 cgtattcttg agaattggga ccaatttgac cctcagacac taagaaagaa acgacttata 120
 ttcttctgca gtgcgcctg gcactcctga gggaagtata aattataaca ccatcttaca 180
 gctagacttc ttttgtagaa aaggcaaagt gagtgaagtg ccataagtag aaactttctt 240
 ttcattaaga gacaactcac aattatgtaa aaagtgtgat ttatgcccta caggaagcct 300
 tcagagtcta cctccctatc ccagcatccc cgactccttc cccaactaat aaggaccccc 360
 cttcaaccca aatgggtccaa aaggagatag acaaaagggg aaacagtga ccaagagtg 420
 ccaatattcc ccaattatga ccctcccaa gcagtgggag gaagagattc ggcccagcca 480
 gagtgcattg gctttttctt ctcccagact taaagcaaat aaaaacagac ttaggtaaat 540
 tctcagataa tctgatggc tatattgatg ttttacaagg gttaggacaa ttctttgatc 600

tgacatggag	agatataatg	tcactgctaa	atcagacact	aaccccaaat	gagagaagtg	660
ccaccataac	tgcagcctga	gagtttggcg	atctctggta	tctcagtcag	gtcaatgata	720
ggatgacaac	agaggaaaga	gatgatcccc	acagccagca	agcagttccc	agtctasacc	780
ctcattgggg	acacagaaat	cagtaacatg	ggagattggg	gctgcagaca	tttgctaact	840
tgtgtgctac	aaggactaag	gaaaactacg	aagaaaatct	acgaattact	caatgatgtc	900
caccataaca	caggggaagg	gaagaaaatc	ctactgcctt	tctggagaga	ctaagggagg	960
cattgaggaa	gcgtgcctct	ctgtcacctg	actcttctga	aggccaacta	atcttaaagc	1020
gtaagtttat	cactcagtca	gctgcagaca	ttagaaaaaa	cttcaaaagt	ctgccgtagg	1080
cccggagcaa	aacttagaaa	ccctattgaa	cttggcaacy	tcggtttttt	ataatagaga	1140
tcaggaggag	caggcggaac	aggacaaacg	ggattaaaaa	aaaggccacc	gctttagtca	1200
tgaccctcag	gcaagtggac	tttggaggct	ctggaaaagg	gaaaagctgg	gcaaattgaa	1260
tgccctaata	ggcttgcttc	cagtgcggtc	tacaaggaca	ctttaaaaaa	gattgtccaa	1320
gtagaagtaa	gccgccctt	cgtccatgcc	ccttatttca	agggaatcac	tggaaggccc	1380
actgccccag	gggacaaagg	tcttttgagt	cagaagccac	taaccagatg	atccagcagc	1440
aggactgagg	gtgcctgggg	caagcgccat	cccatgccat	caccctcaca	gagccctggg	1500
tatgcttgac	cattgagggc	caggaagggt	gtctcctgga	cactggtgcg	gtcttcttag	1560
tcttactott	ctgtcccgga	caactgtcct	ccagatctgt	cactatctga	gggggtccta	1620
agacgggcag	tcactagata	cttctcccag	ccactaagtt	atgactgggg	agctttattc	1680
ttttcacatg	cttttcta	tatgcttgaa	agccccacta	ccttgtagg	gagagacatt	1740
ctagcaaaaag	caggggcat	tatacacctg	aacataggag	aaggaacacc	cgtttgttgt	1800
cccctgcttg	aggaaggaat	taatcctgaa	gtctgggcaa	cagaaggaca	atatggacga	1860
gcaaagaatg	cccgtcctgt	tcaagttaaa	ctaaaggatt	ccacttcctt	tccctaccaa	1920
aggcagtacc	ccctcagacc	caaggcccaa	caaggattcc	aaaagattgt	taaggactta	1980
aaagcccaag	gcttagtaaa	accatgcata	actccctgca	gtaattccgt	agtggattga	2040
ggaggcacag	aaaccagtg	gacagtggag	ggttagtgca	agatctcagg	attatcaatg	2100
gaggccgttg	tccttttata	cccagctgta	cctagccctt	atactgtgct	ttcccaaata	2160
ccagaggaag	cagagtgggt	tacactcctg	gaccttaagg	atgccttctt	ctgcatccct	2220
gtacatcctg	actctcaatt	cttgtttgcc	tttgaagata	cttcaaacc	aacatctcaa	2280
ctcacctgga	ctgtttttacc	ccaagggttc	agggatagcc	cccatctatt	tggccaggca	2340

```

ttagcccaag acttgagcca atcctcatatc ctggacactt gtccttcggt aggtggatga 2400
tttacttttg gccgcccatt cagaaacctt gtgccatcaa gccacccaag cgctcttcaa 2460
tttctctgct acctgtggct acatgggttc caaaccaaag gctcaactct gctcacagca 2520
ggttacttag ggctaaaatt atccaaaggc accagggccc tcagtgagga acacatccag 2580
cctatactgg cttatcctca tcccaaaacc ctaaagcaac taaggggatt ccttggcgta 2640
ataggtttct gccgaaaatg gattcccagg tttggcgaaa tagccaggtc attaaatata 2700
ctaattaagg aaactcagaa agccaatacc catttagtaa gatggacaac tgaagtagaa 2760
gtggctttcc aggccctaac ccaagcccca gtgttaagtt tgccaacagg gcaagacttt 2820
tcttcatatg tcacagaaaa aacaggaata gctctaggag tccttacaca gatccgaggg 2880
atgagcttgc aacctgtggc gtacctgact aaggaaattg atgtagtggc aaaggggt 2938

```

<210> 22

<211> 1422

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (879)..(879)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (1200)..(1200)

<223> n = a or g or c or t/u

<400> 22

```

tcagggatag ccccatcta tttggccagg cattagccca agacttgagt cagttatcat 60
acctggacac tcttgtcctt cagtatgtgg atgatttact tttagctgcc tggtcagaaa 120
ccttgtgcca tcaagccacc caagcactct taaatttcct cgccacctgt ggctacaagg 180

```

```

tttccaaaga gaagctcagc tctgctcaca gcagggttaa tacttaggac taagattatc 240
caaaggcacc aaggccctca gtgaggaatg tatccagcct atactggctt atcctcatct 300
caaaacccta aagcaactaa gagagttcct tggcataaca ggcttctgcc gaatatggat 360
tccccaggta tggcaaaata gccaggccat tatatacagt aattaaggaa actcagaaag 420
ccaataccca ttttaataaga tggatacctg aagccaaagt ggctttccag gcccctaaag 480
aaggccttaa acccaagtcc cagtgttaag cttgccaacg gggcaagact tttctttata 540
catcacagaa aaaaacagaa acagctctgg gagtccttac acaggtccaa gggacgagct 600
tgcaacccat ggcatacctg agtaaggaaa ctgatgtagt ggcaaagggt tggcttcatt 660
gtttatgggt agtgggtggca gtagcagttg tagtatctga agcaggttaa ataatacagg 720
ggagagatct tactgtgtgg acatctcatg aggtgaacag catactcact gctaaaggag 780
acttgtggct gtcagacaac cgtttactta aatatcaggc tctattactt gaaaggccag 840
tgctgcaact gtgcacttgt gcaactctta acccagtcnc atttcttcca gacaatgaag 900
atagaatata actgtcaaca aataatttct caaacctatg ccactcgagg ggaccttcta 960
gaagttccct tgactgatcc tgaccttcaa cttgtatact gatggaagtt cctttgtaga 1020
aaaaggactt caaaagcggg gtatgcagtg gtcagtgata atggaatatt tgaaagtatc 1080
ccctcactcc aggaactagt gcttagctgg cagaactaat agccttcatt ggggcactag 1140
aattaggaga aggaaaaagg gtaaataatat atacagactc tgagtatgct cacctagtcn 1200
tccatgccca tgaggcaata tgcagagaaa gggaattcct aacttccgag ggaacaccta 1260
tcacacatca ggaagccatt aggagattat tactggcagt acagaaacct aaagaggtgg 1320
aagtcttaca ctgctggggg catcagaaaag gaaagaaaag ggaaatagaa gggaattgcc 1380
aagcagatat tgaagcaaaa agagctgcaa ggcaggaccc tc 1422

```

<210> 23

<211> 2006

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (305)..(305)

<223> n = a or g or c or t/u

<400> 23

atgcagtggt cagtgataat ggaatacttg aaagtaatcc cctcactcca ggaactagtg	60
ctcagctagc agaactaata gccctcactt gggcactaga attaggagaa gaaaaaagg	120
caaatatata tacagactct aaatatgctt acctagtctt ccatgcccac gcagcaatat	180
ggaaagaaag ggaattccta acttctgaga gaacacctat caaacatcag gaagccatta	240
ggaaattatt attggctgta cagaaaccta aagaggtggc agtcttacac tgccggggtc	300
atcanaaagg aaaggaaagg gaaaatactt ttgcctgcaa ctatccaatg gaaattactt	360
aaaacccttc atcaaacctt tcacttaggc atcgatagca cccatcaaata ggccaaatca	420
ttatttactg gaccaggcct tttcaaaact atcaagcaaa tattcagggc ctgtgaattg	480
tgccaaaaaa ataatcccct gcctcatcgc caagctcctt caggaaaaca aaaaacaggc	540
cattaccctg aaaaaaactg gcaactgatt ttaccacaa gcccaaacct cagggatctc	600
agtatctact agtctgggta aatactttca cgggttgggc aaaggccttc ccctgtagga	660
cagaaaaggc ccaagaggta ataaaggcac tagttcatga aataattccc agattcggac	720
ttccccgagg cttacagagt gacaatagcc ctgctttcca ggccacagta acccaggag	780
tatcccaggc gttagggtata cgatatcact tacactgcgc ctgaaggcca cagtcctcag	840
ggaaggtcga gaaaatgaat gaaatactca aaggacatct aaaaaagcaa acccaggaaa	900
cccacctcac atggcctgct ctgttgctta tagccttaaa aagaatctgc aactttcccc	960
aaaaagcagg acttagccca tacgaaatgc tgtatggaag gcccttcata accaatgacc	1020
ttgtgcttga cccaagacag ccaacttagt tgcagacatc acctccttag ccaaatatca	1080
acaagttctt aaaacattac aaggaaccta tccctgagaa gagggaaaag aactattcca	1140
cccttgtagc atgggtattag tcaagtccct tctctctaata tccccatccc tagatacatc	1200
ctgggaagga ccctaccacg tcatcttatt taccccaact gcgggttaaag tggctggagt	1260
ggctcttgat acatcacact tgagtcaaata cctggatact gccaaaggaa cctgaaaatc	1320
caggagacaa cgctagctat tccctgtgaac ctctagagga tttgcgcctg ctcttcaaac	1380
aacaaccagg aggaaagtaa ctaaaatcat aaatccccca tggccctccc ttatcatatt	1440
tttctcttta ctgttctttt accctctttc actctcactg caccctctcc atgccgctgt	1500
atgaccagta gctcccctta ccaagagttt ctatggagaa tgcagcgtcc cggaaatatt	1560

gatgccccat cgtataggag tctttctaag ggaacccccca ccttcactgc ccacacccat 1620
atgccccgca actgctatca ctctgccact ctttgcactgc atgcaaatac tcattattgg 1680
acaggaaaaa tgattaatcc tagttgtcct ggaggacttg gagtcactgt ctggttgact 1740
tacttcaccc aaactggtat gtctgatggg ggtggagttc aagatcaggc aagagaaaaa 1800
catgtaaaag aagtaatctc ccaactcacc cgggtacatg gcacctctag ccctacaaag 1860
gactagatct ctcaaaacta catgaaaccc tccgtaccca tactcgcttg gtaagcctat 1920
ttaataccac cctcactggg ctccatgagg tctcggccca aaaccctact aactgttgga 1980
tatgcctccc cctgaacttc aagcca 2006

<210> 24

<211> 1948

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (84)..(84)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (193)..(193)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (241)..(241)

<223> n = a or g or c or t/u

<400> 24
actgcactct tctggtccat gtttcttacg gctcgagctg agcttttgct caccgtccac 60
cactgctggt tgccaccacc gcanacctgc cgctgactcc catccctctg gatcctgcag 120
ggtgtccgct gtgctcctga tccagcgagg cgcccattgc cgctcccaat tgggctaaag 180
gcttgccatt gtncctgcac ggctaagtgc ctgggtttgt tctaattgag ctgaacacta 240
ntcactgggt tccatgggtc tcttctgtga cccacggctt ctaatagaac tataacactt 300
accacatggc ccaagattcc attccttgga atccgtgagg gcaagaactc caggtcagag 360
aatacgaggc ttgccaccat cttggaagcg gcctgctacc atcttggaag tggttcacca 420
ccatcttggg agctctgtga gcaaggacc cccggtaaca ttttggcaac cacgaacgga 480
catccaaagt gatacatcct gggaaggacc ctaccagtc attttatcta cccaactgc 540
ggttaaagtg gctggagtgg agtcttgga acatcacact tgagtcaa atctggatact 600
gccaaaggaa cctgaaaatc caggagacaa cgctagctat tctgtgaac ctctagagga 660
tttgcgctg ctcttcaaac aacaaccagg aggaaagtaa ctaaaatcat aaatcccat 720
ggcctccct tcatatatt ttctctttac tgtgtttca ccctctttca ctctcactgc 780
acccctcca tgccgtgta tgaccagtag ctccccttac caagagtttc tatggagaat 840
gcagcgtccc ggaaatattg atgccccatc gtataggagt ctttgtaagg gaacccccac 900
cttactgcc cacaccata tgccccgcaa ctgctatcac tctgccactc tttgcatgca 960
tgcaaatact cattattgga caggaaaaat gattaatcct agttgtcctg gaggacttgg 1020
agtcactgtc tgttggaactt acttcacca aactggtatg tctgatgggg gtggagtcca 1080
agatcaggca agagaaaaac atgtaaaaga agtaatctcc caactcacc ggtacatgg 1140
cacctctagc ccctacaaag gactagatct ctcaaaacta catgaaaccc tccgtacca 1200
tactcgctg gtaagcctat ttaataccac cctcactggg ctccatgagg tctcggccca 1260
aaaccctact aactgttgga tatgcctccc cctgaacttc aggcataatg tttcaatccc 1320
tgtacctgaa caatggaaca acttcagcac agaaataaac accacttccg ttttagtagg 1380
acctcttgtt tccaatctgg aaataacca tacctcaaac ctacactgtg taaaatttag 1440
caatactaca tacacaacca actoccaatg catcaggtgg gtaactcctc ccacacaaat 1500
agtctgccta ccctcaggaa tattttttgt ctgtggtacc tcagcctatc gttgtttgaa 1560
tggtcttca gaatctatgt gcttctctc attcttagtg cccctatgg ccatctacac 1620
tgaacaagat ttatacagtt atgtcatatc taagccccgc aacaaaagag taccattct 1680
tccttttgtt ataggagcag gagtgcagg tgcactagg actggcattg gcggtatcac 1740

aacctctact cagttctact acaaactatc tcaagaacta aatggggaca tggaacgggt	1800
cgccgactcc ctggtcacct tgcaagatca acttaactcc ctagcagcag tagtccttca	1860
aaatcgaaga gcttttagact tgctaaccgc tgaaagaggg ggaacctgtt tatttttagg	1920
ggaagaatgc tgttattatg ttaatcaa	1948

<210> 25

<211> 1136

<212> DNA

<213> Homo sapiens

<400> 25

ccatggccat ctacactgaa caagatttat acagttatgt catatctaag ccccgcaaca	60
aaagagtacc cattcttccct tttgttatag gagcaggagt gctaggtgca ctaggtactg	120
gcattggcgg tatcacaacc tctactcagt tctactacaa actatctcaa gaactaaatg	180
gggacatgga acgggtcgcc gactccctgg tcaccttgca agatcaactt aactccctag	240
cagcagtagt ccttcaaaat cgaagagctt tagactcgct aaccgctgaa agagggggaa	300
cctgtttatt tttaggggaa gaatgctgtt attatgttaa tcaatccgga atcgtcactg	360
agaaagttaa agaaattcga gatcgaatac aacgtagagc agaagagctt cgaaacactg	420
gaccctgggg cctcctcagc caatggatgc cctggattct ccccttctta ggacctctag	480
cagctataat attgctactc ctctttggac cctgtatctt taacctcctt gttaactttg	540
tctcttcag aatcgaagct gtaaaactac aaatggagcc caagatgcag tccaagacta	600
agatctaccg cagaccctg gaccggcctg ctagcccacg atctgatgtt aatgacatca	660
aaggcacccc tcctgaggaa atctcagctg cacaacctct actacgcccc aattcagcag	720
gaagcagtta gagcggtcgt cggccaacct cccaacagc acttaggttt tcctgttgag	780
atgggggact gagagacagg actagctgga tttcctaggc tgactaagaa tccctaagcc	840
tagctgggaa ggtgaccaca tccaccttta aacacggggc ttgcaactta gttcacacct	900
gaccaatcag agagctcact aaaatgctaa ttaggcaaag acaggaggta aagaaatagc	960
caatcatcta ttgcatgaga gcacagcagg agggacaatg atcgggatat aaacccaagt	1020
cttcgagccg gcaacggcaa ccccttttgg gtccccctccc tttgtatggg agctctgttt	1080
tcatgctatt tcactctatt aaatcttgca gctgcgaaaa aaaaaaaaaa aaaaaa	1136

<210> 26

<211> 2782

<212> DNA

<213> Homo sapiens

<400> 26

atgggagctg ttttcatgct atttcactct attaaatctt gcaactgcac tcttctggtc 60
catgtttctt acggctcgag ctgagctttt gctcaccgtc caccactgct gtttgccacc 120
accgcagacc tgccgctgac tcccatccct ctggatcctg caggggtgtcc gctgtgctcc 180
tgatccagcg aagcgcccat tgccgctccc aattgggcta aaggcttgcc attgttctctg 240
cacggctaag tgccctgggtt tggttctaatt gagctgaaca ctagtcaactg ggttccatgg 300
ttctcttctg tgaccacagg cttctaatag aactataaca cttaccacat ggcccaagat 360
tccattcctt ggaatccgtg aggccaacga actccaggtc agagaatacg aagcttgcca 420
ccatcttgga agcggcctgc taccatcttg gaagtgggtc accaccatct tgggagctct 480
gtgagcaagg accccccggt gacatttttg cgaccaccaa cggacatccc aagtgataca 540
tcctgggaag gaccctaccc agtcatttta tctaccccaa ctgcggttaa agtggctgga 600
gtggagtctt ggatacatca cacttgagtc aaatcctgga tactgcaaaa ggaacctgaa 660
aatccaggag acaacgctag ctattcctgt gaacctctag aggatttgcg cctgctcttc 720
aaacaacaac caggaggaaa gtaactaaaa tcataaatcc ccatgggcct cccttatcat 780
atttttctct gtagtgttct ttcacctgtt ttcactctca ctgcaccccc tccatgccgc 840
tgtatgacca gtagctcccc tcaccagag tttctatgga gaatgcagcg tcccggaaat 900
attgatgccc catcgtatag gagtctttct aagggaaccc ccaccttcac tgcccacacc 960
catatgcccc gcaactgcta tcaactctgcc actctttgca tgcattgcaaa tactcattat 1020
tggacaggaa aatgatttaa tctagttgt cctggaggac ttggagtcac tgtctgttgg 1080
acttacttca cccaaactgg tatgtctgat gggggtggag ttcaagatca ggcaagagaa 1140
aaacatgtaa aagaagtaat ctcccaactc accggggtac atggcacctc tagccctac 1200
aaaggactag atctctcaaa actacatgaa accctccgta ccataactcg cctggtaagc 1260
ctatttaata ccaccctcac tgggctccat gaggtctcgg cccaaaaccc tactaactgt 1320
tggatatgcc tccccctgaa cttcaggcca tatgtttcaa tccctgtacc tgaacaatgg 1380

aacaacttca gcacagaaat aaacaccact tccgttttag taggacctct tgtttccaat 1440
 gtggaaataa cccatacctc aaacctcacc tgtgtaaaaat ttagcaatac tacatacaca 1500
 accaactccc aatgcatcag gtgggtaact cctcccacac aaatagtctg cctaccctca 1560
 ggaatatttt ttgtctgtgg tacctcagcc tatcggtgtt tgaatggctc ttcagaatct 1620
 atgtgcttcc tctcattctt agtgccccct atgaccatct acactgaaca agatttatac 1680
 agttatgtca tatctaagcc ccgcaacaaa agagtaccca ttcttccttt tgttatagga 1740
 gcaggagtgc taggtgcact aggtactggc attggcggta tcacaacctc tactcagttc 1800
 tactacaaac tatctcaaga actaaatggg gacatggaac gggtcgccga ctccctggtc 1860
 accttgcaag atcaacttaa ctccctagca gcagtagtcc ttcgaaatcg aagagcttta 1920
 gacttgctaa ccgctgagag agggggaacc tgtttatttt taggggaaga atgctgttat 1980
 tatgttaatc aatccggaat cgtcactgag aaagttgaag aaattccaga tcgaatacaa 2040
 cgtatagcag aggagcttcg aaacactgga ccctggggcc tcctcagccg atggatgccc 2100
 tggattctcc ccttcttagg acctctagca gctataatat tgctactcct ctttggaccc 2160
 tgtatctttg acctccttgt taactttgtc tcttccagaa tcgaagctgt gaaactacaa 2220
 atggagccca agatgcagtc caagactaag atctaccgca gaccctgga ccggcctgct 2280
 agcccacgat ctgatgttaa tgacatcaaa ggcacccctc ctgaggaaat ctgagctgca 2340
 caacctctac tacgccccaa ttcagcagga agcagttaga gcggtggctg gccaacctcc 2400
 ccaacagcac ttaggttttc ctgttgagat gggggactga gagacaggac tagctggatt 2460
 tcctaggctg actaagaatc cttaagccta ggtgggaagg tgaccacatc cacctttaa 2520
 cacggggctt gcaacttagc tcacacctga ccaatcagag agctcactaa aatgctaatt 2580
 aggcaaagac aggaggtaaa gaaatagcca atcatttatt gcctgagagc acagcaggag 2640
 ggacaatgat cgggatataa acccaagttt tcgagccggc aacggcaacc ccctttgggt 2700
 cccctccctt tgtatgggag ctctgttttc atgctatttc actctattaa atcttgcaac 2760
 tgcaaaaaaa aaaaaaaaaa aa 2782

<210> 27

<211> 666

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (119)..(119)

<223> n = a or g or c or t/u

<400> 27
 tgtccgctgt gctcctgac cagcgaggcg cccattgccg ctcccaattg ggctaaaggc 60
 ttgccattgt tcttgcacgg ctaagtgcct gggtttggtc taattgagct gaacactant 120
 cactgggttc catggttctc ttctgtgacc cagggttct aatataacta taacacttac 180
 cacatggccc aagattccat tccttggaat ccgtgaggcc aagaactcca ggtcagagaa 240
 tacgaggctt gccaccatct tggaagcggc ctgctaccat cttggaagtg gttcaccacc 300
 atcttgggag ctctgtgagc aaggaccccc cggtaacatt ttggcaacca cgaacggaca 360
 tccaaagtga atcgaagctg taaaactaca aatggagccc aagatgcagt ccaagactaa 420
 gatctaccgc agacccttgg accggcctgc tagcccacga tctgatgtta atgacatcaa 480
 aggcaccctt cctgaggaaa tctcagctgc acaacctcta ctacgcccc attcagcagg 540
 aagcagttag agcggtcgtc ggccaacctc cccaacagca cttagggttt cctgttgaga 600
 tgggggactg agagacagga ctagctggat ttctagggt gactaagaat ccctaagcct 660
 agctgg 666

<210> 28

<211> 3372

<212> DNA

<213> Homo sapiens

<400> 28
 gacttcccaa ataccagagg aagcagagt gtttacagtc ctggaccttc aggatgcctt 60
 cttctgcatc cctgtacatc ctgactctca attcttgttt gcctttgaag atacttcaaa 120
 cccagcatct caactcacct ggactatttt accccaaggg ttcagggata gtccccatct 180
 atttggccag gcattagccc aagacttgag ccaatcctca tacctggaca cttgtccttc 240
 ggtaggtgga tgatttactt ttggccgccc attcagaaac cttgtgccat caagccaccc 300

aagcgctctt	caatttcctc	gctacctgtg	gctacatggt	ttccaaacca	aaggetcaac	360
tctgctcaca	gcaggttact	tagggctaaa	attatccaaa	ggcaccaggg	ccctcagtga	420
ggaacacatc	cagcctatac	tggcttatcc	tcacccaaa	accctaaagc	aactaagggg	480
attccttggc	gtaatagggt	tctgccgaaa	atggattccc	aggtatggcg	aaatagccag	540
gtcattaaat	acactaatta	aggaaactca	gaaagccaat	accatttag	taagatggac	600
aactgaagta	gaagtggctt	tccaggccct	aaccaagcc	ccagtgttaa	gtttgccaac	660
agggcaagac	ttttgttcat	atgtcacaga	aaaaacagga	atagctctag	gagtccttac	720
acagatccga	gggatgagct	tgcaacctgt	ggcacacctg	actaaggaaa	ttgatgtagt	780
ggcaaagggg	tgacctcatt	gtttacgggt	agtgggtggc	gtagcagtct	tagtatctga	840
agcagttaaa	ataatacagg	gaagagatct	tactgtgtgg	acatctcatg	atgtgaatgg	900
catactcact	gctaaaggag	acttgtggct	gtcagacaac	tgtttactta	aatgtcaggc	960
tctattactt	gaagggccag	tgctgcgact	gtgcacttgt	gcaactctta	accagccac	1020
atttcttcca	gacaatgaag	aaaagataaa	acataactgt	caacaagtaa	tttctcaaac	1080
ctatgccact	cgaggggacc	ttttagaggt	tcctttgact	gatcccgacc	tcaacttgta	1140
tactgatgga	agttcctttg	tagaaaaagg	acttcgaaaa	gtggggtatg	cagtggtcag	1200
tgataatgga	atacttgaaa	gtaatccct	cactccagga	actagtgctc	agctagcaga	1260
actaatagcc	ctcacttggg	cactagaatt	aggagaagaa	aaaagggcaa	atataatata	1320
gactctaaat	atgcttacct	agtcctccat	gcccatgcag	caatatggaa	agaaagggaa	1380
ttcctaactt	ctgagagaac	acctatcaaa	catcaggaag	ccattaggaa	attattattg	1440
gctgtacaga	aacctagaga	ggtggcagtc	ttacactgcc	ggggtcatca	caaaggaaag	1500
gaaagggaaa	tacaagagaa	ctgccaaagc	tatattgaag	ccaaaagagc	tgcaaggcag	1560
gaccctccat	tagaaatgct	tattaaactt	cccttagtat	agggtaatcc	cttcgggaa	1620
accaagcccc	agtactcagc	aggagaaaca	gaatggggaa	cctcacgagg	cagttttctc	1680
ccctcgggac	ggttagccac	tgaagaagg	aaaatacttt	tgcttgcaac	tatccaatgg	1740
aaattactta	aaacccttca	tcaaaccctt	cacttaggca	tcgatagcac	ccatcagatg	1800
gccaaatcat	tatttactgg	accaggcctt	ttcaaaacta	tcaagcagat	agtcagggcc	1860
tgtgaagtgt	gccagagaaa	taatcccctg	ccttatcgcc	aagctccttc	aggagaacaa	1920
agaacaggcc	attaccctgg	agaagactgg	caactgattt	taccacaag	cccaaaccctc	1980
agggatttca	gtatctacta	gtctgggtag	atactttcac	gggttgggca	gaggccttcc	2040


```

cctgtaggac agaaaaggcc caagaggtaa taaaggcact agttcatgaa ataattccca 2100
gattcggact tccccgaggc ttacagagtg acaatagccc tgctttccag gccacagtaa 2160
cccagggagt atcccaggcg ttaggtatac gatatcactt aactgcgcc tgaaggccac 2220
agtcctcagg gaaggtcgag aaaatgaatg aaacactcaa aggacatcta aaaaagcaaa 2280
cccaggaaac ccacctcaca tggcctgttc tgttgcctat agccttaaaa agaatctgca 2340
actttcccca aaaagcagga cttagcccat acgaaatgct gtatggaagg cccttcataa 2400
ccaatgacct tgtgcttgac ccaagacagc caacttagtt gcagacatca cctccttagc 2460
caaatatcaa caagttctta aaacattaca aggaacctat ccctgagaag aggaaaagaa 2520
tattccaccc aagtgacatg gtattagtca agtcccttcc ctctaattcc ccatccctag 2580
atacatcctg ggaaggaccc taccagtc a tttatctac cccaactgcg gttaaagtgg 2640
ctggagtgga gtcttgata catcacactt gagtcaaatc ctggatactg ccaaaggaac 2700
ctgaaaatcc aggagacaac gctagctatt cctgtgaacc tctagaggat ttgcgcctgc 2760
tcttcaaaca acaaccagga ggaaaaatcg aagctgtaaa actacaaatg gagcccaaga 2820
tgcagtccaa gactaagatc taccgcagac cctggaccg gcctgttagc ccacgatctg 2880
atgttaatga catcaaaggc acccctcctg aggaaatctc agctgcacaa cctctactac 2940
gcccgaattc agcaggaagc agttagagcg gtcgtcggcc aacctccca acagcactta 3000
ggttttcctg ttgagatggg ggactgagag acaggactag ctggatttcc taggctgatt 3060
aagaatccct aagcctagct gggaagggtga ccacatccac ctttaaacac ggggcttgca 3120
acttagctca cacctgacca atcagagagc tcaactaaaat gctaattagg caaagacagg 3180
aggtaaagaa atagccaatc atttattgcc tgagagcaca gcaggaggga caatgatcgg 3240
gatataaacc caagttttcg agccggcaac ggcaaccccc tttgggtccc ctccctttgt 3300
atgggagctc tgttttcatg ctatttcact ctattaaatc ttgcaactgc aaaaaaaaaa 3360
aaaaaaaaaa aa 3372

```

<210> 29

<211> 2372

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1191)..(1191)
 <223> n = a or g or c or t/u

<220>
 <221> misc_feature
 <222> (1213)..(1213)
 <223> n = a or g or c or t/u

<220>
 <221> misc_feature
 <222> (2089)..(2089)
 <223> n = a or g or c or t/u

<220>
 <221> misc_feature
 <222> (2274)..(2274)
 <223> n = a or g or c or t/u

<400> 29
 actgcactct tctggtccat gtttcttaag gctcgagctg agcttttgct caccgtccac 60
 cactgctggt tgccaccacc gcagacctgc cgctgactcc catccctctg gatcctgcag 120
 ggtgtccgct gtgctcctga tccagcgagg cgcccattgc cgctcccaat tgggctaaag 180
 gcttgccatt gttcctgcac ggctaagtgc ctggggtttgt tctaattgag ctgaacacta 240
 atcactgggt tccatgggtc tcttctgtga cccacggctt ctaatagaac tataacactt 300
 accacatggc ccaagattcc attccttgga atccgtgagg ccaagaactc caggtcagag 360
 aatacgaggc ttgccaccat cttggaagcg gcctgctacc gtcttggaag tgggtcacca 420
 ccatcttggg agctctgtga gcaaggaccc cccggtaaca ttttggaac caacgacgga 480
 catccaaagt gatgggaaac gttccccgca agacaaaaac gccctaaga cgtattctgg 540

cttgaggaag gaattaatcc tgaagtctgg gcaacagaag gacaatatgg acgagccaaa 2340
 gaatgcccggt cctgttcaag ttaaaactaaa gg 2372

<210> 30

<211> 7582

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (198)..(198)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (307)..(307)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (355)..(355)

<223> n = a or g or c or t/u

<220>

<221> misc_feature

<222> (1309)..(1309)

<223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (1331)..(1331)
 <223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (2213)..(2213)
 <223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (2398)..(2398)
 <223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (3787)..(3787)
 <223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (4115)..(4115)
 <223> n = a or g or c or t/u

<220>

<221> misc_feature
 <222> (4261)..(4261)
 <223> n = a or g or c or t/u

```

<400> 30
caacaatcgg gatataaacc caggcattcg agctggcaac agcagccccc ctttgggtcc      60
cttccctttg tatgggagct gttttcatgc tatttctactc tattaaatct tgcaactgca    120
ctcttctggt ccatgtttct tacggctcga gctgagcttt tgetcaccgt ccaccactgc    180
tgtttgccac caccgcanac ctgccgctga ctcccatccc tctggatcct gcagggtgtc    240
cgctgtgctc ctgatccagc gargcgccca ttgccgctcc caattgggct aaaggcttgc    300
cattgtncct gcaaggctaa gtgcctgggt ttgttctaata tgagctgaac actantcact    360
gggttccatg gttctcttct gtgaccacag gcttctaata kaactataac acttaccaca    420
tgGCCCaaga ttccattcct tggaatccgt gaggscaacg aactccaggt cagagaatac    480
gargcttgcc accatcttgg aagcggcctg ctacertctt ggaagtgggt caccaccatc    540
ttgggagctc tgtgagcaag gaccccccg traccattttg gcraccamsr acggacatcc    600
maagtgatgg gaaacgttcc ccgcaagaca aaaacgcccc taagacgtat tctggaraat    660
tgggamcaat ttgaccctca gacactaaga aagaaacgac ttatatctct ctgcagtgcc    720
gcctggcact cctgagggaa gtataaatta taacaccatc ttacagctag acytcttttg    780
tagaaaaggc aaatggagtg aagtgccata agtacaaact ttcttttcat taagagacaa    840
ctcacaatta tgtaaaaagt gtgatttatg ccctacagga agccttcaga gtctacctcc    900
ctatcccagc atccccgact ccttccccam ytaataagga ccccccttca acccaaattg    960
tccaaaagga gatagacaaa agggtaaaca gtgaaccaa gagtgccaat attccccaat   1020
tatgaccctt cccaagcagt gggaggaaga gaattcggcc cagccagagt gcatgtgcyt   1080
tttyytctcc cagacttaaa gcaaataaaa acagacttag gttaaattctc agataaycct   1140
gatggctata ttgrtgtttt acaagggtta ggacaattct ttgatctgac atggagagat   1200
atatatgtca ctgctaaatc agacactaac cccaaatgag agaagtgcc ccataactgc   1260
agcctgagrg tttggcgatc tctggtatct cagtcaggtc aatggatang gatgacaaca   1320
gaaggaaaga naatgattcc ccacaggcca gcargcagtt ccagttctas accctcattg   1380
gggacacaga aatcagtaac atgggagatt ggtgctgcag acatttgcta acttgtgtgc   1440
tasaaggact aaggaaaact asgaagaaar tctaygaatt actcaatgat gtccaccata   1500
acacagggga agggaagaaa atcctactgc ctttctggag agactaaggg aggcattgag   1560
gaagcgtgcc tctctgtcac ctgactcttc tgaaggccaa ctaatcttaa agcgtaaagt   1620
tatcactcag tcagctgcag acattagaaa aaacttcaaa agtctgccgt aggcccgag   1680
caaaacttag aaaccctatt gaacttggca acytcggttt ttataatag agatcaggag   1740

```

gagcaggcg	aacaggacaa	acgggattaa	aaaaaaaggcc	accgcttttag	tcatgaccct	1800
caggcaagt	gactttggag	gctctggaaa	agggaaaagc	tgggcaaatt	gaatgcctaa	1860
tagggcttgc	ttccagtgcg	gtctacaagg	acacttttaa	aaagattgtc	caagtagaag	1920
taagccgccc	cttcgtccat	gccccttatt	tcaagggaat	cactggaagg	cccactgccc	1980
caggggacaa	aggtcttttg	agtcagaagc	cactaaccag	atgatccagc	agcaggactg	2040
aggggtgcct	gggcaagcgc	catcccatgc	catcacccct	acagagccct	gggtatgctt	2100
gaccattgag	ggccagggaag	gttgtctcct	ggacactggg	gcggtcttct	tagtcttact	2160
cttctgtccc	ggacaactgt	cctccagatc	tgtcactatt	ctgagggggg	ccntaagacg	2220
ggcagtcact	agatacttty	tcccagccac	taagttatga	actggggagc	tttattcttt	2280
tcacatgctt	ttctaattat	gcttgaaagc	cccactacct	tgttagggag	agacattcta	2340
gcaaaagcag	gggccattat	acacctgaac	ataggagaag	gaacaccctg	ttgttgtncc	2400
cctgcttgag	gaaggaatta	atcctgaagt	ctgggcaaca	gaaggacaat	atggacgagc	2460
caaagaatgc	ccgtcctgtt	caagttaaac	taaaggattc	cacttccttt	ccctacccaa	2520
ggcagtaccc	cctcagaccc	aaggcccaac	aaggattcca	aaagattggt	aaggacttaa	2580
aagcccaagg	cttagtaaaa	ccatgcataa	ctccctgcag	taattccgta	gtggattgag	2640
gaggcacaga	aaccagtggt	acagtggagg	gttagtgcaa	gatctcagga	ttatcaatgg	2700
aggccgttgt	cctttttatac	ccagctgtac	ctagccctta	tactgtgmyt	tcccaaatac	2760
cagaggaagc	agagtggttt	acastcctgg	accttmagga	tgccttcttc	tgcataccctg	2820
tacatcctga	ctctcaattc	ttgtttgcct	ttgaagatac	ttcaaaccce	rcatctcaac	2880
tcacctggac	trtttttacc	caagggttca	gggatagycc	ccatctattt	ggccaggcat	2940
tagcccaaga	cttgagyca	tymtcatacc	tggacactct	tgtccttcrg	takgtggatg	3000
atttactttt	rgcygccyrt	tcagaaacct	tgtgccatca	agccacccaa	gcrctcttma	3060
atttcctcgc	yacctgtggc	tacawggttt	ccaaacsara	rgctcarctc	tgctcacagc	3120
aggttaaata	cttaggrcta	arattatcca	aaggcaccar	ggccctcagt	gaggaayrya	3180
tccagcctat	actggccttat	cctcatcyca	aaaccctaaa	gcaactaagr	grrttccttg	3240
gcrrtaayagg	yttctgccga	awatggattc	cccaggtwtg	gcraaatagc	caggycatta	3300
watacastaa	ttaaggaaac	tcagaaagcc	aatacccatt	tartaagatg	gayamctgaa	3360
gymraagtgg	ctttccaggc	ccctaaagaa	ggccttaaac	ccaagyccca	gtgttaagyt	3420
tgccaacrgg	gcaagacttt	tsttyatayr	tcacagaaaa	aaacagraay	agctctrqqa	3480

gtccttacac	agrtccragg	gaygagcttg	caaccyrtgg	cryacctgas	taaggaaayt	3540
gatgtagtgg	caaaggggttg	rcytcattgt	ttaygggtag	tggtggcagt	agcagtykta	3600
gtatctgaag	cagttaaaaat	aatacagggr	agagatctta	ctgtgtggac	atctcatgak	3660
gtgaayrgca	tactcactgc	taaaggagac	ttgtggctgt	cagacaacyg	tttacttaaa	3720
trtcaggctc	tattacttga	arggccagtg	ctgcractgt	gcacttgtgc	aactcttaac	3780
ccagyencat	ttcttccaga	caatgaagaa	aagataraay	ataactgtca	acaartaatt	3840
tctcaaacct	atgccactcg	aggggacctt	yttagargttc	cyttgactga	tccygacctt	3900
caacttgtat	actgatggaa	gttcctttgt	agaaaaagga	cttcgaaaag	yggggtatgc	3960
agtggtcagt	gataatggaa	tayttgaaaag	taatcccctc	actccaggaa	ctagtgcctya	4020
gctrgcagaa	ctaatagccy	tcaytkgggc	actagaatta	ggagaagraa	aaaggggyaaa	4080
tatatataca	gactctrart	atgctyacct	agtcntccat	gcccatgmrg	caatatgsar	4140
agaaaggga	ttcctaactt	cygagrgeac	acctatcama	catcaggaag	ccattaggar	4200
attattaytg	gcwgtacaga	aacctaraga	ggtggmagtc	ttacactgcy	gggggtcatca	4260
naaaggaaag	raaaggga	tasaagrgaa	ytgccaagca	katattgaag	cmaaaagagc	4320
tgcaaggcag	gaccctccat	tagaaatgct	tattaaactt	cccttagtat	agggtaatcc	4380
cttccgggaa	accaagcccc	agtactcagc	aggagaaaca	gaatggggaa	cctcacgagg	4440
cagttttctc	ccctcgggac	ggtttagccac	tgaagaaggg	aaaatacttt	tgcttgcaac	4500
tatccaatgg	aaattactta	aaacccttca	tcaaaccttt	cacttaggca	tcgatagcac	4560
ccatcaratg	gccaaatcat	tatttacttg	accaggcctt	ttcaaaacta	tcaagcarat	4620
aktcagggcc	tgtgaaktgt	gccararaaa	taatcccctg	cctyatcgcc	aagctccttc	4680
aggaraacaa	araacaggcc	attaccctgr	araaractgg	caactgattt	taccacaag	4740
cccaaacctc	agggatttca	gtatctacta	gtctgggtar	atactttcac	gggttgggca	4800
raggccttcc	cctgtaggac	agaaaaggcc	caagaggtaa	taaaggcact	agttcatgaa	4860
ataattccca	gattcggact	tccccgaggc	ttacagagtg	acaatagccc	tgctttccag	4920
gccacagtaa	cccagggagt	atcccaggcg	ttaggtatac	gatatcactt	acactgcgcc	4980
tgaaggccac	agtcctcagg	gaaggtcgag	aaaatgaatg	aaayactcaa	aggacatcta	5040
aaaaagcaaa	cccaggaaac	ccacctcaca	tggcctgytc	tgttgcoctat	agccttaaaa	5100
agaatctgca	actttcccca	aaaagcagga	cttagcccat	acgaaatgct	gtatggaagg	5160
cccttcataa	ccaatgacct	tgtgcttgac	ccaagacagc	caacttagtt	gcagacatca	5220

cctccttagc	caaatatcaa	caagttctta	aaacattaca	aggaacctat	ccctgagaag	5280
agggaaaaga	actattccac	ccwvgtgaca	tggtattagt	caagtccctt	cycctctaatt	5340
ccccatccct	agatacatcc	tggaaggac	cctacccagt	cattttatyt	accccaactg	5400
cggttaaagt	ggctggagtg	gagtcttgga	tacatcacac	ttgagtcaaa	tcttgatac	5460
tgccaaagga	acctgaaaat	ccaggagaca	acgctagcta	ttcctgtgaa	cctctagagg	5520
atttgcgctt	gctcttcaaa	caacaaccag	gaggaaaagta	actaaaatca	taaatcccc	5580
atggscctcc	cttatcatat	ttttctctkt	astgttsttt	yacctsttt	cactctcact	5640
gcacccctc	catgccgtg	tatgaccagt	agctccccty	accmagagtt	tctatggaga	5700
atgcagcgtc	ccggaaatat	tgatgcccc	tcgtatagga	gtctttstaa	gggaaccccc	5760
accttcaactg	cccacacca	tatgccccgc	aactgctatc	actctgccac	tctttgcatg	5820
catgcaaata	ctcattattg	gacaggaaaa	atgattaatc	ctagttgtcc	tgaggagactt	5880
ggagtcaactg	tctgttgga	ttacttcacc	caaactggta	tgtctgatgg	gggtggagtt	5940
caagatcagg	caagagaaaa	acatgtaaaa	gaagtaatct	ccaactcac	csgggtacat	6000
ggcacctcta	gccctacaa	aggactagat	ctctcaaaac	tacatgaaac	cctccgtacc	6060
catactcgcc	tggtaaacct	atttaatacc	accctcactg	ggctccatga	ggtctcgcc	6120
caaaacccta	ctaactgttg	gatatgcctc	cccctgaact	tcargccata	tgtttcaatc	6180
cctgtacctg	aacaatggaa	caacttcagc	acagaaataa	acaccacttc	cgtttttagta	6240
ggacctcttg	tttccaatst	ggaaataacc	catacctcaa	acctcacctg	tgtaaaattt	6300
agcaatacta	catacacaac	caactcccaa	tgcatacagg	gggtaactcc	tcccacacaa	6360
atagtctgcc	taccctcagg	aatatttttt	gtctgtggta	cctcagccta	tcgttggttg	6420
aatggctctt	cagaatctat	gtgcttctc	tcattcttag	tgccccyat	grccatctac	6480
actgaacaag	atttatacag	ttatgtcata	tctaagcccc	gcaacaaaag	agtaccatt	6540
cttccttttg	ttataggagc	aggagtgcata	ggtgcactag	gtactggcat	tggcggtatc	6600
acaacctcta	ctcagttcta	ctacaaacta	tctcaagaac	taaatgggga	catggaacgg	6660
gtcgccgact	ccctggtcac	cttgcaagat	caacttaact	ccctagcagc	agtagtcctt	6720
craaatcgaa	gagctttaga	ctygctaacc	gctgaragag	ggggaacctg	tttattttta	6780
ggggaagaat	gctgttatta	tgtaaatcaa	tccggaatcg	tcactgagaa	agttraagaa	6840
attcsagatc	gaatacaacg	takagcagar	gagcttcgaa	acactggacc	ctggggcctc	6900
ctcagccrat	ggatgccctg	gattctcccc	ttcttaggac	ctctagcagc	tataatattg	6960

```

ctactcctct ttggaccctg tatctttrac ctccttggtta actttgtctc ttccagaatc 7020
gaagctgtra aactacaaat ggagcccaag atgcagtcca agactaagat ctaccgcaga 7080
cccttgacc ggctgytag cccacgatct gatgttaatg acatcaaagg caccctcct 7140
gaggaaatct cagctgcaca acctctacta cgccccaatt cagcaggaag cagtttagagc 7200
ggtsgtcggc caacctcccc aacagcactt aggttttctt gttgagatgg gggactgaga 7260
gacaggacta gctggatttc ctaggctgay taagaatccy taagcctags tgggaagggtg 7320
accacatcca cctttaaaca cggggcttgc aacttagytc acacctgacc aatcagagag 7380
ctcactaaaa tgctaattag gcaaagacag gaggtaaaga aatagccaat catytattgc 7440
mtgagagcac agcaggaggg acaatgatcg ggatataaac ccaagtyttc gagccggcaa 7500
cggcaacccc ctttgggtcc cctccctttg tatgggagct ctgttttcat gctatttcac 7560
tctattaaat cttgcarctg cr 7582

```

<210> 31

<211> 363

<212> PRT

<213> Homo sapiens

<400> 31

```

Met Gly Asn Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile Leu
1          5          10          15

```

```

Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg Phe
          20          25          30

```

```

Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly Arg
          35          40          45

```

```

Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu Gln
          50          55          60

```

```

Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro Tyr
65          70          75          80

```

```

Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys Lys
          85          90          95

```

Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr Pro
100 105 110

Ser Val Pro Pro Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro Leu
115 120 125

Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu Pro
130 135 140

Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg Gly
145 150 155 160

Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser Asp
165 170 175

Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro Asp
180 185 190

Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu Thr
195 200 205

Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn Glu
210 215 220

Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp Tyr
225 230 235 240

Leu Ser Gln Val Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr Pro
245 250 255

Thr Gly Gln Gln Ala Val Pro Ser Val Asp Pro His Trp Asp Thr Glu
260 265 270

Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val Leu
275 280 285

Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met Met
290 295 300

Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Pro Thr Ala Phe Leu Asp
305 310 315 320

Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp Ser
 325 330 335

Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser Ala
 340 345 350

Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro
 355 360

<210> 32

<211> 20

<212> DNA

<213> Homo sapiens

<400> 32
 atccaaagtg gtgagtaata

20

<210> 33

<211> 20

<212> DNA

<213> Homo sapiens

<400> 33
 cttttttcag atgggaaacg

20

PCT09

RAW SEQUENCE LISTING
 PATENT APPLICATION: US/09/869,927

DATE: 12/19/2001 8.5
 TIME: 16:12:55

Input Set : A:\ES.txt
 Output Set: N:\CRF3\12192001\I869927.raw

ENTERED

7 <110> APPLICANT: PARANHOS-BACCALA, Glaucia
 10 MALLET, Francois
 13 VOISSET, Cecile
 19 <120> TITLE OF INVENTION: ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN
 20 AUTOIMMUNE DISEASE, LABELING METHOD AND REAGENT
 26 <130> FILE REFERENCE: 110048
 32 <140> CURRENT APPLICATION NUMBER: 09/869,927
 C--> 35 <141> CURRENT FILING DATE: 2001-10-22
 41 <150> PRIOR APPLICATION NUMBER: PCT/FR00/00144
 44 <151> PRIOR FILING DATE: 2000-01-21
 50 <150> PRIOR APPLICATION NUMBER: FR 99/00888
 53 <151> PRIOR FILING DATE: 1999-01-21
 59 <160> NUMBER OF SEQ ID NOS: 33
 65 <170> SOFTWARE: PatentIn version 3.1
 71 <210> SEQ ID NO: 1
 74 <211> LENGTH: 1511
 77 <212> TYPE: DNA
 80 <213> ORGANISM: Homo sapiens
 86 <400> SEQUENCE: 1
 88 cctagaacgt attctggaga attgggacca atgtgacact cagacgctaa gaaagaaacg 60
 92 atttatattc ttctgcagta ccgcctggcc acaatatcct cttcaaggga gagaaacctg 120
 96 gcttcctgag ggaagtataa attataacat catcttacag ctagacctct tctgtagaaa 180
 100 ggagggcaaa tggagtgaag tgccatatgt gcaaaccttc ttttcattaa gagacaactc 240
 104 acaattatgt aaaaagtgtg gtttatgcc tacaggaagc cctcagagtc cacctcccta 300
 108 cccagcgtc cctccccga ctcttctctc aactaataag gacccccctt taacccaaac 360
 112 ggtccaaaag gagatagaca aaggggtaaa caatgaacca aagagtgcc atattccccg 420
 116 attatgcccc ctccaagcag tgagaggagg agaattcggc ccagccagag tgctgtacc 480
 120 tttttctctc tcagacttaa agcaaattaa aatagaccta ggtaaattct cagataacct 540
 124 tgacggctat attgatgttt tacaagggtt aggacaatcc ttgatctga catggagaga 600
 128 tataatgtta ctactaaatc agacactaac cccaaatgag agaagtgccg ctgtaactgc 660
 132 agcccgagag tttggcgatc tttggtatct cagtcaggcc aacaatagga tgacaacaga 720
 136 ggaaagaaca actcccacag gccagcaggc agttccagc gtagaccctc attgggacac 780
 140 agaatcagaa catggagatt ggtgccacaa acatttgcta acttgctgc tagaaggact 840
 144 gaggaaaact aggaagaagc ctatgaatta ctcaatgatg tccactataa cacagggaaa 900
 148 ggaagaaaat ctactgctt ttctggacag actaaggag gcattgagga agcataacct 960
 152 cctgtcacct gactctattg aaggccaact aatcttaaag gataagtta tcaactcagtc 1020
 156 agctgcagac attagaaaaa acttcaaaag tctgccttag gcccgagca gaacttagaa 1080
 160 accctattta acttggcatc ctcatgtttt tataatagag atcaggagga gcaggcgaaa 1140
 164 cgggacaaac gggataaaaa aaaaaggggg ggtccactac tttagtcag gccctcaggc 1200
 168 aagcagactt tggaggctct gcaaaaggga aaagctgggc aaatcaaag cctaataagg 1260
 172 ctggcttcca gtgcggtcta caaggacact ttaaaaaaga ttatccaagt agaaataagc 1320
 176 cgcctccttg tccatgcccc ttacgtcaag ggaatcactg gaaggccac tgccccaggg 1380
 180 gatgaagata ctctgagtca gaagccatta accagatgat ccagcagcag gactgagggt 1440
 184 gcccggggag agcgccagcc catgccatca ccctcacaga gcccgggta tgtttgacca 1500
 188 ttgagagcca a 1511
 194 <210> SEQ ID NO: 2
 197 <211> LENGTH: 2009

RAW SEQUENCE LISTING

DATE: 12/19/2001

PATENT APPLICATION: US/09/869,927

TIME: 16:12:55

Input Set : A:\ES.txt

Output Set: N:\CRF3\12192001\I869927.raw

```

200 <212> TYPE: DNA
203 <213> ORGANISM: Homo sapiens
209 <220> FEATURE:
212 <221> NAME/KEY: misc_feature
215 <222> LOCATION: (1940)..(1940)
218 <223> OTHER INFORMATION: n = a or g or c or t/u
225 <400> SEQUENCE: 2
227 atacgactac tatagggcga attgggccct ctagatgcat gctcgagcgg ccgccagtgt      60
231 gatggatata tgcagaattc gccctttgtc cgctgtgctc ctgatccagc gaggcgcccc      120
235 ttgctgctcc caattgggct aaaggcttgc cattgttccc acacggctaa gtgcccgggt      180
239 tcatcctaata tgagctgaac actagtcact gggttccatg gttctcttcc atgaccacag      240
243 gcttctaata gagctctaata actcaccaca tggccaaga ttccattcct tggaatccgt      300
247 gaggccaaaga accccagggtc agagaacacg aggccttgcca ccgtcttgga agtggcccg      360
251 cgccatcttg ggagctctgg gagcaaggac cccccagtaa cattttggca accacaaagg      420
255 gacctccaaa gcgatgggaa acattccccc caaggcaaaa acgcccctaa gatgtattct      480
259 ggagaattgg gaccaatgtg aactcagac gctaagaaag aaacgattta tattctcttg      540
263 cagtaccgcc tggccacaat atcctcttca agggagagaa acctggcttc ctgagggaag      600
267 tataaattat aacatcatct tacagctaga cctcttctgt agaaaggagg gcaaatggag      660
271 tgaagtgccca tatgtgcaaa ctttcttttc attaagagac aactcacaat tatgtaaaaa      720
275 gtgtgggttta tgccctacag gaagccctca gagtccacct ccctacccca gcgtccccc      780
279 cccgactcct tcctcaacta ataaggacct ccctttaacc caaacggtcc aaaaggagat      840
283 agacaaaggg gtaaacaatg aaccaaagag tgccaatatt ccccgattat gcccctcca      900
287 agcagtgaga ggaggagaat tcggcccagc cagagtgcct gtaccttttt ctctctcaga      960
291 cttaaagcaa attaaaatag acctaggtaa attctcagat aacctgacg gctatattga      1020
295 tgttttacaa gggttaggac aatcctttga tctgacatgg agatatataa tgttactact      1080
299 aaatcagaca ctaaccccaa atgagagaag tgccgctgta actgcagccc gagagtttgg      1140
303 cgatctttgg tatctcagtc aggtcaacaa taggatgaca acagaggaaa gaacaactcc      1200
307 cacaggccag caggcagttc ccagtgtaga ccctcattgg gacacagaat cagaacatgg      1260
311 agattgggtg cacaacattt tgctaacttg cgtgctagaa ggactgagga aaactaggaa      1320
315 gaagcctatg aattactcaa tgatgtccac tataacacag ggaaaggaa aaaatcctac      1380
319 tgcttttctg gacagactaa gggaggcatt gaggaagcat acctccctgt cacctgacte      1440
323 tattgaaggc caactaatct taaaggataa gtttatcact cagtcagctg cagacattag      1500
327 aaaaaacttc aaaagtctgc cttaggcccg gagcagaact tagaaaacct atttaacttg      1560
331 gcctcctcag ttttttataa tagagatcag gaggagcagg cgaaacggga caaacgggat      1620
335 aaaaaaaaaa ggggggggtcc actactttag tcatggccct caggcaagca gactttggag      1680
339 gctctggaaa agggaaaagc tgggcaaadc aaatgcctaa tagggctggc ttccagtgcg      1740
343 gtctacaagg acactttaaa aaagattatc caagtagaaa taagccgccc ccttgtccat      1800
347 gccccttacg tcaagggaat cactggaagg cccactgccc caggggatga agatactctg      1860
351 agtcagaagc cattaaccag atgatccagc agcaggactg agggtgcccg gggcgagcgc      1920
W--> 355 cagcccatgc catcacctn acagagcccc gggatatgctt gaccattgag agccaggagg      1980
359 ttaactgtct cctggacact ggcgcagcc                                2009
365 <210> SEQ ID NO: 3
368 <211> LENGTH: 1056
371 <212> TYPE: DNA
374 <213> ORGANISM: Homo sapiens
380 <400> SEQUENCE: 3
382 ctagaacgta ttctggagaa ttgggaccaa tgtgacactc agacgctaag aaagaaacga      60
386 tttatattct tctgcagtac cgctggcca caatatcctc ttcaaggag agaaacctgg      120
390 cttcctgagg gaagtataaa ttataacatc atottacagc tagacctctt ctgtagaaag      180

```

RAW SEQUENCE LISTING

DATE: 12/19/2001

PATENT APPLICATION: US/09/869,927

TIME: 16:12:55

Input Set : A:\ES.txt

Output Set: N:\CRF3\12192001\I869927.raw

```

394 gagggcaaat ggagtgaagt gccatatgtg caaactttct tttcattaag agacaactca 240
398 caattatgta aaaagtgtgg tttatgccct acaggaagcc ctcagagtcc acctccctac 300
402 cccagcgtcc cctccccgac tccttcctca actaataagg accccccttt aacccaaacg 360
406 gtccaaaagg agatagacaa aggggtaaac aatgaaccaa agagtgccaa tattccccga 420
410 ttatgcccc tccaagcagt gagaggagga gaattcgcc cagccagagt gcctgtacct 480
414 ttttctctct cagacttaaa gcaaattaaa atagacctag gtaaattctc agataaccct 540
418 gacggctata ttgatgtttt acaagggtta ggacaatcct ttgatctgac atggagagat 600
422 ataatgttac tactaaatca gacactaacc ccaaatgaga gaagtgccgc tgtaactgca 660
426 gcccgagagt ttggcgatct ttggtatctc agtcaggcca acaataggat gacaacagag 720
430 gaaagaacaa ctcccacagg ccagcaggca gttcccagtg tagacctca ttgggacaca 780
434 gaatcagaac atggagattg gtgccacaaa catttgctaa cttgcgtgct agaaggactg 840
438 aggaaaaacta ggaagaagcc tatgaattac tcaatgatgt ccactataac acagggaaag 900
442 gaagaaaatc ttactgcttt tctggacaga ctaaggaggg cattgaggaa gcataacctc 960
446 ctgtcacctg actctattga aggccaacta atcttaaagg ataagtttat cactcagtoa 1020
450 gctgcagaca ttagaaaaaa cttcaaaagt ctgctt 1056
456 <210> SEQ ID NO: 4
459 <211> LENGTH: 25
462 <212> TYPE: DNA
465 <213> ORGANISM: Homo sapiens
471 <400> SEQUENCE: 4
473 cggacatcca aagtgatggg aaacg 25
479 <210> SEQ ID NO: 5
482 <211> LENGTH: 26
485 <212> TYPE: DNA
488 <213> ORGANISM: Homo sapiens
494 <400> SEQUENCE: 5
496 ggacaggaaa gtaagactga gaaggc 26
502 <210> SEQ ID NO: 6
505 <211> LENGTH: 26
508 <212> TYPE: DNA
511 <213> ORGANISM: Homo sapiens
517 <400> SEQUENCE: 6
519 cctagaacgt attctggaga attggg 26
525 <210> SEQ ID NO: 7
528 <211> LENGTH: 26
531 <212> TYPE: DNA
534 <213> ORGANISM: Homo sapiens
540 <400> SEQUENCE: 7
542 tggtcttcaa tggtaaaca tacccg 26
548 <210> SEQ ID NO: 8
551 <211> LENGTH: 21
554 <212> TYPE: DNA
557 <213> ORGANISM: Homo sapiens
563 <400> SEQUENCE: 8
565 atgggaaacg ttccccccga g 21
571 <210> SEQ ID NO: 9
574 <211> LENGTH: 21
577 <212> TYPE: DNA
580 <213> ORGANISM: Homo sapiens

```

RAW SEQUENCE LISTING

DATE: 12/19/2001

PATENT APPLICATION: US/09/869,927

TIME: 16:12:55

Input Set : A:\ES.txt

Output Set: N:\CRF3\12192001\I869927.raw

586 <400> SEQUENCE: 9
588 ggcctaaggc agacttttga a 21
594 <210> SEQ ID NO: 10
597 <211> LENGTH: 409
600 <212> TYPE: PRT
603 <213> ORGANISM: Homo sapiens
609 <400> SEQUENCE: 10
613 Met Gly Ser Ser His His His His His His Ser Ser Gly Leu Val Pro
615 1 5 10 15
621 Arg Gly Ser His Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg
623 20 25 30
629 Ile Met Gly Asn Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile
631 35 40 45
637 Leu Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg
639 50 55 60
645 Phe Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly
647 65 70 75 80
653 Arg Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu
655 85 90 95
661 Gln Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro
663 100 105 110
669 Tyr Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys
671 115 120 125
677 Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
679 130 135 140
685 Pro Ser Val Pro Pro Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
687 145 150 155 160
693 Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
695 165 170 175
701 Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
703 180 185 190
709 Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
711 195 200 205
717 Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
719 210 215 220
725 Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
727 225 230 235 240
733 Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
735 245 250 255
741 Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
743 260 265 270
749 Tyr Leu Ser Gln Val Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr
751 275 280 285
757 Pro Thr Gly Gln Gln Ala Val Pro Ser Val Asp Pro His Trp Asp Thr
759 290 295 300
765 Glu Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val
767 305 310 315 320
773 Leu Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met
775 325 330 335

RAW SEQUENCE LISTING

DATE: 12/19/2001

PATENT APPLICATION: US/09/869,927

TIME: 16:12:55


Input Set : A:\ES.txt

Output Set: N:\CRF3\12192001\I869927.raw

```

781 Met Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Pro Thr Ala Phe Leu
783           340           345           350
789 Asp Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp
791           355           360           365
797 Ser Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser
799           370           375           380
805 Ala Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro Lys Leu Ala Ala
807 385           390           395           400
813 Ala Leu Glu His His His His His His
815           405
821 <210> SEQ ID NO: 11
824 <211> LENGTH: 393
827 <212> TYPE: PRT
830 <213> ORGANISM: Homo sapiens
836 <400> SEQUENCE: 11
840 Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Ile Met Gly Asn
842 1           5           10           15
848 Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile Leu Glu Arg Ile
850           20           25           30
856 Leu Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg
858           35           40           45
864 Phe Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly
866           50           55           60
872 Arg Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu
874 65           70           75           80
880 Gln Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro
882           85           90           95
888 Tyr Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys
890           100          105          110
896 Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
898           115          120          125
904 Pro Ser Val Pro Ser Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
906           130          135          140
912 Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
914 145          150          155          160
920 Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
922           165          170          175
928 Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
930           180          185          190
936 Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
938           195          200          205
944 Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
946           210          215          220
952 Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
954 225          230          235          240
960 Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
962           245          250          255
968 Tyr Leu Ser Gln Ala Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr
970           260          265          270

```


 Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

DATE: 12/19/2001

PATENT APPLICATION: US/09/869,927

TIME: 16:12:56

Input Set : A:\ES.txt

Output Set: N:\CRF3\12192001\I869927.raw

L:35 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:355 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2

L:1247 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18

L:1751 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22

L:1771 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22

L:1846 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23

L:2033 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24

L:2041 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24

L:2045 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24

L:2502 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27

L:2952 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29

L:2956 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29

L:3012 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29

L:3024 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29

L:3227 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3235 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3259 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3303 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3371 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3467 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3487 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

L:3499 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Glaucia PARANHOS-BACCALA, Francois MALLET,
Cecile VOISSET

Application No.: US National Stage of PCT/FR00/00144

Filed: July 9, 2001

Docket No.: 110048

For: ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN
AUTOIMMUNE DISEASE, LABELING METHOD AND REAGENT

PRELIMINARY AMENDMENT

Director of the U.S. Patent and Trademark Office
Washington, D. C. 20231

Sir:

Prior to initial examination, please amend the above-identified application as follows:

IN THE CLAIMS:

Please replace claims 7, 11, 16 and 17 as follows:

7. (Amended) Transcription product which can be obtained by transcription of at least said portion of the *gag* gene of a fragment according to claim 1.

11. (Amended) Method according to claim 8, characterized in that the biological sample is a biological fluid chosen from serum, plasma, synovial fluid and urine.

16. (Amended) Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one fragment according to claim 1.


17. (Amended) Use of a fragment according to claim 1, for detecting, in a biological sample, susceptibility to an autoimmune disease, or monitoring pregnancy.

REMARKS

Claims 1-18 are pending. Claims 7, 11, 16 and 17 are amended to eliminate multiple dependencies. Prompt and favorable consideration on the merits is respectfully requested.

The attached Appendix includes marked-up copies of each rewritten claim (37 C.F.R. §1.121(c)(1)(ii)).

Respectfully submitted,


William P. Berridge
Registration No. 30,024

Joel S. Armstrong
Registration No. 36,430

WPB:JSA/zmc

Attached: APPENDIX

Date: July 9, 2001

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

<p>DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461</p>
--

APPENDIX

Changes to Claims:

The following are marked-up versions of the amended claims:

7. (Amended) Transcription product which can be obtained by transcription of at least said portion of the *gag* gene of a fragment according to claim 1 ~~any one of claims 1 to 6~~.

11. (Amended) Method according to claim 8 ~~any one of claims 8 to 10~~, characterized in that the biological sample is a biological fluid chosen from serum, plasma, synovial fluid and urine.

16. (Amended) Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one fragment according to claim 1 ~~any one of claims 1 to 6~~, one transcription/translation product, as obtained according to the method of claim 11, one sythetic peptide belonging to SEQ ID NO. 31 or one protein according to claim 15 or 16.

17. (Amended) Use of a fragment according to claim 1 ~~any one of claims 1 to 6~~, of a transcription/translation product, as obtained according to the method of claim 11, one sythetic peptide belonging to SEQ ID NO. 31 or one protein according to claim 15 or 16, for detecting, in a biological sample, susceptibility to an autoimmune disease, or monitoring pregnancy.

ENDOGENEOUS NUCLEIC ACID FRAGMENT ASSOCIATED WITH AN
AUTOIMMUNE DISEASE, LABELING METHOD AND REAGENT

5 The present invention relates to an endogenous nucleic acid fragment of the retroviral type, integrated into the DNA of the human genome.

10 Retroviruses are RNA viruses which replicate through a process termed reverse transcription, mediated by an RNA-dependent DNA polymerase named reverse transcriptase (RT), which is encoded by the *pol* gene. The retroviral RNA also comprises at least two additional genes, which are the *gag* and *env* genes. The *gag* gene encodes the proteins of the backbone, i.e. the matrix, the capsid and the nucleocapsid. The *env* gene encodes the envelope proteins. The transcription is regulated by promoter regions located in the LTRs (Long Terminal Repeat) which border the 5'- and 3'-terminal ends of the retroviral genome.

20 In the course of evolution, humans or their ancestors have integrated material of retroviral origin into their genome subsequent to an infection. Specifically, when a cell is infected, the reverse transcriptase makes a DNA copy of the retroviral RNA, and this DNA copy may then possibly integrate into the human genome. Retroviruses can infect germinal cells and thus be transmitted to future generations by vertical Mendelian transmission. They are then referred to as endogenous retroviruses which are present in the form of proviral DNA integrated into the genome of all human cells. Most endogenous retroviruses are silent or defective. However, some of them have been able to conserve all or part of their initial properties and may be activated under specific conditions. The expression of endogenous retroviruses can range from the transcription of viral genes to the production of viral particles.

These endogenous retroviruses may be associated directly or indirectly with the development of certain pathological conditions.

- 5 Endogenous retroviral structures may be in a complete LTR-gag-pol-env-LTR form or in truncated forms.

Thus, in a previous patent application (PCT/FR98/01442), the applicant screened a cDNA library
10 using a Ppol-MSRV probe (SEQ ID NO. 18) and detected overlapping clones which allowed it to reconstruct a putative genomic RNA of 7582 nucleotides. This genomic RNA has an R-U5-gag-pol-env-U3-R structure. A "blastn" interrogation over several databases using the
15 reconstructed genome made it possible to show that there is a considerable amount of related genomic (DNA) sequences in the human genome, which are found on several chromosomes. Thus, the applicant demonstrated the existence of partial structures of the retroviral
20 type in the human genome and envisaged their potential role in the development of autoimmune diseases, in unsuccessful pregnancy or pathological conditions of pregnancy.

- 25 Autoimmune diseases which may be mentioned by way of example are multiple sclerosis, rheumatoid arthritis, lupus erythematosus disseminatus, insulin-dependent diabetes and/or pathologies which are associated with them.

30

The isolation and sequencing of overlapping cDNA fragments and the identification of genomic (DNA) clones corresponding to the isolated DNA clones, described in the applicant's abovementioned PCT patent
35 application, are incorporated herein by way of reference.

Isolation and sequencing of overlapping cDNA fragments:

The information regarding the organization of the novel family of endogenous retroviruses named, by the applicant, HERV-W was obtained by testing a placenta cDNA library (Clontech cat#HL5014a) with the Ppol-MSRV (SEQ ID NO. 18) and Penv-C15 (SEQ ID NO. 19) probes and then carrying out a "gene walking" technique using the novel sequences obtained. The experiments were carried out with reference to the recommendations of the supplier of the library. PCR amplifications on DNA were also used in order to understand this organization.

The following clones were selected and sequenced:

- 15 - Clone cl.6A2 (SEQ ID NO. 20): 5' untranslated region of HERV-W and a portion of gag.
- Clone cl.6A1 (SEQ ID NO. 21): gag and a portion of pol.
- Clone cl.7A16 (SEQ ID NO. 22): 3' region of pol.
- 20 - Clone cl.Pi22 (SEQ ID NO. 23): 3' region of pol and start of env.
- Clone cl.24.4 (SEQ ID NO. 24): spliced RNA comprising a portion of the 5' untranslated region of HERV-W, the end of pol and the 5' region of env.
- 25 - Clone cl.C4C5 (SEQ ID NO. 25): end of env and 3' untranslated region of HERV-W.
- Clone cl.PH74 (SEQ ID NO. 26): subgenomic RNA: 5' untranslated region of HERV-W, end of pol, env, and 3' untranslated region of HERV-W.
- 30 - Clone cl.PH7 (SEQ ID NO. 27): multispliced RNA: 5' untranslated region of HERV-W, end of env and 3' untranslated region of HERV-W.
- Clone cl.Pi5T (SEQ ID NO. 28): partial pol gene and U3-R region.
- 35 - Clone cl.44.4 (SEQ ID NO. 29): R-U5 region, gag gene and partial pol gene.

A total sequence model for HERV-W was produced with the aid of these clones, by carrying out sequence alignments. The spliced RNAs were revealed and also the potential splice donor and acceptor sites. The LTR, gag, pol and env entities were defined by studying similarity with existing retroviruses.

The putative genetic organization of HERV-W in the RNA form is as follows (SEQ ID NO. 30):

10

gene 1..7582.

Location of the clones on the reconstructed genomic RNA sequence:

15

cl.6A2 (1321 bp) 1-1325;

cl.PH74 (535+2229= 2764 bp) 72-606 and 5353-7582;

cl.24.4 (491+1457= 1948 bp); 115-606 and 5353-6810;

cl.44.4 (2372 bp) 115-2496;

cl.PH7 (369+297= 666 bp) 237-606 and 7017-7313; cl.6A1

20

(2938 bp) 586-3559;

cl.Pi5T (2785+566= 3351 bp) 2747-5557 and 7017-7582;

cl.7A16 (1422 bp) 2908-4337;

cl.Pi22 (317+1689= 2006 bp) 3957-4273 and 4476-6168;

cl.C4C5 (1116 bp) 6467-7582

25

5'LTR 1..120

/note="R of 5'LTR (5' end uncertain [sic]"

121..575

/note="U5 of 5'LTR"

misc. 579..596

30

/note="PBS, primer binding site, for tRNA-W"

misc. 606

/note="splice junction (splice donor site ATCCAAAGTG-GTGAGTAATA and splice acceptor site CTTTTTTCAG-ATGGGAAACG, clone RG083M05, GenBank accession AC000064)"

35

misc. 5353

/note="splice acceptor site for ORF1 (env)"

misc. 5560

T02780 2255350

/note="splice donor site"
 ORF 5581..7194
 /note="ORF1 env 538 AA"
 /product=="envelope"
 5 misc. 7017
 /note="splice acceptor site for ORF2 and
 ORF3"
 ORF 7039..7194
 /note="ORF2 52 AA"
 10 ORF 7112..7255
 /note="ORF3 48 AA"
 misc. 7244..7254
 /note="PPT, polypurine tract"
 3' LTR 7256..7582
 15 /note="U3-R of 3' LTR (U3-R junction
 undetermined)
 misc. 7563..7569
 polyadenylation signal

20 Identification of genomic (DNA) clones corresponding to
 the isolated DNA clones:

A "blastn" interrogation over several databases, using
 the reconstructed genome, showed that there is a
 25 considerable amount of related sequences in the human
 genome. Approximately 400 sequences were identified in
 GenBank and more than 200 sequences in the EST bank,
 most of them in the antisense orientation. The 4 most
 significant sequences in terms of size and similarity
 30 are the sequences of the following genomic (DNA)
 clones:

Human clone RG083M05 (gb AC000064), the chromosomal
 location of which is 7q21-7q22,
 Human clone BAC378 (gb U85196, gb AE000660)
 35 corresponding to the alpha/delta locus of the T-cell
 receptor, located at 14q11-12,
 Human cosmid Q11M15 (gb AF045450) corresponding to
 region 21q22.3 of chromosome 21,

FOI 2004-06-03

Cosmid U134E6 (embl Z83850) on chromosome Xq22.

5 The location of the aligned regions for each of the clones is indicated and the chromosome to which they belong is indicated between square brackets (Figure 6 [sic]). The percentage similarity (without the large deletions) between the 4 sequences and the reconstructed genomic RNA is indicated, and also the presence of repeat sequences at each end of the genome and the size of the longest open reading frames (ORFs). Repeat sequences were found at the ends of 3 of these clones. The reconstructed sequence is entirely contained within clone RG083M05 (9.6 Kb) and exhibits 96% similarity. However, clone RG083M05 has a 2 Kb insertion located immediately downstream of the 5' untranslated region (5' UTR). This insertion is also found in two other genomic clones which have a 2.3 Kb deletion immediately upstream of the 3' untranslated region (3' UTR). No clone contained the three functional gag, pol and env open reading frames (ORFs). Clone RG083M05 shows a 538 amino acid (AA) ORF corresponding to a whole envelope. Cosmid Q11M15 contains two major contiguous ORFs of 413 AA (frame 0) and 305 AA (frame +1) corresponding to a truncated pol polyprotein.

30 An endogenous nucleic acid fragment has now been found and isolated, which is integrated into the DNA of the human genome and which comprises or consists of at least one portion of the gag gene of an endogenous retrovirus associated with an autoimmune disease, or with unsuccessful pregnancy or pathological conditions of pregnancy, this portion at least encoding, directly or indirectly, an expression product. Of course, the invention also comprises the sequence complementary to said fragment.

Advantageously, the fragment defined above also satisfies at least any one of the following characteristics:

- 5 It comprises, or consists of, said whole *gag* gene;

Said portion of the fragment at least encodes the matrix and the capsid;

- 10 It comprises, or consists of, SEQ ID NO. 1, SEQ ID NO. 2, SEQ ID NO. 3 or the sequence complementary to any one of said sequences;

- 15 It is located on at least one of human chromosomes 1, 3, 6, 7 and 16, it is preferably located on at least chromosome 3;

The product of expression of said portion is messenger RNA;

- 20 The product of expression of said portion is immunologically recognized by antibodies present in a biological sample from a patient suffering from an autoimmune disease, such as multiple sclerosis;
- 25 preferably, the biological fluid is chosen from serum, plasma, synovial fluid and urine.

- Another subject of the invention is an endogenous transcription product which is in isolated form and
- 30 which can be obtained by transcription of at least said portion of the *gag* gene of a fragment of the invention.

- The invention also relates to a method for detecting endogenous nucleotide sequences belonging to a fragment
- 35 of the invention, comprising the following steps:

a prior step of extraction of the cellular DNA from a tissue or biological fluid is carried out, and then at

least one cycle of amplification of the cellular DNA is carried out, for instance by PCR, using primers in particular chosen from SEQ ID NO. 4 to SEQ ID NO. 9 and SEQ ID NO. 12 to SEQ ID NO. 17,

5

the cellular DNA present in the sample is brought into contact with a given probe which is capable of hybridizing with a fragment as defined above and of forming a hybridization complex, said probe comprising at least 15 contiguous nucleotides, preferably 17 and advantageously 19 contiguous nucleotides, of SEQ ID NO. 3, or consisting of SEQ ID NO. 3, under suitable conditions for the hybridization, in particular under conditions of high stringency, and

10

the hybridization complexes formed are detected by any suitable means.

15

Advantageously, the probe is labeled with a tracer, such as for example a radioactive tracer or an enzyme.

20

The invention also relates to a method for detecting endogenous nucleotide sequences belonging to a fragment of the invention, comprising the following steps:

25

a prior step of extraction of the cellular DNA from a tissue or biological fluid is carried out, and then at least one cycle of amplification of the cellular DNA is carried out, for instance by PCR, using primers in particular chosen from SEQ ID NO. 4 to SEQ ID NO. 9 and SEQ ID NO. 12 to SEQ ID NO. 17,

30

a step of in vitro transcription/translation of the amplified product is carried out, and

35

the product derived from the transcription/translation step is reacted with a serum or plasma from a patient with an autoimmune disease.

09369927-031704

The invention also relates to a method for studying and/or monitoring T-cell proliferation in vitro, according to which the T cells from a patient are brought into contact with either transcription/translation products (SEQ ID NO. 31), as obtained according to the method above, or synthetic peptides derived from or belonging to SEQ ID NO. 31.

Another subject of the invention is a method for the in situ molecular labeling of chromosomes isolated from patients, in which a probe labeled with any suitable tracer, and comprising all or part of SEQ ID NO. 3, is used.

The invention also relates to:

a recombinant protein obtained using an expression cassette in a bacterial host, characterized in that its protein sequence consists of SEQ ID NO. 31; the bacterial host is in particular *E. coli*;

a reagent for detecting an autoimmune disease or monitoring pregnancy, comprising at least one fragment or one protein of the invention;

the use of a fragment or of a protein of the invention for detecting, in a biological sample, susceptibility to an autoimmune disease, or monitoring pregnancy; in particular, the autoimmune disease is multiple sclerosis.

Before setting out the present invention in greater detail, the definition of certain terms employed in the description and claims is given.

The expression "expression product" means any product derived from the retroviral DNA integrated into the

human genome, including the transcription products (messenger RNA) and the products derived from the translation of the messenger RNA obtained. In the latter case, and by way of example, the product may be a peptide or a protein which is functional or functionalizable, i.e. which can become functional.

The expression "portion encoding, directly or indirectly, an expression product" is intended to mean a portion which, by itself, comprises at least all or part of an open reading frame from which it is possible to deduce an amino acid sequence, and the coding capacity of which can be induced by elements such as, for example, those which may have promoter activity. This definition includes the variability which may be found in the coding nucleic acid sequence, provided that the above conditions are respected.

Example 1: Location of the gag gene of the HERV-W family on human chromosomes using the Southern blot technique

In order to locate the gag gene of the HERV-W family, a probe corresponding to this gene from MSRV was hybridized on a nylon membrane (Hybond® N+, Amersham) containing 5 µg of DNA from 24 somatic cell hybrids [human x rodents] (isolated human genomic DNA: 22 autosomal chromosomes and 2 sex chromosomes) and 3 control DNAs (human, mouse and hamster), digested with the EcoRI restriction enzyme.

The following probe is used: Pgag-C12 identified by SEQ ID NO. 3 corresponding to the coding region (of 1056 bp) of the clone MSRV gag C12.

35

1.1- Production of clone 2, C12, containing, in the 3' region, a portion homologous to the pol gene, corresponding to the protease gene, and a portion

homologous to the *gag* gene, corresponding to the nucleocapsid, and a 5' coding region, corresponding to the *gag* gene, more specifically the matrix and capsid of MSRV-1.

5

A PCR amplification was carried out on total RNA extracted from 100 µl of plasma from a patient suffering from MS. A water control, treated under the same conditions, was used as a negative control. The
10 cDNA synthesis was carried out with 300 pmol of a random primer (Gibco-BRL, France) and the "Expand RT" reverse transcriptase (Boehringer Mannheim, France), according to the conditions recommended by the company. A PCR (polymerase chain reaction) amplification was
15 carried out with the *Taq* polymerase enzyme (Perkin Elmer, France) using 10 µl of cDNA under the following conditions: 94°C 2 min, 55°C 1 min and 72°C 2 min, then 94°C 1 min, 55°C 1 min and 72°C 2 min for 30 cycles and 72°C for 7 min, with a final reaction volume of 50 µl.

20

The primers used for the PCR amplification are as follows:

- 5' primer, identified by SEQ ID NO. 4
- 25 5' CGG ACA TCC AAA GTG ATG GGA AAC G 3';
- 3' primer, identified by SEQ ID NO. 5
- 5' GGA CAG GAA AGT AAG ACT GAG AAG GC 3'

30


A second "nested" PCR amplification was carried out with 5' and 3' primers located inside the region already amplified. This second PCR was carried out under the same experiment conditions as those used in the first PCR, using 10 µl of the amplification product derived from the first PCR.

35

The primers used for the nested PCR amplification are as follows:

Amended
17-04-2001
10/120/2559360

5
10
15
20
25
30
35



transformation of the
ligation in *E. coli* bacteria, the ligation mixture was
plated out. At the end of the procedure, the white
colonies of recombinant bacteria were picked in order
to be cultured and to allow the extraction of the
incorporated plasmids according to the "DNA
miniprep" procedure (J. Sambrook, E.F. Fritsch
and T. Maniatis, Molecular Cloning, a laboratory
manual, Cold Spring Harbour Laboratory Press, 1989).
The plasmid preparation from each recombinant colony
was cleaved with the Eco RI restriction enzyme and
analyzed on agarose gel. The plasmids possessing an
insert which was detected under UV light after staining
the gel with ethidium bromide were selected in order to
sequence the insert after hybridization with a primer
complementary to the T7 promoter present on the cloning
plasmid from the TA Cloning Kit®. The reaction prior to
the sequencing was then carried out according to the
method recommended for using the "Prism® Ready Reaction


Amplitaq® FS, DyeDeoxy™ Terminator™ sequencing kit
(Applied Biosystems, ref. 402119) and the automatic
sequencing was carried out on the Applied Biosystems
373 A and 377 machines, according to the manufacturer's
5 instructions.

The clone obtained, named Cl2, makes it possible to
define a 1511 bp region which has an open reading frame
in the N-terminal region of 1089 bp (fragment 434-1521
10 of SEQ ID NO. 2) encoding 363 amino acids (SEQ ID
NO. 31) corresponding to the matrix and capsid regions
of the *gag* gene.

The nucleotide sequence of Cl2 is identified by SEQ ID
15 NO. 1. It is represented in Figure 2 with the potential
amino acid reading frames.

1.2- Production of the MSRV gag cl2 probe

20 The probe was obtained after PCR amplification, using
the pCR™ vector plasmid (TA Cloning® kit, ←



out and labeled with [α -P³²] using random primers (Gibco-BRL, France) in accordance with instructions of the "Ready-to-go DNA labeling" kit (Pharmacia Biotech). The unincorporated nucleotides were removed with a G-50 Quick Spin column (Boehringer, Mannheim).

1.3- Southern blot

The hybridization conditions are as follows:

After prehybridization for 4 hours (in 5X SSC, 1X Denhardt's, 0.1% SDS, 50% formamide, 20 mM Tris-HCl, pH = 7.5, and 0.1 mg/ml of herring sperm DNA), the nylon membrane containing the human chromosomes was hybridized (in 5X SSC, 1X Denhardt's, 0.1% SDS, 50% formamide, 20 mM Tris-HCl, pH = 7.5, 0.1 mg/ml of herring sperm DNA and 5% dextran sulfate) for 18 hours at 42°C with the ³²P-labeled 1056 bp gag cl2 DNA probe (SEQ ID NO. 3). After hybridization, the membrane (The BIOS Monochromosomal Somatic Cell Hybrid blot, from Quantum Bioprobe) hybridized with the gag probe was washed twice in 2X SSC/0.2% SDS solution for 15 min at room temperature, and twice (in 0.2X SSC/0.2% SDS) for 15 min at 45°C. After washing, the membrane was exposed to the X-ray film at -80°C in the presence of an amplifying screen.

The results are given in Table 1 hereinafter.

In this table:

m, which signifies mouse, and h, which signifies hamster, correspond to the recipient cells for the human chromosomal DNA.

The number indicated under each chromosome corresponds to the number of bands encountered.

The total number of copies of the gag gene is 66.

Table 1

Chromo No. Rodent parent	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	X	Y	Mouse	Ham- ster
Gag probe	5	0	6	6	5	3	2	3	2	4	3	6	3	1	3	0	3	2	1	0	4	0	4	0	0	0

Example 2: PCR amplification of the gag gene of the
HERV-W family on each of the isolated human
chromosomes; verification of the specificity of the
amplifications by Southern blot; "in vitro"
transcription/translation (PTT) test using the PCR
products, in order to verify the coding capacity and
discover which of the human chromosomes have open
reading frames for the gag gene of the HERV-W family.

2.1- PCR amplification

In order to amplify the HERV-W gag gene, a PCR was
carried out on each isolated human chromosome [NIGMS
human/rodent somatic cell hybrid panel #2. The human
monochromosomal NIGMS somatic hybrid mapping panel #2,
described by H.L. Drwinga et al. and B.L. Dubois et
al., obtained from the Coriell Institute (Camden, NJ)]
with the *Taq* polymerase enzyme (Perkin Elmer, France)
using: 40 pmol of each primer, 25 mM of each dNTP
(Pharmacia), 2.5 mM of $MgCl_2$, 2.5 U of *Taq* polymerase
in the standard PCR buffer (Perkin Elmer) and 300 ng of
isolated chromosome DNA, in a final volume of 100 μ l.
The PCR conditions for amplifying the gag region are as
follows: 3 min at 94°C; then 1 min at 94°C, 1 min at
55°C and 3 min at 72°C for 30 cycles, and 7 min at
72°C.

The primers used for the PCR amplification of the gag
gene, from an ATG introduced into the HERV-W gag
sequence on each isolated human chromosome are as
follows:

- 5' primer, identified by SEQ ID NO. 14

5'-TTT GGT AAT ACG ACT CAC TAT AGG GCA GCC ACC ATG GGA
AAC GTT CCC CCC GAG-3'.

The primer contains the T7 RNA polymerase promoter
sequence, a "spacer", the Kozak sequence (translation

initiation site in eukaryotes) and the 5' gag sequence starting from the HERV-W ATG.

- 3' primer, identified by SEQ ID NO. 15

5'-TTTTTTTTTTTTTTTTTTTTTCAGGCTGCGCCAGTGTCCAGGAGAC-3'.

5

The primer contains a poly-A tail (in order to stabilize the transcription of the RNA, represented by 18 T bases), a stop codon (represented by TCA) and the sequence of the MSRV-1 protease gene (G+E+A).

10

For the amplification of the HERV-W gag gene using oligonucleotides defined in the LTR and protease regions of HERV-W, with the *Taq* polymerase enzyme (Perkin Elmer, France), the PCR conditions were as follows: 3 min at 94°C; then 1 min at 94°C, 1 min at 60°C and 2 min at 72°C, 35 cycles; followed by 7 min at 72°C, with 50 ng of each monochromosomal DNA.

15

The primers used for the PCR amplification of the gag gene using the oligonucleotide defined in the HERV-W LTR sequence, on each isolated human chromosome, are as follows:

20

- 5' primer, identified by SEQ ID NO. 16

5'-TGTCGCTGTGCTCCTGATC-3'

25

- 3' primer, identified by SEQ ID NO. 17

5'-TTTTTTTTTTTTTTTTTTTTTCAGGCTGCGCCAGTGTCCAGGAGAC-3'.

30

The primer contains a poly-A tail (in order to stabilize transcription of the RNA, represented by 18 T bases), a stop codon (represented by TCA) and the sequence of the MSRV-1 G+E+A protease gene.

35

The PCR amplifications were carried out in an MJ Research PTC200 Peltier Thermal cycler machine. The PCR products (10 µl of each PCR product) were analyzed in a gel of 1% agarose in 1X TBE (Tris-HCl, borate, EDTA). In order to verify the specificity of the amplification products, 3 µl of each PCR product were analyzed in

agarose gel and then transferred onto a nylon membrane (Hybond® -N⁺, Amersham) (Southern blot) using 0.4 N NaOH. The hybridization with the gag cl2 probe (1056 bp) (J. Sambrook et al., 1989) was carried out under the following conditions: after prehybridization for 4 hours (in 5X SSC, 1X Denhardt's, 0.1% SDS, 50% formamide, 20 mM Tris-HCl, pH = 7.5, and 0.1 mg/ml of herring sperm DNA), the nylon membrane was hybridized (in 5X SSC, 1X Denhardt's, 0.1% SDS, 50% formamide, 20 mM Tris-HCl, pH = 7.5, 0.1 mg/ml of herring sperm DNA and 5% dextran sulfate), for 18 hours at 42°C with the ³²P-labeled gag DNA probe. The gag PCR products from each isolated human chromosome were washed once, for 15 min at room temperature, in a solution of 2X SSC, 0.2% SDS; twice, for 15 min each wash at 65°C, in a solution of 0.2X SSC, 0.1% SDS; twice, for 15 min each at 65°C, in a solution of 0.1X SSC, 0.1% SDS; and twice, for 30 min each at room temperature, in a solution of 0.1X SSC, 0.1% SDS.

Part of the remaining volume (4 µl) of the PCR amplification products was used for the PTT "in vitro" transcription/translation test (Roest PAM et al., 1993) (Promega, France). The remaining volume was used for the cloning in the pCR® 2.1-TOPO vector (Invitrogen) in accordance with the instructions with the kit, and for the sequencing with the method recommended for using the "PRISM™ Ready Reaction Amplitaq® FS, DyeDeoxy™ Terminator" sequencing kit (Applied Biosystems, ref. 402119), and the automatic sequencing was carried out on Applied Biosystems 373A and 377 machines, according to the manufacturer's instructions.

The portion encoded (SEQ ID NO. 31) by the 2009 bp fragment (SEQ ID NO. 2) was amplified by PCR with the Pwo enzyme (5 U/µl) (Boehringer Manneim, France) using 1 µl of the minipreparation of the gag clone DNA (SEQ ID NO. 3) under the following conditions: 95°C 1 min,

60°C 1 min and 72°C 2 min for 25 cycles, with a final reaction volume of 50 µl, using the primers:

- 5' primer (*Bam* HI) (SEQ ID NO. 8):

5' ATG GGA AAC GTT CCC CCC GAG 3' (21 mer), and

5 - 3' primer (*Hind* III), identified by SEQ ID NO. 9

5[sic] GGC CTA AGG CAG ACT TTT GAA 3' (21 mer).

The fragment obtained after PCR was linearized with *Bam* HI and *Hind* III and subcloned into the pET28C and pET21C expression vectors (NOVAGEN) linearized with *Bam* HI and *Hind* III. The DNA of the 1089 bp fragment in the two expression vectors were sequenced according to the method recommended for using the "PRISM™ Ready Reaction Amplitaq® FS, DyeDeoxy™ Terminator" sequencing kit (Applied Biosystems, ref. 402119) and the automatic sequencing was carried out on Applied Biosystems 373A and 377 machines, according to the manufacturer's instructions.

The expression of the nucleotide sequence of the 1089 bp fragment of the gag clone by the pET28C and pET21C expression vectors is identified by SEQ ID NO. 10 and SEQ ID NO. 11, respectively.

2.2- "In vitro" transcription/translation test (PTT, Promega)

This test was carried out in order to pinpoint the human chromosomes which have open reading frames for the gag gene of the HERV-W family.

A mixture containing 12.5 µl of TNT® rabbit reticulocyte lysate (Promega), 1 µl of TNT® reaction buffer (Promega), 0.5 µl of TNT® RNA polymerase (Promega), 0.5 µl of a 1 mM mixture of amino acids minus methionine, 2 µl of ³⁵S-methionine (1000 Ci/mmol) at 10 mCi/µl (Amersham), 0.5 µl of RNasin® ribonuclease inhibitor at 40 U/µl, 4 µl of PCR amplification

products (equivalent to 1 μ g) from each human chromosome and 4 μ l of water, in a reaction volume of 25 μ l, [lacuna]. This mixture was incubated at 30°C for 90 min.

5

The gag proteins corresponding to the products of transcription/translation of the gag gene of the HERV-W family from each human chromosome, amplified by PCR, were revealed by 10% polyacrylamide gel electrophoresis in the presence of sodium dodecyl sulfate (SDS)-PAGE after exposure of the gel to the X-ray film at room temperature in the presence of an amplifying screen.

10

The results are given in Table 2 hereinafter.

15

In this table, the number indicated under each chromosome corresponds to the molecular mass (kDa) of the proteins visualized in polyacrylamide gel in the presence of SDS.

20

TO/100/200000

Table 2

[illegible]

Example 3: Expression of the gag clone in *Escherichia coli*, and reaction with human sera

5 The coding region SEQ ID NO. 2 was expressed in *Escherichia coli*, and then the products thus expressed were tested against serum from patients suffering from MS, and also against serum from healthy patients.

10 The constructs pET28c-gag clone (1089 bp) and pET21C-gag clone (1089 bp) synthesize, in the BL21 (DE3) bacterial strain, an N-terminal and C-terminal fusion protein for the pET28C vector, and a C-terminal fusion protein for the pET21C vector, with 6 histidine residues and an apparent molecular mass of
15 approximately 45 kDa, which are revealed by SDS-PAGE polyacrylamide gel electrophoresis (U.K. Laemmli, Cleavage of structural proteins during the assembly of the head of bacteriophage T4, Nature, 1970, 227: 680-685).

20 The reactivity of the protein with respect to an anti-histidine monoclonal antibody (DIANOVA) was demonstrated using the Western blot technique (H. Towbin et al., Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications, Proc. Natl. Acad. Sci. USA, 1979, 76: 4350-4354).
25

30 The recombinant proteins pET28C-gag clone (1089 bp) and pET21C-gag clone (1089 bp) were visualized, by SDS-PAGE, in the insoluble fraction after enzymatic digestion of the bacterial extracts with 50 µl of lysozyme (10 mg/ml) and lysis by ultrasound.

35 The antigenic properties of the recombinant antigens pET28C-gag clone (1089 bp) and pET21C-gag clone (1089 bp) were tested by Western blot after solubilization of the bacterial pellet with 2% SDS and

Publ. No. 43521-22-2000

50 mM β -mercaptoethanol. After incubation with the sera from patients suffering from multiple sclerosis, the sera from the neurological controls and the blood transfusion center (BTC) control sera, the immunocomplexes were detected using an alkaline phosphatase-coupled anti-human IgG and IgM goat serum.

The results are given in Table 3 hereinafter.

10

Table 3

Reactivity of sera from patients suffering from multiple sclerosis and controls, with the recombinant gag protein produced in *E. coli*^a

15

DISEASE	NUMBER OF INDIVIDUALS TESTED	NUMBER OF POSITIVE INDIVIDUALS
MS	15	6 2(+++), 2(++), 2(+)
NEUROLOGICAL CONTROLS	2	1(+++)
HEALTHY CONTROLS (BTC)	22	1(+/-)

20

(a) The strips containing 1.5 μ g of recombinant gag antigen show reactivity against sera diluted 100-fold. The Western blot interpretation is based on the presence or absence of a gag-specific band on the strips. Positive and negative controls are included in each experiment.

25

These results show that, under the technical conditions used, approximately 40% of the human multiple sclerosis sera tested react with the recombinant gag protein.

FOI 2009-0470

CLAIMS

1. Nucleic acid fragment, characterized in that it consists of at least one portion of the gag gene of an endogenous retrovirus associated with an autoimmune disease, or with unsuccessful pregnancy or pathological conditions of pregnancy, said portion being chosen from SEQ ID NO. 2 and any series of contiguous nucleotides belonging to SEQ ID NO. 2 but not belonging to SEQ ID NO. 1 and encoding an expression product, or the sequence complementary to said fragment.
2. Fragment according to claim 1, characterized in that it can be isolated from at least one of human chromosomes 1, 3, 6, 7 and 16.
3. Fragment according to claim 2, characterized in that it can be isolated from at least chromosome 3.
4. Fragment according to claim 1, characterized in that the expression product is messenger RNA.
5. Fragment according to claim 1, characterized in that the expression product is immunologically recognized by antibodies present in a biological sample from a patient suffering from an autoimmune disease.
6. Fragment according to claim 5, characterized in that the autoimmune disease is multiple sclerosis.
7. Transcription product which can be obtained by transcription of at least said portion of the gag gene of a fragment according to any one of claims 1 to 6.

8. Method for detecting, in a biological sample, nucleotide sequences which are integrated into the DNA of the human genome and which belong to the gag gene of an endogenous retrovirus associated with an autoimmune disease, or with unsuccessful pregnancy or pathological conditions of pregnancy, characterized in that:

- a prior step of extraction of the cellular DNA of said biological sample is carried out, and then at least one cycle of amplification of the cellular DNA is carried out, for instance by PCR, using primers in particular chosen from SEQ ID NO. 4 to SEQ ID NO. 9 and SEQ ID NO. 12 to SEQ ID NO. 17,

- the cellular DNA present in the sample is brought into contact with a given probe which is capable of hybridizing with a said nucleotide sequence and of forming a hybridization complex, said probe comprising at least 15 contiguous nucleotides, preferably 17 and advantageously 19 contiguous nucleotides, of SEQ ID NO. 3, or consisting of SEQ ID NO. 3, under suitable conditions for the hybridization, in particular under conditions of high stringency, and

- the hybridization complexes formed are detected by any suitable means.

9. Method according to claim 8, characterized in that the probe is labeled with a tracer, such as for example a radioactive tracer or an enzyme.

10. Method for detecting, in a biological sample, nucleotide sequences which are integrated into the

DNA of the human genome and which belong to the gag gene of an endogenous retrovirus associated with an autoimmune disease, or with unsuccessful pregnancy or pathological conditions of pregnancy, characterized in that:

- a prior step of extraction of the cellular DNA of said biological sample, optionally derived from isolated chromosomes, is carried out, and then at least one cycle of amplification of the cellular DNA is carried out, for instance by PCR, using primers in particular chosen from SEQ ID NO. 4 to SEQ ID NO. 9 and SEQ ID NO. 12 to SEQ ID NO. 17,

- a step of in vitro transcription/translation of the amplified product is carried out, and

- the product derived from the transcription/translation step is reacted with a serum or plasma from a patient with an autoimmune disease.

11. Method according to any one of claims 8 to 10, characterized in that the biological sample is a biological fluid chosen from serum, plasma, synovial fluid and urine.


12. Method for studying and/or monitoring T-cell proliferation in vitro, according to which the T cells from a patient are brought into contact with either transcription/translation products, as obtained according to the method of claim 11, or synthetic peptides belonging to SEQ ID NO. 31.

13. Method for the in situ molecular labeling of chromosomes isolated from patients, in which a

probe labeled with any suitable tracer, and comprising all or part of SEQ ID NO. 3, is used.


14. Recombinant protein obtained using an expression cassette in a bacterial host, characterized in that its protein sequence consists of SEQ ID NO. 31.
15. Protein according to claim 14, characterized in that the bacterial host is *E. coli*.
16. Reagent for detecting, in a biological sample, an autoimmune disease or monitoring pregnancy, comprising at least one fragment according to any one of claims 1 to 6, one transcription/translation product, as obtained according to the method of claim 11, one synthetic peptide belonging to SEQ ID NO. 31 or one protein according to claim 15 or 16.
17. Use of a fragment according to any one of claims 1 to 6, of a transcription/translation product, as obtained according to the method of claim 11, of a synthetic peptide belonging to SEQ ID NO. 31 or of a protein according to claim 15 or 16, for detecting, in a biological sample, susceptibility to an autoimmune disease, or monitoring pregnancy.
18. Use according to claim 17, characterized in that the autoimmune disease is multiple sclerosis.

FIG 1



REPLACEMENT SHEET (RULE 26)

FIG 1



REPLACEMENT SHEET (RULE 26)

FIG 2

	10	20	30	40	50	
	1234567890	1234567890	1234567890	1234567890	1234567890	
	OCTAGAACGT	ATTCTGGAGA	ATTGGGACCA	ATGTGACACT	CAGACGCTAA	50
	P R T Y S G E	L G P M	H S D A K			
	L E R I L E N	W D Q C D T	Q T L R			
	. N V F W R	I G T N	V T L R R			
	GAAAGAAACG	ATTTATATTC	TTCTGCAGTA	CCGCTGCCC	ACAATATCCT	100
	K E T I Y I L	L Q Y R L A	T I S S			
	K K R F I F	F C S T A W P	Q Y P			
	E R N D L Y S	S A V P P G H	N I L			
	CTTCAAGGGA	GAGAAACCTG	GCTTCTGAG	GGAAGTATAA	ATTATAACAT	150
	S R E R N L A S	. G K Y K L . H				
	L Q G R E T W	L P E G S I N	Y N I			
	F K G E K P G	F L R E V .	I I T S			
	CATCTTACAG	CTAGACCTCT	TCTGTAGAAA	GGAGGGCAAA	TGGAGTGAAG	200
	H L T A R P L L	. K G G Q M E . S				
	I L Q L D L F	C R K E G K	W S E V			
	S Y S . T S	S V E R R A N	G V K			
	TGCGTATGT	GCAAACTTTC	TTTTCATTA	GAGACAATC	ACAATTATGT	250
	A I C A N F L	F I K R Q L T I M .				
	P Y V Q T F	F S L R D N S	Q L C			
	C H M C K L S	F H . E T T H	N Y V			
	AAAAAGTGTG	GTTTATGCCC	TACAGGAAC	CTCAGAGTC	CACCTOCTA	300
	K V W F M P	Y R K P S E S	T S L			
	K K C G L C P	T G S P Q S P	P P Y			
	K S V V Y A L	Q E A L R V	H L P T			
	CCCCAGGTC	CCCCCCCCGA	CCTCTCTC	AACTAATAAG	GAACCCCTT	350
	P Q R P L P D	S F L N . . G	P P F			
	P S V P S P T	P S S T N K	D P P L			
	P A S P P R	L L P Q L I R	T P L			
	TACCCAAAC	GGTCCAAAG	GAGATAGACA	AAGGGTAAA	CAATGAACCA	400
	N P N G P K G	D R Q R G K Q . T K				
	T Q T V Q K	E I D K G V N	N E P			
	. P K R S K R R	. T K G . T M N Q				
	AAGAGTGCCA	ATATTCCCCG	ATTATGCCCC	CTCCAGCAG	TGAGAGGAGG	450
	E C Q Y S P	I M P P P S S	E R R			
	K S A N I P R	L C P L Q A V	R G G			
	R V P I F P D	Y A P S K Q .	E E E			
	AGAATTGGC	CCAGCCAGAG	TGCTGTAC	TTTTCTCTC	TCAGACTTAA	500
	R I R P S Q S	A C T F F S L	R L K			
	E F G P A R V	P V P F S L	S D L K			
	N S A Q P E	C L Y L F L S	Q T .			

REPLACEMENT SHEET (RULE 26)

09869927-00144

FIG 2 (continued)

	10	20	30	40	50	
	1234567890	1234567890	1234567890	1234567890	1234567890	
	AGCAAATTAA	AATAGACCTA	GGTAAATTCT	CAGATAACCC	TGACGGCTAT	550
	A N	N R P R	I L R	P	R L Y	
	Q I K	I D L	G K P S	D N P	D G Y	
	S K L K	T	V N S	Q I T L	T A I	
	ATTGATGTTT	TACAAGGGIT	AGGACAATCC	TTTGATCTGA	CATGGAGAGA	600
	. C F	T R V	R T I L	. S D	M E R	
	I D V L	Q G L	G Q S	F D L T	W R D	
	L M F	Y K G	. D N P	L I	. H G E I	
	TATAATGTTA	CTACTAATC	AGACACTAAC	CCCAATGAG	AGAAGTCCCG	650
	Y N V T	T K S	D T N	P K	. E K C R	
	I M L	L L N Q	T L T	P N E	R S A A	
	. C Y Y	. I R H	. P Q M R	E V P		
	CTGTAACCTC	AGCCCGAGAG	TTTGGGATC	TTTGCTATCT	CAGTCAGGOC	700
	C N C	S P R V	W R S	L V S	Q S G Q	
	V T A	A R E	F G D L	W Y L	S Q A	
	L . L Q	P E S	L A I	F G I S	V R P	
	AACAATAGGA	TGACAACAGA	GGAAAGAACA	ACTCCACAG	GCCAGCAGGC	750
	Q . D	D N R	G K N N	S H R	P A G	
	N N R M	T T E	E R T	T P T G	Q Q A	
	T I G	. Q Q R	K E Q	L P Q	A S R Q	
	AGTTCOCAGT	GTAGACCTTC	ATTGGGACAC	AGAATCAGAA	CATGGAGATT	800
	S S Q C	R P S	L G H	R I R T	W R L	
	V P S	V D P H	W D T	E S E	H G D W	
	F P V	. T L	I G T Q	N Q N	M E I	
	GGTCCACAAA	ACATTIGCTA	ACTTGGGTGC	TAGAAGGACT	GAGGAAAAT	850
	V P Q	T F A N	L R A	R R T	E E N .	
	C H K	H L L	T C V L	E G L	R K T	
	G A T N	I C .	L A C .	K D .	G K L	
	AGGAAGAAGC	CTATGAATTA	CTCAATGATG	TCCACTATAA	CACAGGAAA	900
	E E A	Y E L	L N D V	H Y N	T G K	
	R K K P	M N Y	S M M	S T I T	Q G K	
	G R S L	. I T Q .	C P L .	H R E R		
	GGAGAAAAT	CTTACTGCTT	TTCGGACAG	ACTAAGGGAG	GCATTGAGCA	950
	G R K S	Y C F	S G Q	T K G G	I E E	
	E E N	L T A F	L D R	L R E	A L R K	
	K K I	L L L	F W T D	. G R H .	G	
	AGCATACCTC	CCGTGCACT	GACTCTATTG	AAGGCCAACT	AATCTTAAAG	1000
	A Y L	P V T .	L Y .	R P T	N L K G	
	H T S	L S P	D S I E	G Q L	I L K	
	S I P P	C H L	T L L	K A N .	S . R	

REPLACEMENT SHEET (RULE 26)

09/869927-2659960

FIG 2 (continued)

	10	20	30	40	50	
1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	
GATAAGTTTA	TCACTCAGTC	AGCTGCAGAC	ATTAGAAAAA	ACTTCAAAAG		1050
. V Y H S V	S C R H .	K K L Q K				
D K F I T Q S	A A D I R K N	F K S				
I S L S L S Q	L Q T L E K	T S K V				
TCTGCTTAG	GCCCGGAGCA	GAAGTAAAGAA	AGCCATTTTA	ACTTGGCATC		1100
S A L G P E Q	N L E T L F N	I A S				
L P . A R S R	T . K P Y L	T W H P				
C L R P G A	E L R N P I .	L G I				
CTCAGTTTTT	TATAATAGAG	ATCAGGAGGA	GCAGGGGAAA	CGGGACAAC		1150
S V F Y N R D	Q E E Q A K	R D K R				
Q F F I I E	I R R S R R N	G T N				
L S F L . .	R S G G A G E T	G Q T				
CGGATAAAAA	AAAAAGGGGG	GGTCCACTAC	TTTAGTCATG	GCCCTCAGGC		1200
D K K K R G	G P L L . S W	P S G				
G I K K K G G	V H Y F S H G	P Q A				
G . K K K G G	S T T L V M	A L R Q				
AAGCAGCCTT	TGGAGCCCTCT	GCAAAAGGGA	AAAGCTGGGC	AAATCAAATG		1250
K Q T L E A L	Q K G K A G Q	I K C				
S R L W R L C	K R E K L G	K S N A				
A D F G G S	A K G K S W A	N Q M				
CCTAATAGGG	CTGGCTTCCA	GTGGGGTCTA	CAAGGACACT	TTAAAAAGA		1300
L I G L A S S	A V Y K D T	L K K I				
. . G W L P	V R S T R T L	. K R				
P N R A G F Q	C G L Q G H F	K K D				
TTATCCAGT	AGAAATAGC	CGCCCCCTTG	TCCATGCCCC	TTAGTCAAG		1350
I Q V E I S	R P L V H A P	Y V K				
L S K . K .	A A P L S M P L	T S R				
Y P S R N K P	P P C P C P	L R Q G				
GGATTCATG	GAAGGCCCCAC	TGCCCCAGGG	GATCAAGATA	CTCTGAGTCA		1400
G I T G R P T	A P G D E D T	L S Q				
E S L E G P L	P Q G M K I	L . V R				
N H W K A H C	P R G . R Y	S E S				
GAAGCCATTA	ACCAGATGAT	CCAGCAGCAG	GACTGAGGGT	GGGGGGGGGG		1450
K P L T R .	S S S R T E G	A R G E				
S H . P D D	P A A G L R V	P G A				
E A I N Q M I	Q Q Q D . G C	P G R				
AGGGCCAGCC	CATGCCATCA	CCCTCAGAGA	GGGGGGGGTA	TGTTTGAACA		1500
R Q P M P S	P S Q S P G Y	V . P				
S A S P C H H	P H R A P G M	F D H				
A P A H A I T	L T E P R V	C L T I				

REPLACEMENT SHEET (RULE 26)

09/869927 00101

FIG 2 (continued)

10	20	30	40	50
1234567890	1234567890	1234567890	1234567890	1234567890
TTGAGACCA A				1511
L R A				
. E P				
E S Q				

09869927 001704

**DECLARATION AND POWER OF ATTORNEY
UNDER 35 USC §371(c)(4) FOR
PCT APPLICATION FOR UNITED STATES PATENT**

As a below named inventor, I hereby declare that:
my residence, post office address and citizenship are as stated below under my name;

I verily believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought, namely the invention entitled: Endogeneous nucleic acid fragment associated with an autoimmune disease, labeling method and reagent

described and claimed in international application number PCT FR00/00144 filed 21th January 2000.

I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations §1.56.

Under Title 35, U.S. Code §119, the priority benefits of the following foreign application(s) filed by me or my legal representatives or assigns within one year prior to my international application are hereby claimed:

France N° 99/00888 filed on 21th January 1999

The following application(s) for patent or inventor's certificate on this invention were filed in countries foreign to the United States of America either (a) more than one year prior to my international application, or (b) before the filing date of the above-named foreign priority application(s):

I hereby appoint the following as my attorneys of record with full power of substitution and revocation to prosecute this application and to transact all business in the Patent Office:

**James A. Oliff, Reg. No. 27,075; William P. Berridge, Reg. No. 30,024;
Kirk M. Hudson, Reg. No. 27,562; Thomas J. Pardini, Reg. No. 30,411;
Edward P. Walker, Reg. No. 31,450; Robert A. Miller, Reg. No. 32,771;
Mario A. Costantino, Reg. No. 33,565; Caroline D. Dennison, Reg. No. 34,494; and
Stephen J. Roe, Reg. No. 34,463.**

ALL CORRESPONDENCE IN CONNECTION WITH THIS APPLICATION SHOULD BE SENT TO OLIFF & BERRIDGE, PLC, P.O. BOX 19928, ALEXANDRIA, VIRGINIA 22320, TELEPHONE (703) 836-6400.

I hereby declare that I have reviewed and understand the contents of this Declaration, and that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

1	Typewritten Full Name of Sole or First Inventor	<u>1-00</u> <u>Glaucia</u> <u>PARANHOS-BACCALA</u>		
2	Inventor's Signature	Given Name	Middle Initial	Family Name
3	Date of Signature	<u>GIAUCIA</u> <u>PARANHOS</u> <u>BACCALA</u>		
		<u>07</u>	<u>18</u>	<u>2001</u>
		Month	Day	Year
	Residence:	<u>69003 LYON</u>		
		City	State or Province	Country
	Citizenship:	<u>SWISS</u>		
	Post Office Address: (Insert complete mailing address, including country)	<u>75 Cours Gambetta 69003 LYON (France)</u>		

Note to Inventor: Please sign name on line 2 exactly as it appears in line 1 and insert the actual date of signing on line 3.

IF THERE IS MORE THAN ONE INVENTOR USE PAGE 2 AND PLACE AN "X" HERE X

09869927 "084791
T07780" 2269860

(Discard this page in a sole inventor application)

1 **Typewritten Full Name of Joint Inventor** 2-00 François Mallet

2 **Inventor's Signature:** François Mallet

3 **Date of Signature:** 7 17 2001

Residence: 69100 VILLEURBANNE FRX

Citizenship: French

Post Office Address: 84 Rue Anatole France 69100 VILLEURBANNE (France)

1 **Typewritten Full Name of Joint Inventor** 3-00 Cécile VOISSET

2 **Inventor's Signature:** Cécile Voisset

3 **Date of Signature:** 08 01 2001

Residence: LONDON WC1H 9QW GBX

Citizenship: French

Post Office Address: 80 Clare Court Judd Street - LONDON WC1H 9QW (GB)

1 **Typewritten Full Name of Joint Inventor**

2 **Inventor's Signature:**

3 **Date of Signature:**

Residence:

Citizenship:

Post Office Address:

1 **Typewritten Full Name of Joint Inventor**

2 **Inventor's Signature:**

3 **Date of Signature:**

Residence:

Citizenship:

Post Office Address:

Note to Inventor: Please sign name on line 2 exactly as it appears in line 1 and insert the actual date of signing on line 3.

This form may be executed only when attached to the first page of the Declaration and Power of Attorney of the application to which it pertains.

SEQUENCE LISTING

<110> BIO MERIEUX

<120> Endogenous nucleic acid fragment associated with an
autoimmune disease, labeling method and reagent

<130> SEP19-endogenous

<140>

<141>

<150> FR 9900888

<151> 1999-01-21

<160> 31

<170> PatentIn Ver. 2.1

<210> 1

<211> 1511

<212> DNA

<213> Homo sapiens

<400> 1

```
cctagaacgt attctggaga attgggacca atgtgacact cagacgctaa gaaagaaacg 60
atztatattc ttctgcagta ccgcctggcc acaatatcct cttcaagggg gagaaacctg 120
gcttctctgag ggaagtataa attataacat catcttacag ctagacctct tctgtagaaa 180
ggaggggcaaa tggagtgaag tgccatatgt gcaaaccttc ttttcattaa gagacaactc 240
acaattatgt aaaaagtgtg gtttatgccc tacaggaagc cctcagagtc cacctcccta 300
ccccagcgtc cctcccccga ctccttcttc aactaataag gacccccctt taacccaaac 360
gggtccaaaag gagatagaca aaggggtaaa caatgaacca aagagtgcc aatattcccc 420
attatgcccc ctccaagcag tgagaggagg agaattcggc ccagccagag tgctgtacc 480
ttttctcttc tcagacttaa agcaatttaa aatagacctt ggtaaattct cagataacct 540
tgacggctat attgatgttt tacaaggggt aggacaatcc tttgatctga catggagaga 600
tataatgtta ctactaaatc agacactaac cccaaatgag agaagtgccg ctgtaactgc 660
agcccgagag tttggcgatc tttggtatct cagtcaggcc aacaatagga tgacaacaga 720
ggaaagaaca actccacacg gccagcaggg agttcccagt gtagaccctc attgggacac 780
agaatcagaa catggagatt ggtgccacaa acatttgcta acttgcgtag tagaaggact 840
gaggaaaact aggaagaagc ctatgaatta ctcaatgatg tccactataa cacagggaac 900
ggaagaaaat cttactgctt ttctggacag actaaggagg gcattgagga agcatacctc 960
cctgtcacct gactctattg aaggccaact aatcttaaag gataagttta tcaactcagtc 1020
agctgcagac attagaaaaa acttcaaaag tctgccttag gcccgagaga gaacttagaa 1080
acctatttta acttggcatc ctcagttttt tataatagag atcaggagga gcaggcgaaa 1140
cgggacaaac gggataaaaa aaaaaggggg ggtccactac tttagtcatg gccctcaggg 1200
aagcagactt tggaggctct gcaaaaggga aaagctgggc aaatcaaag cctaataagg 1260
ctggcttcca gtgcgggtct caaggacact ttaaaaaaga ttatccaagt agaaataagc 1320
cgcccccttg tccatgcccc ttacgtcaag ggaatcactg gaaggccac tgccccaggg 1380
gatgaagata ctctgagtc gaagccatta accagatgat ccagcagcag gactgagggt 1440
gccccgggag agcgccagcc catgccatca cctcacaga gccccgggta tgtttgacca 1500
ttgagagcca a
```

<210> 2

<211> 2009

<212> DNA

<213> Homo sapiens

PCT/FR00/00144

<400> 2

atacgactac tatagggcga attggggccct ctagatgcat gctcgagcgg ccgccagtgt 60
 gatggatatt tgcagaattc gccctttgtc cgctgtgctc ctgatccagc gagggcgcca 120
 ttgctgctcc caattgggct aaaggcttgc catrgttccc acacggctaa gtgcccgggt 180
 tcacctaata tgagctgaac actagtcact gggttccatg gttctcttcc atgacccacg 240
 gcttctaata gagctctaata actcaccaca tggcccaaga ttccattcct tgggaatccgt 300
 gagggccaaga accccaggtc agagaacacg aggccttgcca ccgtcttgga agtggcccgc 360
 cgccatcttg ggagctctgg gagcaaggac cccccagtaa catttttgga accacaaagg 420
 gacctccaaa gcgatgggaa acattccccc caaggcaaaa acgcccctaa gatgtattct 480
 ggagaattgg gaccaatgtg acactcagac gctaagaaaag aaacgattta tattcttctg 540
 cagtaccgcc tggccacaat atcctcttca agggagagaa acctggcttc ctgagggaag 600
 tataaattat aacatcatct tacagctaga cctcttctgt agaaaggagg gcaaatggag 660
 tgaagtggca tatgtgcaaa ctttcttttc attaagagac aactcacaat tatgtaaaaa 720
 gtgtggttta tgccctacag gaagccctca ggtccacct ccctacccca gcgtccccc 780
 cccgactcct tctcaacta ataaggacct ccccttaacc caaacggtcc aaaaggagat 840
 agacaaaggg gtaaacaaatg aaccaaagag tgccaatatt ccccgattat gccccctcca 900
 agcagtgaga ggaggagaat tcggcccagc cagagtgcct gtacctttt ctctctcaga 960
 cttaaagcaa attaaaaatg acctaggtaa attctcagat aacctgacg gctatatitga 1020
 tgrttttacaa gggttaggac aatcctttga tctgacatgg agagataata tgttactact 1080
 aaatcagaca ctaaccccaa atgagagaag tgccgctgta actgcagccc gagagtgttg 1140
 cgatcttttg tatctcagtc aggtcaacaa taggatgaca acagaggaaa gaacaactcc 1200
 cacaggccag caggcagttc ccagtgtaga cctcatttg gacacagaat cagaacatgg 1260
 agattggtgc cacaacatt tgctaacttg cgtgctagaa ggactgagga aaactaggaa 1320
 gaagcctatg aattactcaa tgatgtccac tataacacag ggaaagggaag aaaatcctac 1380
 tgcttttctg gacagactaa gggaggcatt gaggaagcat acctccctgt cacctgactc 1440
 tattgaaggc caactaatct taaaggataa gtttatcact cagtcagctg cagacattag 1500
 aaaaaacttc aaaagtctgc cttaggcccc gagcagaact tagaaacct atttaacttg 1560
 gcatcctcag ttttttataa tagagatcag gaggagcagg cgaaacggga caaacgggat 1620
 aaaaaaaaaa ggggggggtc actactttag tcatggccct caggcaagca gactttggag 1680
 gctctggaag agggaaaagc tgggcaaatc aaatgcctaa tagggctggc tccagtgccg 1740
 gtctacaagg acactttaaa aaagattatc caagtagaaa taagccgccc ccttggtccat 1800
 gccccctacg tcaagggaat cactggaaagg cccactgccc caggggatga agatactctg 1860
 agtcagaagc cattaaccag atgatccagc agcaggactg aggggtgccc gggcgagcgc 1920
 cagcccatgc catcacctn acagagcccc gggtatgctt gaccattgag agccaggagg 1980
 ttaactgtct cctggacact ggcgcagcc 2009

<210> 3

<211> 1056

<212> DNA

<213> Homo sapiens

<400> 3

ctagaacgta ttctggagaa ttgggaccaa tgtgacactc agacgctaag aaagaaacga 60
 tttatatctt tctgcagtac cgccctggcca caatatcctc ttcaaggagag agaaacctgg 120
 ctctctgagg gaagtataaa ttataacatc atcttacagc tagacctctt ctgtagaaag 180
 gagggcaaat ggagtgaagt gccatatgtg caaactttct ttccattaaag agacaactca 240
 caatttatgta aaaagtgttg tttatgccc acaggaagcc ctccagagtc acctccctac 300
 cccagcgtcc cctccccgac tcttctctca actaataagg acccccttt aacccaaacg 360
 gtccaaaagg agatagacaa aggggtaaac aatgaaccaa agagtgcctaa tattccccga 420
 ttatgcccc tccaagcagt gagaggagga gaattcgccc cagccagagt gcctgtacct 480
 tttctctctc cagacttaaa gcaaatataa atagacctag gtaaatctct agataaccct 540
 gacggctata ttgatgtttt acaagggtta ggacaatcct ttgatctgac atggagagat 600
 ataattgtac tactaaatca gacactaacc ccaaatgaga gaagtgcgc tgtaactgca 660
 gcccagaggt ttggcgatct ttggtatctc agtcaggcca acaataggat gacaacagag 720
 gaaagaacaa ctcccacagg ccagcaggca gttcccagtg tagacctca ttgggacaca 780
 gaatcagaac atggagattg gtgccacaaa catttgctaa cttgctgtct agaaggactg 840
 aggaaaacta ggaagaagcc tatgaattac tcaatgatgt ccactataac acaggggaaag 900

gaagaaaatc ttactgcttt tctggacaga ctaagggagg cattgaggaa gcatacctcc 960
ctgtcacctg actctattga aggccaaacta atcttaaagg ataagtttat cactcagtcg 1020
gctgcagaca ttagaaaaaa cttcaaaagt ctgcct 1056

```
<210> 4
<211> 25
<212> DNA
<213> Homo sapiens
```

```
<400> 4
cggacatcca aagtgatggg aaacg
```

```
<210> 5
<211> 26
<212> DNA
<213> Homo sapiens
```

<400> 5
ggacaggaaa gtaagactga gaaggc 26

```
<210> 6
<211> 26
<212> DNA
<213> Homo sapiens
```

<400> 6
cctagaacgt attctggaga attggg 26

```
<210> 7
<211> 26
<212> DNA
<213> Homo sapiens
```

<400> 7
tggctctcaa tggctcaaaca taccocg 26

```
<210> 8
<211> 21
<212> DNA
<213> Homo sapiens
```

```
<400> 8
atgggaaaacg ttccccccga g
```

```
<210> 9
<211> 21
<212> DNA
<213> Homo sapiens
```

```
<400> 9
ggcctaaggc agacttttga a                21
```

1. 1990年12月31日	
流动资产	1,000,000
长期资产	2,000,000
负债	1,500,000
所有者权益	1,500,000
总资产	3,000,000
总负债及所有者权益	3,000,000
2. 1991年12月31日	
流动资产	1,200,000
长期资产	2,200,000
负债	1,600,000
所有者权益	1,600,000
总资产	3,400,000
总负债及所有者权益	3,400,000
3. 1992年12月31日	
流动资产	1,400,000
长期资产	2,400,000
负债	1,700,000
所有者权益	1,700,000
总资产	3,800,000
总负债及所有者权益	3,800,000
4. 1993年12月31日	
流动资产	1,600,000
长期资产	2,600,000
负债	1,800,000
所有者权益	1,800,000
总资产	4,200,000
总负债及所有者权益	4,200,000
5. 1994年12月31日	
流动资产	1,800,000
长期资产	2,800,000
负债	1,900,000
所有者权益	1,900,000
总资产	4,600,000
总负债及所有者权益	4,600,000
6. 1995年12月31日	
流动资产	2,000,000
长期资产	3,000,000
负债	2,000,000
所有者权益	2,000,000
总资产	5,000,000
总负债及所有者权益	5,000,000

<210> 10
 <211> 409
 <212> PRT
 <213> Homo sapiens

<400> 10

```

Met Gly Ser Ser His His His His His His Ser Ser Gly Leu Val Pro
 1           5           10           15

Arg Gly Ser His Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg
          20           25           30

Ile Met Gly Asn Ile Pro Pro Lys Ala Lys Thr Pro Leu Arg Cys Ile
          35           40           45

Leu Glu Asn Trp Asp Gln Cys Asp Thr Gln Thr Leu Arg Lys Lys Arg
          50           55           60

Phe Ile Phe Phe Cys Ser Thr Ala Trp Pro Gln Tyr Pro Leu Gln Gly
          65           70           75           80

Arg Glu Thr Trp Leu Pro Glu Gly Ser Ile Asn Tyr Asn Ile Ile Leu
          85           90           95

Gln Leu Asp Leu Phe Cys Arg Lys Glu Gly Lys Trp Ser Glu Val Pro
          100          105          110

Tyr Val Gln Thr Phe Phe Ser Leu Arg Asp Asn Ser Gln Leu Cys Lys
          115          120          125

Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
          130          135          140

Pro Ser Val Pro Pro Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
          145          150          155          160

Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
          165          170          175

Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
          180          185          190

Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
          195          200          205

Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
          210          215          220

Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
          225          230          235          240

Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
          245          250          255

Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
          260          265          270

```

09869927-084704

Lys Cys Gly Leu Cys Pro Thr Gly Ser Pro Gln Ser Pro Pro Pro Tyr
115 120 125

[illegible]

Pro Ser Val Pro Ser Pro Thr Pro Ser Ser Thr Asn Lys Asp Pro Pro
 130 135 140
 Leu Thr Gln Thr Val Gln Lys Glu Ile Asp Lys Gly Val Asn Asn Glu
 145 150 155 160
 Pro Lys Ser Ala Asn Ile Pro Arg Leu Cys Pro Leu Gln Ala Val Arg
 165 170 175
 Gly Gly Glu Phe Gly Pro Ala Arg Val Pro Val Pro Phe Ser Leu Ser
 180 185 190
 Asp Leu Lys Gln Ile Lys Ile Asp Leu Gly Lys Phe Ser Asp Asn Pro
 195 200 205
 Asp Gly Tyr Ile Asp Val Leu Gln Gly Leu Gly Gln Ser Phe Asp Leu
 210 215 220
 Thr Trp Arg Asp Ile Met Leu Leu Leu Asn Gln Thr Leu Thr Pro Asn
 225 230 235 240
 Glu Arg Ser Ala Ala Val Thr Ala Ala Arg Glu Phe Gly Asp Leu Trp
 245 250 255
 Tyr Leu Ser Gln Ala Asn Asn Arg Met Thr Thr Glu Glu Arg Thr Thr
 260 265 270
 Pro Thr Gly Gln Gln Ala Val Pro Ser Val Asp Pro His Trp Asp Thr
 275 280 285
 Glu Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val
 290 295 300
 Leu Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met
 305 310 315 320
 Met Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Leu Thr Ala Phe Leu
 325 330 335
 Asp Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp
 340 345 350
 Ser Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser
 355 360 365
 Ala Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro Lys Leu Ala Ala
 370 375 380
 Ala Leu Glu His His His His His His
 385 390

<210> 12

<211> 26

<212> DNA

<213> Homo sapiens

006699 63701
 10/2/89 12:59:50

<400> 12
ctagaacgta ttctggagaa ttggga 26

<210> 13
<211> 20
<212> DNA
<213> Homo sapiens

<400> 13
cctaaggcag acttttgaag 20

<210> 14
<211> 54
<212> DNA
<213> Homo sapiens

<400> 14
tttggttaata cgactcacta tagggcagcc accatgggaa acgttccccc cgag 54

<210> 15
<211> 44
<212> DNA
<213> Homo sapiens

<400> 15
tttttttttt tttttttttc aggctgcgcc agtgtccagg agac 44

<210> 16
<211> 20
<212> DNA
<213> Homo sapiens

<400> 16
tgtccgctgt gctcctgac 20

<210> 17
<211> 44
<212> DNA
<213> Homo sapiens

<400> 17
tttttttttt tttttttttc aggctgcgcc agtgtccagg agac 44

<210> 18
<211> 678
<212> DNA
<213> Homo sapiens

<400> 18
tcagggatag ccccatcta ttggccagg cattagcca agacttgagc cagttctcat 60
acctggatat tcttgctctt tggatgcgg atgatttact ttagccgcc cgttcagaaa 120

```

ccttgtgcca tcaagccacc caagtgtctt taaatttccg cgccacctgt ggctacaagg 180
tttccaaacc aaagggtcag ctctgtctac agcagaaggc tattttacct aaatacttag 240
ggctgaaatt atccaaaggc accagggccc tcagttagga atgtatccag cctatactgg 300
cttatcctta tcccaaaacc ctaaaacaac taagaagggt ccttggcata ataggcataa 360
caggcataac aggtttctgc tgaatatgga tcccgaagta cggcaaaata gccagaccat 420
tatatacact aattaaggaa actcagaaaag ccaataccca tttagtaaga tggacacctg 480
aagcagaggc agctttccag gccgtaaaga acacctaac ccaagcccca gtgttaagct 540
tqccagcggg gcaagacttt tctttctgtg tcacagaaaa aataggaata gctntaggag 600
tccttacaca ggtccgaggg accagcttgc aacctatggc atacctgagt aaggaaattg 660
atgtagtggc aaagggtt

```

678

<210> 19
 <211> 591
 <212> DNA
 <213> Homo sapiens

```

<400> 19
ccatggccat ctacactgaa caagatttat acaatcatgt cgtacctaa gccccacaaca 60
aaagagtacc cattcttctt tttgttatca gagcaggagt gctaggcaga ctaggtagtg 120
gcattggcag tatcacaacc tctactcagt tctactacaa actatctcaa gaaataaatg 180
gtgacatgga acaggtcact gactccctgg tcaccttgca agatcaactt aactccctag 240
cagcagtagt ccttcaaaat cgaagagctt tagacttgct aaccgccaaa agagggggaa 300
cctgtttatt tttaggagaa gaacgctgtt attargttaa tcaatccaga attgtcactg 360
agaaagttaa agaaattcga gatcgaatac aatgtagagc agaggagctt caaacaccg 420
aacgctgggg cctcctcagc caatggatgc cctgggttct ccccttctta ggacctctag 480
cagctctaatt attgttactc ctctttggac cctgtatctt taacctctt gttaagtttg 540
tctcttccag aattgaagct gtaaagctac agatggtctt acaaactctag a 591

```

<210> 20
 <211> 1321
 <212> DNA
 <213> Homo sapiens

```

<400> 20
caacaatcgg gatataaacc caggcattcg agctggcaac agcagcccc ctttgggttc 60
cttccctttg tatgggagct gttttcatgc tatttactc tactaaatct tgcaactgca 120
ctcttctggg ccatgtttct tactggctga gctgagcttt tgctcacctg ccaccactgc 180
tgtttgccac caccgcagac ctgcccgtga cteccatccc tctggatcct gcagggtgtc 240
cgctgtgtct ctgatccagc gaagcgccca ttgccgtcc caattgggct aaaggcttgc 300
cattgttctt gcacggctaa gtgcctgggt ttgttctaata tgagctgaac actagtact 360
gggttccatg gttctcttct gtgacccacg gcttctaata gaactataac acttaccaca 420
tggcccaaga ttccattcct tgggaatccgt gaggccaaga actccaggct agagaatacg 480
aagcttgcca ccatcttgga agcggcctgc taccatcttg gaagtgggtc accaccatct 540
tgggagctct gtgagcaagg acccccgggt aacattttgg caaccacgaa cggacatcca 600
aagtgatggg aaacgttccc cgcaagacaa aaacgcccct aagacgtatt ctggaaaatt 660
gggaacaatt tgacctcag acactaagaa agaaacgact tatattcttc tgcagtgccg 720
cctggcactc ctgaggggaag tataaattat aacaccatct tacagctaga cctcttttgt 780
agaaaaggca aatggagtgga agtgccataa gtacaaactt tcttttctat aagagacaac 840
tcacaattat gtaaaaaagt tgatttatgc cctacaggaa gccttcagag tctacctccc 900
tatcccgaca tccccgactc ctccccact taataaggac ccccttcaa cccaatggg 960
ccaaaaggag atagacaaaa gggtaaacag tgaaccaaag agtgccaata ttcccaatt 1020
atgacccctc caagcagtgg gaggaagaga attcggcca gccagagtgc atgtgccttt 1080
ttctctccca gacttaaagc aaataaaaac agacttaggt aaattctcag ataaccctga 1140
tggctatatt ggtgttttac aagggttagg acaattcttt gatctgacat ggagagatat 1200
atatgtcact gctaaatcag acactaacc ccaatgagag aagtgccacc ataactgcag 1260
cctgagaggt tggcgatctc tgggtatctc gtcagggtcaa tgataggatg acaacagagg 1320

```


a

1321

<210> 21
<211> 2938
<212> DNA
<213> Homo sapiens

<400> 21

```
caacgacgga catccaaagr gatgggaaac gttccccgca agacaaaaaac gccccctaaga 60
cgtattcttg agaattggga ccaatttgac cctcagacac taagaaagaa acgacttata 120
ttcttctgca gtgccgctg gcactcctga gggaagtata aattataaca ccattcttaca 180
gctagacttc ttttgtagaa aaggcaaatg gagtgaagtg ccataagtac aaactttctt 240
ttcattaaga gacaactcac aattatgtaa aaagtgtgat ttatgcccta caggaagcct 300
tcagagtcta cctccctatc ccagcatccc cgactccttc cccaactaat aaggaccccc 360
cttcaaccca aatggtccaa aaggagatag acaaaagggt aaacagtga ccaaagagtg 420
ccaatatcc ccaattatga cccctcccaa gcagtgggag gaagagattc ggcccagcca 480
gagtgcattg gctttttctt ctcccagact taaagcaaat aaaaacagac ttaggtaaat 540
tctcagataa tcttgatggc tatattgatg ttttacaagg gttaggacaa ttctttgatc 600
tgacatggag agatataatg tcaactgcta atcagacact aacccccaaat gagagaagtg 660
ccaccataac tgcagcctga gagtttgagg atctctggta tctcagtcag gtcaatgata 720
ggatgacaac agaggaaaga gatgatcccc acagccagca agcagttccc agtctasacc 780
ctcattgggg acacagaaat cagtaacatg ggagattggg gctgcagaca tttgctaact 840
tgtgtgctac aaggactaag gaaaactacg aagaaaatct acgaattact caatgatgtc 900
caccataaca caggggaaag gaagaaaatc ctactgcctt tctggagaga ctaaggagg 960
cattgaggaa gcgtgcctct ctgtcacctg actcttctga aggccaaacta atcttaaagc 1020
gtaagtttat cactcagtcg gctgcagaca ttagaaaaaa cttcaaaagt ctgccgtagg 1080
cccgaggcaa aacttagaaa cctattgaa cttggcaacy tcggtttttt ataatagaga 1140
tcaggaggag caggcggaac aggacaaacg ggattaaaaa aaaggccacc gctttagtca 1200
tgacctcag gcaagtggac tttggaggct ctggaaaagg gaaaagctgg gcaaattgaa 1260
tgccataatg ggcttgcttc cagtgcggtc tacaaggaca cttcaaaaaa gattgtccaa 1320
gtagaagtaa gccgcccctt cgtccatgcc ccttatttca agggaatcac tggaaggccc 1380
actgccccag gggacaaagg tcttttgagt cagaagccac taaccagatg atccagcagc 1440
aggactgagg gtgectgggg caagcgccat cccatgccat caccctcaca gagccctggg 1500
tatgcttgac cattgagggc caggaagggt gtctcctgga cactggtgag gtcttcttag 1560
tcttactctt ctgtcccgga caactgtcct ccagatctgt cactatctga gggggtccta 1620
agacgggcag tcactagata cttctcccag ccactaagtt atgactgggg agctttattc 1680
ttttcacatg cttttctaatt tatgcttgaa agccccacta ccttggttagg gagagacatt 1740
ctagcaaaag cagggggccat tatacacctg aacataggag aaggaacacc cgtttgttgt 1800
ccctgcttg aggaaggaat taatcctgaa gtctgggcaa cagaaggaca atatggacga 1860
gcaaagaatg ccgctcctgt tcaagttaaa ctaaaggatt ccacttcctt tcctaccaaa 1920
aggcagtacc cctcagacc caaggcccaa caaggattcc aaaagattgt taaggactta 1980
aaagcccaag gcttagtaaa accatgcata actccctgca gtaattccgt agtggattga 2040
ggaggcacag aaaccagtg gacagtggag ggtagtgca agatctcagg attatcaatg 2100
gaggccgttg tctttttata ccagctgta cctagccctt atactgtgct tccccaaata 2160
ccagagggaag cagagtgggt tacactcctg gaccttaagg atgccttctt ctgcacccct 2220
gtacatcctg actctcaatt cttgtttgcc tttgaagata cttcaaacc aacatctcaa 2280
ctcacctgga ctgttttacc ccaagggttc agggatagcc cccatctatt tggccaggca 2340
ttagcccaag acttgagcca atcctratat ctggacactt gtcccttcggg aggtggatga 2400
tttacttttg gccgcccatt cagaaacctt gtgccatcaa gccaccaag cgtcttcaa 2460
tttctctgct acctgtggct acatggtttc caaaccgaag gctcaactct gctcacagca 2520
ggttacttag ggctaaaatt atccaaaggc accaggccc tcagtgagga acacatccag 2580
cctatactgg cttatctca tcccaaaacc ctaaaggcaac taaggggatt ccttggcgta 2640
ataggtttct gccgaaaatg gattcccagg tttggcgaaa tagccaggtc attaaatata 2700
ctaattaagg aaactcagaa agccaatacc catttagtaa gatggacaac tgaagtagaa 2760
gtggctttcc aggcctaac ccaagcccca gtgttaagtt tgccaacagg gcaagacttt 2820
tcttcatatg tcacagaaaa aacaggaata gctctaggag tccttacaca gatccgagg 2880
atgagcttgc aacctgtggc gtacctgact aaggaaattg atgtagtggc aaagggtt 2938
```

PCT/FR00/00144

<210> 22
 <211> 1422
 <212> DNA
 <213> Homo sapiens

<400> 22
 tcagggatag ccccatctta tttggccagg cattagccca agacttgagt cagttatcat 60
 acctggacac tcttgctctt cagtatgtgg atgatttact tttagctgcc tgttcagaaa 120
 ccttggtgcc tcaagccacc caagcactct taaatttctt cgcacactgt ggctacaagg 180
 tttccaaaga gaagctcagc tctgctcaca gcagggttaa tacttaggac taagattatc 240
 caaaggcacc aaggccctca gtgaggaatg tatccagcct atactggctt atcctcatct 300
 caaaacccta aagcaactaa gagagtctct tggcataaca ggcttctgcc gaatatggat 360
 tccccaggta tggcaaaata gccaggccat tatatacagt aattaaggaa actcagaaaag 420
 ccaataccca ttttaataaga tggatacctg aagccaaagt ggctttccag gcccttaaag 480
 aaggccttaa acccaagtcc cagtgttaag cttgccaacg gggcaagact tttctttata 540
 catcacagaa aaaaacagaa acagctctgg gagtccctac acaggtccaa gggacgagct 600
 tgcaccccat ggcatacctg agtaaggaaa ctgatgtagt ggcaaagggt tggcttcatt 660
 gtttatgggt agtgggtggc gtagcagttg tagtatctga agcagttaaa ataatacagg 720
 ggagagatct tactgtgtgg acatctcatg aggtgaacag catactcact gctaaaggag 780
 acttggtggt gtcagacaac cgtttactta aatatcaggc tctattactt gaaaggccag 840
 tgctgcaact gtgcacttgt gcaactctta acccagtcnc atttcttcca gacaatgaag 900
 atagaatata actgtcaaca aataatttct caaacctatg ccactcgagg ggaccttcta 960
 gaagttccct tgactgatcc tgacctcaa cttgtatact gatggaagtt cctttgtaga 1020
 aaaaggactt caaaagcggg gtatgcagtg gtcagtgata atggaatatt tgaaagtatc 1080
 cctcactcc aggaactagt gcttagctgg cagaactaat agccttcatt ggggcactag 1140
 aattaggaga aggaaaaagg gtaaatatat atacagactc tgagtatgct cacctagtcn 1200
 tccatgcccc tgaggcaata tgcagagaaa ggaattcct aacttccgag ggaacaccta 1260
 tcacacatca ggaagccatt aggagattat tactggcagt acagaaacct aaagaggtgg 1320
 aagtcttaca ctgctggggt catcagaaaag gaaagaaaag ggaaatagaa gggaattgcc 1380
 aagcagatat tgaagcaaaa agagctgcaa ggcaggaccc tc 1422

<210> 23
 <211> 2006
 <212> DNA
 <213> Homo sapiens

<400> 23
 atgcagtggc cagtgataat ggaatacttg aaagtaatcc cctcactcca ggaactagtg 60
 ctacagctagc agaactaata gccctcactt gggcactaga attaggagaa gaaaaaagg 120
 caaatatata tacagactct aaatatgctt acctagtctt ccatgcccac gcagcaatat 180
 ggaaagaaag ggaattccta acttctgaga gaacacctat caaacatcag gaagccatta 240
 ggaaattatt attggctgta cagaaacctt aagaggtggc agtcttacac tgccgggggtc 300
 atcanaaaag aaaggaaagg gaaaatactt ttgcttgcaa ctatccaatg gaaattactt 360
 aaaacccttc atcaaacctt tcacttaggc atcgatagca cccatcaaat ggccaaatca 420
 ttattttactg gaccaggcct tttcaaaact atcaagcaaa tattcagggtc ctgtgaattg 480
 tgccaaaaaa ataatccctt gcctcatcgc caagctcctt caggaaaaca aaaaacaggc 540
 cattaccctg aaaaaaactg gcaactgatt ttaccacaa gcccaaacct cagggtattc 600
 agtatctact agtctgggta aatactttca cgggttgggc aaaggccttc ccctgtagga 660
 cagaaaaggc ccaagaggta ataaaggcac tagttcatga aataattccc agattcggac 720
 ttccccgagg cttacagagt gacaatagcc ctgctttcca ggccacagta acccagggag 780
 tatcccaggc gttaggtata cgatatcact tacactgcgc ctgaaggcca cagtccctag 840
 ggaaggtcga gaaaatgaat gaaatactca aaggacatct aaaaagcaa acccaggaaa 900
 cccacctcac atggcctgct ctgttgccca tagccttaaa aagaatctgc aactttcccc 960
 aaaaagcagg acttagccca tacgaaatgc tgtatggaag gcccttcata accaatgacc 1020
 ttgtgcttga cccaagacag ccaacttagt tgcagacatc acctccttag ccaaatatca 1080

```

acaagttctt aaaacattac aaggaaccta tccctgagaa gagggaaaag aactattcca 1140
cccttgtgac atggtattag tcaagtccct tctctctaata tccccatccc tagatacatc 1200
ctgggaagga cctaccacag tcatTTTTatt taccccaact gcggttaaag tggctggagt 1260
ggtcttggat acatcacact tgagtcaaat cctggatact gccaaaggaa cctgaaaatc 1320
caggagacaa cgctagctat tccctgtgaac ctctagagga tttgcgcctg ctcttcaaac 1380
aacaaccagg aggaaagttaa ctaaaatcat aaatccccc tggccctccc ttatcatatt 1440
tttctcttta ctgttctttt accctctttc actctcactg caccctctcc atgcccgtgt 1500
atgaccagta gctcccttta ccaagagttt ctatggagaa tgcagcgtcc cggaaatatt 1560
gatgccccat cgtataggag tctttctaag ggaaccccca ccttcaactgc ccacaccat 1620
atgccccgca acgctatca ctctgccact ctttgcactg atgcaaatac tcattattgg 1680
acaggaaaaa tgattaatcc tagttgtcct ggaggacttg gagtcaactgt ctgttggaact 1740
tacttcaccc aaactgggtat gtctgatggg ggtggaggtc aagatcaggc aagagaaaaa 1800
catgtaaaag aagtaatctc ccaactcacc cgggtacatg gcacctctag cctacaaaag 1860
gactagatct ctcaaaacta catgaaaccc tccgtaccca tactcgcttg gtaagcctat 1920
ttaataccac cctcactggg ctccatgagg tctcgcccc aaacctact aactgttggg 1980
tatgcctccc cctgaacttc aagcca

```

2006

<210> 24

<211> 1948

<212> DNA

<213> Homo sapiens

<400> 24

```

actgcaactct tctgggtccat gtttctttag gctcgagctg agcttttctt caccgtccac 60
caactgctgtt tgcaccaccc gcanacctgc cgtgactcc catccctctg gatcctgcag 120
ggtgtccgct gtgctcctga tccagcgagg cgcacattgc cgtcccaat tgggctaaag 180
gcttgccatt gtnccctgcac ggctaagtgc ctgggtttgt tctaattgag ctgaacacta 240
ntcaactggg tccatgggtc tcttctgtga cccacggctt ctaatagaac tataacactt 300
accacatggc ccaagattcc attccttgga atcogtgagg gcaagaactc cagggtcagag 360
aatacgaggc ttgccaccat cttggaagcg gcctgctacc atcttggaag tgggtcacca 420
ccatcttggg agctctgtga gcaaggaccc cccggtaaca ttttggaac cacgaacgga 480
catccaaagt gatacatcct gggaaggacc ctaccagtc attttatcta ccccaactgc 540
ggttaaagtg gctggagtgg agtcttggat acatcacact tgagtcaaat cctggatact 600
gccaaaggaa cctgaaaatc caggagacaa cgctagctat tccctgtgaac ctctagagga 660
tttgcgcctg ctcttcaaac aacaaccagg aggaaagttaa ctaaaatcat aaatcccat 720
ggccctccct tatcatattt ttctctttac tgttgtttca cctctttca ctctcaactgc 780
acccctccca tgcgcgtgta tgaccagtag ctccctttac caagagtctc tatggagaat 840
gcagcgtccc ggaaatattg atgcccacac gtataggagt ctttgttaagg gaaccccccac 900
cttcaactgcc cacaccata tgccccgcaa ctgctatcac tctgccactc tttgcatgca 960
tgcaaatact cattattgga caggaaaaat gattaatcct agttgtcctg gaggacttgg 1020
agtcactgtc tgttggactt acttcaccca aactgggatg tctgatgggg gtggagtcca 1080
agatcaggca agagaaaaac atgtaaaaga agtaatctcc caactcacc gggtacatgg 1140
cacctctagc cctacaaaag gactagatct ctcaaaacta catgaaaccc tccgtaccca 1200
tactcgcttg gtaagcctat ttaataccac cctcactggg ctccatgagg tctcgcccc 1260
aaacctact aactgttggg tatgcctccc cctgaacttc aggccatag tttcaatccc 1320
tgtacctgaa caatggaaca acttcagcac agaaataaac accactccg ttttagtagg 1380
acctcttgtt tccaatctgg aaataaccca tacctcaaac ctacactgtg taaaatttag 1440
caatactaca tacacaacca actccaatg catcagggtg gtaactctc ccacacaaat 1500
agtctgccta cctcaggaa tattttttgt ctgtgttacc ttagcctatc gttgtttgaa 1560
tggtctttca gaatctatgt gcttctctc attcttagtg ccccttatgg ccactacac 1620
tgaacaagat ttatacagtt atgtcatatc taagccccg aacaaaagag taccattct 1680
tctttttgtt ataggagcag gagtgttagg tgcactaggg actggcattg gcggtatcac 1740
aacctctact cagttctact acaaaactat tcaagaacta aatggggaca tgggaacgggt 1800
cgccgactcc ctggtcacct tgcaagatca acttaactcc ctagcagcag tagtcttca 1860
aaatcgaaga gcttttagct tgctaaccgc tgaaagaggg ggaacctgtt tatttttagg 1920
ggaagaatgc tgttattatg ttaatcaa

```

1948

<210> 25
 <211> 1136
 <212> DNA
 <213> Homo sapiens

<400> 25
 ccattggccat ctacactgaa caagatttat acagttatgt catatctaag ccccgcaaca 60
 aaagagtacc cattcttcct tttgttatag gagcaggagt gctaggtgca ctaggtagctg 120
 gcattggcgg tatcacaacc tctactcagt tctactacaa actatctcaa gaactaaatg 180
 gggacatgga acgggtcgcc gactccctgg tcacctgca agatcaactt aactccctag 240
 cagcagtagt ccttcaaaaat cgaagagctt tagactcgct aaccgctgaa agagggggaa 300
 cctgtttatt tttaggggaa gaatgctgtt attatgttaa tcaatccgga atcgtcactg 360
 agaaagttaa agaaattcga gatcgaatac aacgtagagc agaagagctt cgaaacactg 420
 gaccctgggg cctcctcagc caatggatgc cctggattct ccccttctta ggacctctag 480
 cagctataat attgctactc ctctttggac cctgtatctt taacctcctt gttaactttg 540
 tctcttccag aatcgaagct gtaaaactac aaatggagcc caagatgcag tccaagacta 600
 agatctaccg cagacccctg gaccggcctg ctagcccacg atctgatgtt aatgacatca 660
 aaggcacccc tcttgaggaa atctcagctg cacaacctct actacgcccc aattcagcag 720
 gaagcagtta gagcggtcgt cggccaacct ccccaacagc acttaggttt tctgttgag 780
 atgggggact gagagacagg actagctgga tttcctaggg tgactaagaa tccctaagcc 840
 tagctgggaa ggtgaccaca tccaccttta aacacggggc ttgcaactta gttcacacct 900
 gaccaatcag agagctcact aaaatgctaa ttaggcaaag acaggaggta aagaaatagc 960
 caatcatcta ttgcatgaga gcacagcagg agggacaatg atcgggatat aaacccaagt 1020
 cttcgagccg gcaacggcaa cccctttgg gtcacctccc tttgtatggg agctctgttt 1080
 tcatgctatt tcactctatt aaatcttgca gctgcgaaaa aaaaaaaaaa aaaaaa 1136

<210> 26
 <211> 2782
 <212> DNA
 <213> Homo sapiens

<400> 26
 atgggagctg ttttcatgct atttactctt attaaatctt gcaactgcac tcttctgggtc 60
 catgtttctt acggctcgag ctgagctttt gctcaccgtc caccactgct gtttggcacc 120
 accgcagacc tgccgctgac tcccatccct ctggatccct cagggtgtcc gctgtgctcc 180
 tgatccagcg aagcgcccat tgccgctccc aattgggcta aaggcttgcc attgttctctg 240
 cacggctaag tgcttgggtt tgttctaatt gagctgaaca ctagtccctg ggttccatgg 300
 ttctcttctg tgaccacagg cttctaatag aactataaca cttaccacat ggcccaagat 360
 tccattcctt ggaatccgtg aggcacaacga actccagggtc agagaatacg aagcttgcca 420
 ccatcttgga agcggcctgc taccatcttg gaagtgggtc accaccatct tgggagctct 480
 gtgagcaagg accccccggt gacatttttg cgaccaccaa cggacatccc aagtgatata 540
 tcttgggaag gacctaccc agtcatttta tctaccccaa ctgcggttaa agtggctgga 600
 gtggagtctt ggatacatca cacttgagtc aaatcctgga tactgcaaaa ggaacctgaa 660
 aatccaggag acaacgctag ctattcctgt gaacctctag aggatttgcg cctgctcttc 720
 aaacaacaac caggaggaaa gtaactaaaa tcataaatcc ccattggcct ccttatcat 780
 atttttctct gtagtgttct ttcacctgtt ttcactctca ctgcaccccc tccatgccgc 840
 tgtatgacca gtagtcccc tcaccagag tttctatgga gaatgcagc tcccggaaat 900
 attgatgcc catcgtatag gactctttct aagggaaacc ccaccttcac tgcccacacc 960
 catatgcccc gcaactgcta tctacttgcc actctttgca tgcattgcaa tactcattat 1020
 tggacaggaa aaatgattaa tcttagttgt cctggaggac ttggagtcac tgtctgttg 1080
 acttacttca cccaaactgg tatgtctgat ggggggtggag ttcaagatca ggcaagagaa 1140
 aaacatgtaa aagaagtaat ctcccaactc accgggggtac atggcacctc tagccctac 1200
 aaaggactag atctctcaaa actacatgaa accctccgta ccatactcg cctggtaagc 1260
 ctatttaata ccacctcac tgggtcccat gaggtctcgg cccaaaaccc tactaactgt 1320
 tggatatgcc tccccctgaa cttcaggcca tatgtttcaa tccctgtacc tgaacaatgg 1380
 aacaacttca gcacagaaat aaacaccact tccgttttag taggacctct tgtttccaat 1440

gtggaaataa cccatacctc aaacctcacc tgtgtaaaaat ttagcaatac tacatacaca 1500
 accaactccc aatgcatacag gtgggtaact cctcccacac aaatagtctg cctaccctca 1560
 ggaatatatt ttgtctgtgg tacctcagcc tatcgttggt tgaatggctc ttcagaatct 1620
 atgtgcttcc tctcattctt agtgccccct atgaccatct acactgaaca agatttatac 1680
 agttatgtca tatctaagcc ccgcaacaaa agagtaccca ttcttccttt tgttatagga 1740
 gcaggagtgc taggtgcact aggtactggc attggcggta tcacaacctc tactcagttc 1800
 tactacaaac tatctcaaga actaaatggg gacatggaac gggctcgccga ctccctgggtc 1860
 accttgcaag atcaacttaa ctccctagca gcagtagtcc ttcgaaatcg aagagcttta 1920
 gacttgctaa ccgctgagag agggggaacc tgtttatatt taggggaaga atgctgttat 1980
 tatgttaatc aatccggaat cgtcactgag aaagtgaag aaattccaga tcgaatacaa 2040
 cgtatagcag aggagcttcg aaacactgga cctgggggcc tctcagccg atggatgccc 2100
 tggattctcc ccttcttagg acctctagca gctataatat tgcactcct ctttggaccc 2160
 tgtatctttg acctccttgt taactttgtc tcttcagaa tcgaagctgt gaaactacaa 2220
 atggagccca agatgcagtc caagactaag atctaccgca gaccttgga ccggcctgct 2280
 agcccacgat ctgatgttaa tgacatcaaa ggcacccctc ctgaggaaat ctgagctgca 2340
 caacctctac tacgccccaa ttcagcagga agcagttaga gcgggtggtcg gccaacctcc 2400
 ccaacagcac ttaggttttc ctgttgagat gggggactga gagacaggac tagctggatt 2460
 tcttaggctg actaagaatc cttaagccta ggtgggaagg tgaccacatc cacctttaaa 2520
 cacggggctt gcaacttagc tcacacctga ccaatcagag agctcactaa aatgtctaatt 2580
 aggcaaaagc aggaggtaaa gaaatagcca atcatttatt gcctgagagc acagcaggag 2640
 ggacaatgat cgggatataa acccaagttt tcgagccggc aacggcaacc cctttgggt 2700
 cccctccctt tgtatgggag ctctgttttc atgctatttc actctattaa atcttgcaac 2760
 tgcaaaaaaa aaaaaaaaaa aa 2782

<210> 27

<211> 666

<212> DNA

<213> Homo sapiens

<400> 27

tgtccgctgt gctcctgac cagcgaggcg cccattgccg ctcccaattg ggctaaaggc 60
 ttgccattgt tctgacagc ctaagtgcct gggtttggtc taattgagct gaacactant 120
 cactgggttc catggttctc ttctgtgacc cagcgcttct aatataacta taacacttac 180
 cacatggccc aagattccat tcttggaat ccgtgaggcc aagaactcca ggtcagagaa 240
 tacgaggctt gccaccatct tggaaagcggc ctgctacat cttggaagtg gttcaccacc 300
 atcttgggag ctctgtgagc aaggaccccc cggtaacatt ttggcaacca cgaacggaca 360
 tccaaagtga atcgaagctg taaaactaca aatggagccc aagatgcagt ccaagactaa 420
 gatctaccgc agacccttg accggcctgc tagcccacga tctgatgtta atgacatcaa 480
 aggcacccct cctgaggaaa tctcagctgc acaacctcta ctacgcccc attcagcagg 540
 aagcagttag agcggctcgtc ggccaacctc cccaacagca cttaggtttt cctgttgaga 600
 tgggggactg agagacagga ctgctggat ttcttaggct gactaagaat ccctaagcct 660
 agctgg

<210> 28

<211> 3372

<212> DNA

<213> Homo sapiens

<400> 28

gacttcccaa ataccagagg aagcagagt gtttacagtc ctggaccttc aggatgcctt 60
 cttctgcac cctgtacatc ctgactctca attcttggtt gcctttgaag atacttcaaa 120
 cccagcatct caactcacct ggactatttt accccaaggg ttcagggata gtccccatct 180
 atttggccag gcattagccc aagacttgag ccaatcctca tacctggaca cttgtccttc 240
 ggtaggtgga tgatttactt ttggccgccc attcagaaac cttgtgccat caagccaccc 300
 aagcgtctct caatttctc gctacctgtg gctacatggt ttccaaacca aaggctcaac 360
 tctgctcaca gcaggttact tagggctaaa attatccaaa ggcaccaggg cctcagtgca 420

ggaacacatc cagcctatac tggccttatcc tcatcccaaa accctaaagc aactaagggg 480
 attccttggc gtaataggtt tctgccgaaa atggattccc aggtatggcg aaatagccag 540
 gtcattaaat acactaatta aggaaactca gaaagccaat acccatttag taagatggac 600
 aactgaagta gaagtggctt tccaggccct aacccaagcc ccagtgttaa gtttgccaac 660
 agggcaagac ttttgttcat atgtcacaga aaaaacagga atagctctag gagtccctac 720
 acagatccga gggatgagct tgcaacctgt ggcacacctg actaaggaaa ttgatgtagt 780
 ggcaaagggt tgacctcatt gtttacgggt agtgggtggc gtagcagctt tagtatctga 840
 agcagttaa ataatacagg gaagagatct tactgtgtgg acatctcatg atgtgaatgg 900
 catactcact gctaaaggag acttggtggc gtcagacaac tgtttactta aatgtcaggc 960
 tctattactt gaagggccag tgctgcgact tgcacctgt gcaactctta acccagccac 1020
 atttcttcca gacaatgaag aaaagataaa acataactgt caacaagtaa tttctcaaac 1080
 ctatgccact cgaggggacc ttttagaggt tcttttgact gatcccgacc tcaacttgta 1140
 tactgatgga agttcccttg tagaaaaagg acttcgaaaa gtgggggtatg cagtggtcag 1200
 tgataatgga atacttgaaa gtaatccctt cactccagga actagtgtct agctagcaga 1260
 actaatagcc ctcaactggg cactagaatt aggagaagaa aaaagggcaa atataatata 1320
 gactctaaat atgcttacct agtccctccat gcccatgcag caatatggaa agaaaggga 1380
 ttcctaactt ctgagagaac acctatcaaa catcaggaag ccattagga attattattg 1440
 gctgtacaga aacctagaga ggtggcagtc ttacactgcc ggggtcatca caaaggaaa 1500
 gaaagggaaa tacaagagaa ctgccaagca tatattgaag ccaaaagagc tgcaaggcag 1560
 gaccctccat tagaaatgct tattaactt cccttagtat agggtaatcc ctccgggaa 1620
 accaagcccc agtactcagc aggagaaaca gaatggggaa cctcacgagg cagttttctc 1680
 ccctcgggac ggtagccac tgaagaaggg aaaatacttt tgcctgcaac tatccaatgg 1740
 aaattactta aaacccttca tcaaaccctt cacttaggca tcgatagcac ccacagatg 1800
 gccaaatcat tatttactgg accaggcctt ttcaaaacta tcaagcagat agtcaggggc 1860
 tgtgaagtgt gccagagaaa taatccctg ccttatcgcc aagctccttc aggagaacaa 1920
 agaacaggcc attaccctgg agaagactgg caactgattt taaccacaag ccaaacctc 1980
 agggatttca gtatctacta gtctgggtag atactttcac gggttgggca gaggccttcc 2040
 cctgtaggac agaaaaggcc caagaggtaa taaaggcact agttcatgaa ataattccca 2100
 gattcggact tccccaggc ttacagagtg acaatagccc tgctttccag gccacagtaa 2160
 cccagggagt atcccaggc ttagggtatac gatatactt acactgcgc cgaaggccac 2220
 agtccctcag gaaggtcgag aaaatgaatg aaacactcaa aggacatcta aaaaagcaaa 2280
 cccaggaaac ccacctcaca tggcctgttc tgttgccat agccttaaaa agaattctgca 2340
 actttccccc aaaagcagga cttagcccat acgaaatgct gtatggaagg cctttcataa 2400
 ccaatgacct tgtgcttgac ccaagacagc caacttagt gcagacatca cctccttagc 2460
 caaatatcaa caagtctta aaacattaca aggaacctat ccttgagaag aggaaaagaa 2520
 tattccaccc aagtgcagt gtattagtca agtcccttcc ctctaattcc ccacccctag 2580
 atacatcctg ggaaggaccc taccagtc ttttatctac cccaactgc gttaaagtgg 2640
 ctggagtggg gtcttgata catcacactt gagtcaaatc ctggatactg ccaaagggaac 2700
 ctgaaaatcc aggagacaac gctagctatt cctgtgaacc tctagaggat ttgcgcctgc 2760
 tcttcaaaaa acaaccagga ggaaaaatcg aagctgtaa actacaaatg gagcccaaga 2820
 tgcagtccaa gactaagatc taccgcagac ccctggaccg gcctgttagc ccacgatctg 2880
 atgttaatga catcaaaggc acccctcctg aggaaatctc agctgcacaa cctctactac 2940
 gcccgaattc agcaggaagc agttagagcg gtcgtcgcc aacctccca acagcactta 3000
 gggtttctctg ttgagatggg ggactgagag acaggactag ctggatttcc taggctgatt 3060
 aagaatccct aagcctagct gggaagggtga ccacatccac ctttaaacac ggggcttgca 3120
 acttagctca cacctgacca atcagagagc tcaataaat gctaattagg caaagacagg 3180
 aggtaaagaa atagccaatc atttattgcc tgagagcaca gcaggaggga caatgatcgg 3240
 gatataaacc caagttttcg agccggcaac ggcaaccccc tttgggtccc ctccctttgt 3300
 atgggagctc tgttttcatg ctatttcaact ctattaaatc ttgcaactgc aaaaaaaaaa 3360
 aaaaaaaaaa aa 3372

<210> 29

<211> 2372

<212> DNA

<213> Homo sapiens

<400> 29

actgcactct tctgggtccat gtttcttacg gctcgagctg agcttttgc caccgtccac 60
 cactgctggt tggccaccacc gcagacctgc cgtgactcc catccctctg gatcctgcag 120
 ggtgtccgct gtgctcctga tccagcgagg cgcccattgc cgctcccaat tgggctaaag 180
 gcttgccatt gttcctgcac ggctaagtgc ctgggtttgt tctaattgag ctgaacacta 240
 atcactgggt tccatgggtc tcttctgtga cccacggctt ctaatagaac tataacactt 300
 accacatggc ccaagattcc attccttggg atccgtgagg ccaagaactc caggtcagag 360
 aatacgaggc ttgcccaccat cttggaagcg gcctgctacc gtcttggaag tgggtcacca 420
 ccactcttggg agctctgtga gcaaggaccc cccggttaaca ttttggcaac caacgacgga 480
 catccaaagt gatgggaaac gttccccgca agacaaaaac gcccttaaga cgtattcttg 540
 agaattggga ccaatttgac cctcagacac taagaaagaa acgacttata ttcttctgca 600
 gtgcccgcctg gcaactcctga gggaagtata aattataaca ccatcttaca gctagacctc 660
 ttttgtagaa aaggcaaatg gagtgaagtg ccataagtac aaactttctt ttcattaaga 720
 gacaactcac aattatgtaa aaagtgtgat ttatgcccta caggaagcct tcagagtcta 780
 cctccctatc ccagcatccc cgactccttc cccaactaat aaggaccccc cttcaacca 840
 aatgggtccaa aaggagatag acaaaagggt aaacagtga ccaagagtg ccaatattcc 900
 ccaattatga cccctccaag cagtgggagg aagagaattc ggcccagcca gagtgcattg 960
 gcctttttct ctcccagact taaagcaaat aaaaacagac ttaggtaaat tctcagataa 1020
 ccctgatggc tatattgatg ttttacaagg gttaggacaa ttctttgatc tgacatggag 1080
 agatataatg tcaactgctaa atcagacact aacccccaaat gagagaagtg ccaccataac 1140
 tgcagcctga ggggttggcg tctctggat ctcaagtacg tcaatggata nggatgacaa 1200
 cagaaggaaa ganaatgatt ccccacggc cagcaggcag tcccagctt agacctcat 1260
 tgggacacag aatcagaaca tggagattgg tctgacagac atttgctaac ttgtgtgcta 1320
 gaaggactaa ggaaaactag gaagaagtct atgaattact caatgatgtc caccataaca 1380
 caggggaagg aagaaaatcc tactgccttt ctggagagac taaggagggc attgaggaag 1440
 cgtgcctctc tgtcacctga ctcttctgaa ggccaactaa tcttaaagcg taagtttatc 1500
 actcagtcag ctgcagacat tagaaaaaac ttcaaaagtc tgccttaggc ccggagcaaa 1560
 acttagaaac cctattgaac ttggcaacct cggtttttta taatagagat caggaggagc 1620
 aggcggaaca ggacaaacgg gattaaaaaa aaggccaccg ctttagtcat gacctcagg 1680
 caagtggact ttggaggctc tggaaaaggg aaaagctggg caaattgaat gcctaataag 1740
 ccttgcttcc agtgcggtct acaaggacac tttaaaaaag attgtccaag tagaataag 1800
 ccgccccttc gtccatgccc cttatttcaa gggaatcact ggaaggccca ctgccccagg 1860
 ggacaaaagg cttttgagtc agaagccact aaccagatga tccagcagca ggactgaggg 1920
 tgcctggggc aagcgcctc ccatgccatc accctcacag agccctgggt atgcttgacc 1980
 attgagggcc aggaagggtg tctcctggac actggtgctg tcttcttagt cttactcttc 2040
 tgtcccggac aactgtcctc cagatctgtc actattctga gggggtcctt aagacgggca 2100
 gtcactagat actttttccc agccactaag ttatgaactg gggagcttta ttcttttcac 2160
 atgcttttct aattatgctt gaaagcccca ctacctgtt agggagagac attctagcaa 2220
 aagcaggggc cattatacac ctgaacatag gagaaggaa acccgtttgt tgtncctctg 2280
 cttgaggaag gaattaatcc tgaagtctgg gcaacagaag gacaatatgg acgagccaaa 2340
 gaatgccgt cctgttcaag ttaactaaa gg 2372

<210> 30

<211> 7582

<212> DNA

<213> Homo sapiens

<400> 30

caacaatcgg gatataaacc caggcattcg agctggcaac agcagccccc ctttgggtcc 60
 ctcccttttg tatgggagct gttttcatgc tatttctact tattaaatct tgcaactgca 120
 ctcttctggt ccatgtttct tacggctcga gctgagcttt tgcacaccgt ccaccactgc 180
 tgtttgccac caccgcanac ctgcccgtga ctcccatccc tctggatcct gcagggtgtc 240
 cgctgtgctc ctgatccagc gargcgccta ttgccgctcc caattgggct aaaggcttgc 300
 cattgtncct gcacggctaa gtgectgggt ttgttctaata tgagctgaac actantcact 360
 ggggttccatg gttctcttct gtgaccacg gcttctaata kaactataac acttaccaca 420
 tggcccaaga ttccattcct tggaatccgt gaggscaacg aactccagg cagagaatac 480
 gargcttgcc accatcttgg aagcggcctg ctaccrtctt ggaagtgggt caccaccatc 540
 ttgggagctc tgtgagcaag gaccccccg tracctttg gcraccamsr acggacatcc 600

maagtgatgg gaaacgttcc ccgcaagaca aaaacgcccc taagacgtat totggaraat 660
 tggggamcaat ttgacctca gacactaaga aagaaacgac ttatatctt ctgcagtgcc 720
 gcctggcact cctgagggaa gtataaatta taacaccatc ttacagctag acytcttttg 780
 tagaaaaggc aaatggagtg aagtgccata agtacaact ttcttttcat taagagacaa 840
 ctacacaatta tgtaaaaagt gtgatttatg ccttacagga agccttcaga gtctacctcc 900
 ctatcccagc atcccogact ccttccccam ytaataagga ccccccctca acccaaatgg 960
 tccaaaaggga gatagacaaa agggtaaaaca gtgaaccaa gagtgccaat attcccgaat 1020
 tatgacctct cccaagcagt gggaggaaga gaattcggcc cagccagagt gcatgtgcyt 1080
 ttttytctcc cagactraaa gcaataaaaa acagacttag gtaaatctct agataaycct 1140
 gatggctata ttgtrgtttt acaaggggta ggacaattct ttgatctgac atggagagat 1200
 atatatgtca ctgctaaatc agacactaac cccaaatgag agaagtgcc ccataactgc 1260
 agcctgagrg tttggcgatc tctggtatct cagtcagggtc aatggatang gatgacaaca 1320
 gaaggaaaga naatgattcc ccacaggcca gcargcagtt cccagtctas accctcattg 1380
 gggacacaga aatcagtaac atgggagatt ggtgctgcag acatttgcta acttgtgtgc 1440
 tasaaggact aaggaaaact asgaagaaar tctaygaatt actcaatgat gtccaccata 1500
 acacagggga agggaagaaa atcctactgc ctttctggag agactaaggg aggcattgag 1560
 gaagcgtgcc tctctgtcac ctgactcttc tgaaggccaa ctaatcttaa agcgttaagt 1620
 tatcactcag tcagctgcag acattagaaa aaacttcaaa agtctgccgt agggccggag 1680
 caaaacttag aaacctatt gaacttggca acytcggttt tttataatag agatcaggag 1740
 gagcagggcg aacaggacaa acgggattaa aaaaaaggcc accgcttttag tcatgacct 1800
 caggcaagtg gactttggag gctctggaaa agggaaaagc tgggcaaatt gaatgcctaa 1860
 tagggcttgc ttccagtgcg gtctacaagg acactttaaa aaagattgtc caagtagaag 1920
 taagccgccc cttcgtccat gccccttatt tcaagggaat cactggaagg cccactgccc 1980
 caggggacaa aggtcttttg agtcagaagc cactaaccag atgatccagc agcaggactg 2040
 aggggtgctg gggcaagcgc catcccatgc catcacctc acagagccct gggatgtgct 2100
 gaccattgag ggccaggaag gttgtctct ggacactggg ggggtcttct tagtcttact 2160
 cttctgtccc ggacaactgt cctccagatc tgtcactatt ctgagggggg centaaagacg 2220
 ggcagtcact agatacttty tcccagccac taagttatga actggggagc tttattcttt 2280
 tcacatgctt ttctaattat gcttgaaagc cccactacct tgttagggag agacattcta 2340
 gcaaaagcag gggccattat acacctgaac ataggagaag gaacacccgt ttgttgncc 2400
 cctgcttgag gaaggaaata atcctgaagt ctgggcaaca gaaggacaat atggacgagc 2460
 caaagaatgc cgtcctgtt caagttaaac taaggatct cacttctttt ccttaccaaa 2520
 ggcgatcccc cctcagaccc aaggcccaac aaggattcca aaagattgtt aggcatttaa 2580
 aagcccaagg ctttagtaaaa ccatgcataa ctccctgcag taattccgta gtggattgag 2640
 gaggcacaga aaccagtggt acagtggagg gttagtgcga gatctcagga ttatcaatgg 2700
 aggcggttgt ccttttatat ccagctgtac ctagecctta tactgtgmyt tcccaatac 2760
 cagaggaagc agagtgggtt acastcctgg accttmagga tgccttcttc tgcattccctg 2820
 tacatcctga ctctcaatc ttgtttgccc ttgaagatac ttcaaaccce rcattctaac 2880
 tcacctggac trttttaccc caagggttca gggatagycc ccattctatt ggccaggcat 2940
 tagcccaaga cttgagycar tymtcatacc tggacactct tgtccttcrg takgtggatg 3000
 atttactttt rgcygccyrt tcagaaacct tgtgccatca agccaccceaa gcrctcttma 3060
 atttctctgc yacctgtggc tacawggttt ccaaacsara rgctcarctc tgctcacagc 3120
 aggttaaata cttaggrcta arattatcca aaggcaccar ggccctcagt gaggaayrya 3180
 tccagcctat actggcttat cctcatcyca aaacctaaa gcaactaagr grttcccttg 3240
 gcrtaayagg yttctgccga awatggattc cccaggtwtg gcraaatagc caggycatta 3300
 watacastaa ttaaggaaac tcagaaagcc aatacccat tartaatagc gayamctgaa 3360
 gymraagtgg ctttccagge ccctaaagaa ggcccttaaac ccaagyccca gtgttaagyt 3420
 tgccaacrpg gcaagacttt ttttyatayr tcacagaaaa aaacagraay agctctrnga 3480
 gtcccttacac agrtccragg gaygagcttg caaccyrtgg cryacctgas taaggaaayt 3540
 gatgtagtgg caaaggggtg rcytcattgt ttaygggtag tggtaggcagt agcagtykta 3600
 gtatctgaag cagttaaaat aatacagggg agagatctta ctgtgtggac atctcatgak 3660
 gtgaayrgca tactcactgc taaaggagac ttgtggctgt cagacaacyg tttacttaaa 3720
 trtcaggctc tattacttga arggccagt ctgcractgt gacttgtgac aactcttaac 3780
 ccagycncat ttcttccaga caatgaagaa aagataraay ataactgtca acaartaatt 3840
 totcaaacct atgccactcg aggggacctt ytagargttc cyttgactga tccygacctt 3900
 caacttgat actgatggaa gttcctttgt agaaaaagga cttcgaaaag yggggatgac 3960
 agtggtcagt gataatggaa tayttgaaag taatccctc actccaggaa ctagtgtctya 4020
 gctrgcagaa ctaatagccy tcaytkgggc actagaatta ggagaagraa aaaggyyaaa 4080

tatatatata gactcttrart atgctyacct agtctntccat gcccatgmrg caatatgsar 4140
 agaaagggaa ttocctaactt cygagrgaac acctatcama catcaggaag ccattaggar 4200
 attattaytg gcwgtacaga aacctaraga ggtggmagtc ttacactgcy ggggtcatca 4260
 naaaggaaag raaagggaaa tasaagrgaa ytgccaagca katattgaag cmaaaagagc 4320
 tgcaaggcag gacctccat tagaaatgct tattaaactt ccttagtat agggtaatcc 4380
 cttccgggaa accaagcccc agtactcagc aggagaaaca gaatggggaa cctcacgagg 4440
 cagttttctc cctcggggac ggtagccac tgaagaaggg aaaatacttt tgctgcaac 4500
 tatccaatgg aaattactta aaaccttca tcaaaccttt cacttaggca tcgatagcac 4560
 ccacaratg gccaaatcat tatttactgg accaggcctt ttcaaaacta tcaagcarat 4620
 aktcagggcc tgtgaaktgt gccararaaa taatccctg cctyatcgcc aagctccttc 4680
 aggaraacaa araacaggcc attaccctgr araaractgg caactgattt taccacaag 4740
 cccaaacctc agggatttca gtatctacta gtctgggtar atactttcac ggggtgggca 4800
 raggccttcc cctgtaggac agaaaaggcc caagaggtaa taaaggcact agttcatgaa 4860
 ataattccca gattcggact tccccgaggc ttacagagtg acaatagccc tgctttccag 4920
 gccacagtaa cccaggaggt atcccaggcg ttaggtatac gatatactt acactgcgcc 4980
 tgaaggccac agtcctcagg gaaggctcag aaaatgaatg aaayactcaa aggacatcta 5040
 aaaaagcaaa cccaggaaac ccacctcaca tggcctgytc tgttgccat agccttaaaa 5100
 agaactctgca actttcccca aaaagcagga cttagcccat acgaaatgct gstatggaag 5160
 cctttcataa ccaatgacct tgtgcttgac ccaagacagc caacttagtt gcagacatca 5220
 cctccttagc caaatatcaa caagtcttta aaacattaca aggaacctat ccttgagaag 5280
 agggaaaaga actattccac ccwgtgaca tggattagt caagtccctt cyctctaatt 5340
 ccccatccct agatacatcc tgggaaggac cctaccagtt cattttatyt accccaactg 5400
 cggttaaagt ggctggagtg gactcttggg tacatcacac ttgagtcaaa tcttggtac 5460
 tgccaaagga acctgaaat ccaggagaca acgctagcta ttctgtgaa cctctagagg 5520
 atttgccct gctcttcaaa caacaaccag gaggaaagta actaaaatca taaatcccc 5580
 atggscctcc cttatcatat ttttctctkt astgttsttt yacctsttt cactctcact 5640
 geacccccct catgccgctg tatgaccagt agtcccccty accmagagtt tctatggaga 5700
 atgcagcgtc ccggaaatat tgatgcccc aactgtatga gtctttstaa gggaaccccc 5760
 accttactg cccacaccca tatgccccg aactgtctac actctgccac tctttgcatg 5820
 agtgcataa ctcattattg gacaggaaaa atgattaatc ctagttgtcc tggaggactt 5880
 ggagtcactg tctgttggac ttacttcacc caaactggta tgtctgatgg ggggtggagt 5940
 caagatcagg caagagaaaa acatgtaaaa gaagtaatct cccaactcac csgggtacat 6000
 ggcacctcta gcccctacaa aggactagat ctctcaaaac tacatgaaac cctccgtacc 6060
 catactcgcc tggtaagcct atttaataacc acctcactg ggctccatga ggtctcggcc 6120
 caaaaccccta ctaactgttg gatatgcctc cccctgaact tcargccata tgtttcaatc 6180
 cctgtacctg aacaatggaa caacttcagc acagaaataa acaccacttc cgttttagta 6240
 ggacctcttg tttccaatst ggaaataacc catacctcaa acctcactg tgtaaaattt 6300
 agcaatacta catacacaa caactcccaa tgcactaggg gggtaactcc cccacacaaa 6360
 atagtctgcc taccctcagg aatatttttt gtctgtggta cctcagccta tegtgtttg 6420
 aatggctctt cagaatctat gtgcttcctc tcattcttag tgcccccyat grccatctac 6480
 actgaacaag atttatacag ttatgtcata tctaagcccc gcaacaaaag agtaccatt 6540
 cttccttttg ttataggagc aggagtgtca ggtgcactag gtactggcat tggcggtatc 6600
 acaacctcta ctcagttcta ctacaaacta tctcaagaac taaatgggga catggaacgg 6660
 gtgcgcgact cctgggtcac cttgcaagat caacttaact ccttagcagc agtagtcctt 6720
 craaatcgaa gagctttaga ctygctaacc gctgaragag ggggaacctg tttattttta 6780
 ggggaagaat gctgttatta tgtaatacaa tccggaatcg tcaactgagaa agttraagaa 6840
 attcsagatc gaatacaacg takagcagar gagcttcgaa acactggacc ctggggcctc 6900
 ctcagccrat ggatgcccc gattctcccc ttcttaggac ctctagcagc tataatattg 6960
 ctactcctct ttggacctg tatctttrac ctcttggtta actttgtctc ttccagatc 7020
 gaagctgtra aactacaaat ggagcccaag atgcagtcca agactaagat ctaccgcaga 7080
 cccctggacc ggctgytag cccacgatct gatgttaatg acatcaaagg caccctcct 7140
 gaggaatct cagctgcaca acctctacta cgcaccaatt cagcaggaag cagttagagc 7200
 ggtsgtcggc caacctcccc aacagcactt aggttttctt gttgagatgg gggactgaga 7260
 gacaggacta gctggatttc ctaggetgay taagaatccy taagcctags tgggaagggtg 7320
 accacatcca cctttaaaca cggggcttgc aacttagytc acactgacc aatcagagag 7380
 ctactaaaaa tgctaattag gcaaagacag gaggtaaaga aatagccaat catytattgc 7440
 mtgagagcac acaatgatcg gcatataaac ccaagtyttc gagccggcaa 7500
 cggcaacccc ctttgggtcc cctcccttg tatgggagct ctgttttcat gctatttcac 7560

260	265	270
Ser Glu His Gly Asp Trp Cys His Lys His Leu Leu Thr Cys Val Leu		
275	280	285
Glu Gly Leu Arg Lys Thr Arg Lys Lys Pro Met Asn Tyr Ser Met Met		
290	295	300
Ser Thr Ile Thr Gln Gly Lys Glu Glu Asn Pro Thr Ala Phe Leu Asp		
305	310	315 320
Arg Leu Arg Glu Ala Leu Arg Lys His Thr Ser Leu Ser Pro Asp Ser		
325	330	335
Ile Glu Gly Gln Leu Ile Leu Lys Asp Lys Phe Ile Thr Gln Ser Ala		
340	345	350
Ala Asp Ile Arg Lys Asn Phe Lys Ser Leu Pro		
355	360	

09869927-081704